


ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामाग्रीहरुको

स्वीकृत जिल्ला दररेट



आ.व. २०७८/०७९



जिल्ला दररेट निर्धारण समिति


ललितपुर

२०७८ आषाढ ३०

[Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.]

विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण	2
3	फलाम जन्य निर्माण सामग्री	4
4	सडक र पुल सम्बन्धि निर्माण सामग्री	7
5	स्थानीय निर्माण सामग्रीहरु	9
6	प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु	11
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	14
8	माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु	19
9	काठ तथा प्लाइउड संवन्धि निर्माण सामग्री	25
10	Aluminum Doors and Windows	29
11	UPVC Profile for Door/Window	33
12	छाना छाउने निर्माण सामग्री	34
13	Partition Board and Ceiling	40
14	Prefab Panel for wall Partition	44
15	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	48
16	रंगरोगन तथा पुटिका सामानहरु	51
17	Water Proofing Chemicals & Treatment works	58
18	Water Proofing Membrane	63
19	Structural Strengthening & Seismic Retrofitting	64
20	Cement Concrete Block	66
21	Security System	74
22	Non Destructive test for Forensic Engineering	75
23	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	77
24	Geocell Technology	84
25	Doors & Windows	87
26	Flooring & Ceiling	95
27	Slope Stabilization Structures	102



Handwritten signatures and stamps at the bottom of the page, including a stamp that says 'Page 1'.


ललितपुर जिल्लाको आव २०७८।७९ को दररेट



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
28	Railway	106
29	पाईप तथा फिटिङ्गहरू	107
30	DI पाईप तथा फिटिङ्गहरू	119
31	PE Electro Fusion Fittings and Combination Accessories	134
32	High Pressure Valves & Fittings	138
33	Electrical Accessories-Distribution Box (DB) & Connector Box	141
34	पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू	143
35	यु.पि.भि.सि. पाईप तथा फिटिङ्गहरू	150
36	पि.भि.सि. पाईप तथा फिटिङ्गहरू	153
37	पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरू	159
38	सि.पि.भि.सि. पाईप तथा फिटिङ्गहरू	162
39	GRP and HDPE/DWC Pipes	167
40	किचन र बाथरूममा प्रयोग हुने सामानहरू	174
41	CP Accessories	181
42	विभिन्न प्रकारका वाटर टैंक र पम्पहरू	183
43	साधारण हाते औजारहरू	186
44	मेनहोल कभरहरू	188
45	RCC Ring and Boring Work	191
46	Multilayer Composite Pipe	192
47	Rainwater Collection System	196
48	सिचाई संवन्धि कार्य	202
49	Plastic Dustbin, Compost-Bin, Planter & Road Divider	203
50	Sewage Treatment Plant	205
51	Fountain	206
52	Water Storage Tank	208
53	विद्युत्तिय सामग्रीहरू	211
54	Solar Power	283

Handwritten signatures and marks at the bottom of the page, including the text 'Page 2'.



(Handwritten signature)

सि. नं.	कामदारहरुको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०७६/०७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	७५०.००	७५०.००	७९०.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	९२६.००	९२६.००	९७०.००
३	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, दुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट,	प्रति दिन	१०३०.००	१०३०.००	१०८०.००
४	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक, आदी।	प्रति दिन	८४५.००	८४५.००	८९०.००
५	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी।	प्रति दिन	७३२.००	७३२.००	७७०.००
६	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, व्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरिटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.एल.सी वा सो सरह), आदी।	प्रति दिन	६९०.००	६९०.००	७२५.००
७	माली, सहायक परिचालक, स्वीपर, मेहतर, धोबी, वन हेरालु, चौकिदार, आदी।	"	६३०.००	६३०.००	६६०.००
८	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२१.५०	२१.५०	२३.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच व्यायलर	प्रति दिन	७६५.००	७६५.००	८००.००
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने)।	प्रति दिन	७५०.००	७५०.००	७९०.००
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह।	प्रति दिन	७८५.००	७८५.००	८२५.००
४	प्याच वर्कर (रात्री समयमा काम गर्ने)।	प्रति दिन	१०६७.००	१०६७.००	११२०.००
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	१०६७.००	१०६७.००	११२०.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	७७०.००	७७०.००	८१०.००
७	बोलेरो ४ क्वील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	५५००.००	५५००.००	५७७५.००
८	स्करपियो ४ क्वील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६६००.००	६६००.००	६९३०.००

माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ।

(Handwritten signatures and initials)



घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारणका लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।

सि. नं.	घरको बनावट विवरण	इकाइ	आ.व. २०७६/०७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	१२६०.०	१२६०.०	१२६०.०
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	१६२०.०	१६२०.०	१६२०.०
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	१८००.०	१८००.०	१८००.०
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.सि.सि. ।	व.फु.	१८९५.०	१८९५.०	१८९५.०
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	१८५०.०	१८५०.०	१८५०.०
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	२०१५.०	२०१५.०	२०१५.०
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.सि.सि. ।	व.फु.	२०१५.०	२०१५.०	२०१५.०
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	२०३०.०	२०३०.०	२०३०.०
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी. / आर.सि.सि. ।	व.फु.	२१००.०	२१००.०	२१००.०
१०	आर.सि.सि. फ्रेम स्टक्चर भवन ।	व.फु.	२२२०.०	२२२०.०	२२२०.०
११	काठैकाठको भवन भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फु.	१९४५.०	१९४५.०	१९४५.०

भवनको वनावट र फिनिशिंग तथा सामान/उपकरण जडानको आधारमा वर्गीकरण

- भवनको भित्र Wall Putty गरी इमल्सन पेन्टिङ्ग गरेको ।
- भवनको बाहिर Weather Coat painting/wall cladding/Aluminium composite pannel भएको ।
- लिफ्ट तथा एक्सालेटर जडान भएको ।
- विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
- प्यासेज, भर्याङ्गमा मार्बल/पार्केटिङ्ग भएको ।
- शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।
- अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।
- वेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।
- Raft/Pile foundation भएको ।

(Signature)


(Signature)

(Signature)

(Signature)

(Signature)

(Signature)



उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ। यस अनुसार वर्गीकृत गरिएको

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ।

इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायाँ र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायाँ र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरियो।

मुख्य सडकहरू :

१) मनोहरा पुल (जडीवुटी) देखि

कोटेश्वर-सुविधानगर-वानेश्वर-माईतीघर-त्रिपुरेश्वर-कलंकी-धानकोट
चेकपोष्ट-नागढुंगासम्मको सडक।

२) माईतीघर-सिंहदरवार-पुतलीसडक-कमलपोखरी-जय नेपाल

हल-नागपोखरी-नक्साल-भाटभटेनी-प्रहरी तालिम केन्द्रसम्मको सडक।

३) त्रिपुरेश्वर-सुन्धारा-न्यूरोडगेट-विशालवजार (इनद्रचोक)-न्यूरोड गेट-वीर

अस्पताल-जमल-लैनचौर- लाजिम्पाट-टीचिङ्ग अस्पताल-महाराजगंज
चोक-बूढानीलकण्ठसम्मको सडक।

४) चक्रपथ पुरै।

५) शंखमुल पुल -नयाँवानेश्वर-पुरानो वानेश्वर-गौशाला चोकसम्मको सडक।

६) सिनामंगल पुरानो वानेश्वर चोक-मैतीदेवी-डिल्लीबजार-वागवजार हुँदै
रत्नपार्कसम्मको सडक।

७) गौशाला चोक - ज्ञानेश्वर - कमलपोखरी-एकेडेमी भवन-तीनधारा पाठशाला-महेन्द्र
शालिकसम्मको सडक।

८) चावहिल चोक -वौद्ध - जोरपाटी साँखु वसपार्क सम्मको सडक।

९) लैनचौर - नयाँवजार- वालाजु चोक - वालाजु वाईपास- काठमाडौँ र नुवाकोटको
सिमानासम्मको सडक।

१०) कालिमाटी चोक-कुलेश्वर-बल्खुचोक-फर्पिङ्ग दक्षिणकालीको पार्किङ्गस्थलसम्मको
सडक।



नेपाल सरकार
निर्माण विभाग
फलाम जन्य निर्माण सामग्री
जिल्ला प्रशासन कार्यालय
ललितपुर

A

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	८६.००	८६.००	९२.००
	b) 10,12,16,20, mm dia	के.जी	८४.००	८४.००	९१.००
	c) 25 mm dia	के.जी	८५.००	८५.००	९२.००
	c) 28,32 mm dia	के.जी	८५.००	८५.००	९२.००
२	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	८२.००	८२.००	८८.००
	b) 10-25mm TOR steel	के.जी	७९.००	७९.००	८५.००
	c) 28-32mm TOR steel	के.जी	८२.००	८२.००	८८.००
३	TOR kari-4.75, 7 mm dia	के.जी	८६.००	८६.००	९२.००
४	डण्डी बाँध्नेतार	के.जी	९२.००	९२.००	९९.००
५	एम.एस.सोलिड स्वायर रड	के.जी	७०.००	७०.००	७५.००
६	विभिन्न साइजको एम.एस. एहल	के.जी	८१.४२	८१.४२	८७.००
७	विभिन्न साइजको व्याक पाईप	के.जी	८१.००	८१.००	८७.००
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	८३.१९	८३.१९	८९.००
९	विभिन्न साइजको आइ.विम	के.जी	८२.३०	८२.३०	८८.००
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१३९.१०	१३९.१०	१५०.००
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१३९.१०	१३९.१०	१५०.००
११	G.I. Wire				
	i) Heavy Zinc coated				
	8 gauge	के.जी	१०५.००	१०५.००	११३.००
	10 gauge	के.जी	१०५.००	१०५.००	११३.००
	12 gauge	के.जी	१०५.००	१०५.००	११३.००
	ii) Medium zinc Coated				
	8 gauge	के.जी	१००.००	१००.००	१०८.००
	10 gauge	के.जी	१००.००	१००.००	१०८.००
	12 gauge	के.जी	१००.००	१००.००	१०८.००
	iii) Light Zinc Coated/Commercial				
	8 gauge	के.जी	९५.००	९५.००	१०२.००
	10 gauge	के.जी	९५.००	९५.००	१०२.००
	12 gauge	के.जी	९५.००	९५.००	१०२.००
१२	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन बाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvage wire-3.9mm and lacing wire-2.4mm	व.मि.	२३९.००	२३९.००	२४९.००

१३/०८/७९

Page 4




नेपाल सरकार
फलाम जडसु निर्माण सामग्री

(Handwritten signature)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१३	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि	२८०.००	२८०.००	३०२.००
१४	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि	४५७.००	४५७.००	४९३.००
१५	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	३०२.००	३०२.००	३२६.००
१६	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाक्स mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	२७२.००	२७२.००	२९३.००
१७	Barbed Wire (कडितार)				
	12 guage commercial, Medium duty	के.जी	९७.३५	९७.३५	१०५.००
	U-hook for barbed wire fencing	गोटा	०.७५	०.७५	०.८१
१८	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	६९७.००	६९७.००	७५२.००
	1.5"x1.5" 12 guage	वर्ग मी.	६५२.००	६५२.००	७०४.००
	2"x2" 10 guage	वर्ग मी.	५९७.००	५९७.००	६५८.००
	3"x3" 10 guage	वर्ग मी.	४२३.००	४२३.००	४५६.००
	4"x4" 10 guage	वर्ग मी.	३३७.००	३३७.००	३६३.००
१९	विभिन्न प्रकारको जालीहरु				
	मसिनो खालको Mosquito proof जाली	व.मि.	११६.००	११६.००	१२५.००
	वालुवा चाल्ने जाली	व.मि.	१२१.००	१२१.००	१३०.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७४.००	७४.००	७९.००
	बास क्रसिङ्ग जाली	व.मि.	१८९.००	१८९.००	२०४.००
	स्टील जाली (crossing)	व.मि.	१५२.००	१५२.००	१६४.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२६३.००	२६३.००	२८४.००
	फलामबाट निर्मित सामानहरु				
२०	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३०.००	१३०.००	१४०.००
२१	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१२०.००	१२९.००
२२	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५४०.००
२३	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३७८.००

(Handwritten signatures and stamps)


 नेपाल सरकार
 गृह मन्त्रालय
 जिल्ला प्रशासन कार्यालय
फलाम जन्यलिनियन सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
२४	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	व.फि.	२८०.००	२८०.००	३०२.००
२५	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५००.००	५४०.००
२६	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (१० X ५० X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	६५०.००	७०२.००
२७	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२८७४.९२	२८७४.९२	३१०४.००
२८	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१२५.००	१३५.००
२९	विभिन्न साइजको किला काटी	के.जी.	११२.००	११२.००	१२०.००
३०	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१६५.००	१७८.००
३१	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४५.००	४५.००	४८.००
३२	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१५१.००
३३	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	१९४०.००	१९४०.००	२०९५.००
३४	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९४.००	१९४.००	२०९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२४३.००	२६२.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३१०.००	३१०.००	३३४.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	३७६.००	४०६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०८.००	५०८.००	५४८.००


Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

सडक र पुल सम्बन्धी निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	८०/१०० ग्रेडको विटुमीन	के.जी	७८.००	७८.००	८४.००
२	CRMB-DIGO 55 Bitumen	के.जी	७५.००	७५.००	८१.००
३	छिटो जम्ने (RS 60%)	के.जी	६८.००	६८.००	७३.००
४	छिटो जम्ने (RS 65%)	के.जी	७२.००	७२.००	७७.००
५	छिटो जम्ने (RS 70%)	के.जी	७६.००	७६.००	८२.००
६	मध्यम जम्ने (MS 60%)	के.जी	६९.००	६९.००	७४.००
७	मध्यम जम्ने (MS 65%)	के.जी	७३.००	७३.००	७८.००
८	ढीलो जम्ने (SS60%)	के.जी	७०.००	७०.००	७५.००
९	Slurry Seal with 60% bitumen	के.जी	७५.००	७५.००	८१.००
१०	Hi - seal Redymix	के.जी	९८.००	९८.००	९८.००
११	Polymer Bitumen	के.जी	१०९.००	१०९.००	१०९.००
१२	सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	३२२.००	३२२.००	३२२.००
१३	कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३१.००	३१.००	३१.००
१४	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking ;fdfu L				
	a) B.S. Grade	के.जि	१७३.००	१७३.००	१७३.००
	b) Most Grade	के.जी	१९१.००	१९१.००	१९१.००
	c) Glass beads	के.जी	१५७.००	१५७.००	१५७.००
१५	Elastomeric Bearing Pad				
	Free Type	गोटा	२३१०७.००	२३१०७.००	२३१०७.००
	Fix end Dowel Type	गोटा	४९०३२.००	४९०३२.००	४९०३२.००
१६	Expansion Joint Works				
	Single strip seal	र. मि.	९६५०.००	९६५०.००	९६५०.००
	Slab seal (320*50)	र. मि.	१९२३०.००	१९२३०.००	१९२३०.००
१७	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७५०००.००
१८	मोटर पुलको लागि स्टील प्लेट गार्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७५०००.००
१९	High density polyethene geo-membrane				
	1.00 mm thickness	व.मि.	६३४.००	६३४.००	६३४.००
	2.00 mm thickness	व.मि.	१२६५.००	१२६५.००	१२६५.००
२०	Needle punched non woven geo-textile				
	weight-120gm/sqm	व.मि.	७२.००	७२.००	७२.००

सडक र पुल सम्बन्धी निर्माण सामग्री

गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	weight-150gm/sqm	व.मि.	८०.००	८०.००	८०.००
	.weight-200gm/sqm	व.मि.	११७.००	११७.००	११७.००
२१	Tendon sheath	मी.	३६०.००	३६०.००	३६०.००
२२	Tendon wire	टन	१४८८२०.००	१४८८२०.००	१४८८२०.००
२३	Ancorage block with cap	गोटा	९९५०.००	९९५०.००	९९५०.००
२४	Road divider (polythene)	गोटा	१६५०.००	१६५०.००	१६५०.००
२५	Dust bin (polythene) 165 ltr	गोटा	३१३५.००	३१३५.००	३१३५.००
२६	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९००००.००	१९००००.००	१९००००.००
२७	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६०००.००	६०००.००	६०००.००
२८	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०५००.००	१०५००.००	१०५००.००
	भोलुडे पुल सम्बन्धि				
१	Φ 13 mm thimble	गोटा	७४.००	७४.००	७४.००
२	Φ 26 mm thimble	गोटा	३७२.००	३७२.००	३७२.००
३	Φ 32 mm thimble	गोटा	६३७.००	६३७.००	६३७.००
४	Φ 36 mm thimble	गोटा	१२७३.००	१२७३.००	१२७३.००
५	Φ 40 mm thimble	गोटा	१५९१.००	१५९१.००	१५९१.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४२४.००	४२४.००	४२४.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	६६९५.००	६६९५.००	६६९५.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	२९०.००	२९०.००	२९०.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	३८०.००	३८०.००	३८०.००
१०	High tensile friction grip nut bolts	के.जी.	३५०.००	३५०.००	३५०.००
११	Hot deep galvinazation	के.जी.	४८.००	४८.००	४८.००
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) Equivalent to J.K.S 3D; Type A02-80/1.5-1.6 FEZ , Approx. Wt. 3.0 kg/m2	ब. मि.			३६४०.००
१३	Binding loops stainless steel type 1.4/100/NIRO, approx wt 6.0 Kg/Bundle	प्रति बण्डल			२१५९०.००



स्थानीय निर्माण सामग्रीहरू

ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१५३००.००	१५३००.००	१५३००.००
२	चिम्नी भट्टाको ईटा	प्रति हजार	१४३००.००	१४३००.००	१४३००.००
३	तराई को १ नं.ईटा	प्रति हजार	१७५००.००	१७५००.००	१७५००.००
४	टुक्रा ईटा	घ.मि.	२५००.००	२५००.००	२५००.००
५	सिमेन्टको ईटा				
	BK108N	प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	प्रति हजार	१६२७४.००	१६२७४.००	१६२७४.००
	Concrete block size (40*15*20) cm	गोटा	३७.००	३७.००	३७.००
	Concrete block size (40*10*20) cm	गोटा	३२.००	३२.००	३२.००
	Concrete block size (39*14*19) cm	गोटा	५०.००	५०.००	५०.००
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६२.००	१६२.००	१६२.००
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२९९.००	२९९.००	२९९.००
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११४.००	११४.००	११४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७१.००	१७१.००	१७१.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२२८.००	२२८.००	२२८.००
	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2**8**4"	गोटा	१२७.००	१२७.००	१२७.००
	Size 2**8**6"	गोटा	१९०.००	१९०.००	१९०.००
	Size 2**8**8"	गोटा	२५६.००	२५६.००	२५६.००
	ECO BRICK (Sada)	गोटा	१८.००	१८.००	१८.००
	ECO BRICK (Colour)	गोटा	२०.००	२०.००	२०.००
६	खानीको ढुंगा	घ.फि	७२.००	७२.००	७२.००
७	विभिन्न प्रकारको खानीको बालुवा	घ.फि	८२.००	८२.००	८२.००
८	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि	७९.००	७९.००	७९.००
९	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	८४.००	८४.००	८४.००
१०	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	७८.७५	७८.७५	७८.७५
११	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	७५.६०	७५.६०	७५.६०
१२	Crusher run sub-base material (63mm down)	घ.फि.	६३.००	६३.००	६३.००
१३	40 mm down crushed Base material (Wet)	घ.फि.	७३.००	७३.००	७३.००
१४	छानामा छाउने क्ले टायलहरु				
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१८.००
	चिम्नी भट्टाको टायल	गोटा	१६.००	१६.००	१६.००
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३२.००
	चिम्नी भट्टाको धुरी	गोटा	२६.००	२६.००	२६.००
१५	भुईमा/ कौसीमा छाप्ने क्ले टायलहरु				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिम्नी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१६	छापने ढुङ्गा (Flag stone)				
	१" सम्म बाक्लो सर्फेस ट्रेस गरेको छापने ढुङ्गा	व.फि	७६.००	७६.००	७६.००
	१ 1/2" सम्म बाक्लो " "	व.फि	८८.००	८८.००	८८.००



नेपाल सरकार
स्थानीय निर्माण सामग्रीहरूको
प्रसारण कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	२ सम्म बाक्लो ढुङ्गा	व.फि.	१०३.००	१०३.००	१०३.००
	२.५ सम्म बाक्लो ढुङ्गा	व.फि.	१११.००	१११.००	१११.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा	व.फि.	१३८.००	१३८.००	१३८.००
१७	खोलाको वोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	१०५.००	१०५.००	१०५.००
१८	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे वेसि खानी बाहेकको)	घ.फि.	५७.२४	५७.२४	५७.२४
१९	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	६५.००	६५.००	६५.००
२०	भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	॥	४५.३६	४५.३६	४५.३६
२१	ढुगाको धुलो (Stone dust)	घ.फि.	३३.००	३३.००	३३.००
२२	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	२९५.००	२९५.००	२९५.००
२३	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५१०.००	५१०.००	५१०.००
२४	भुस	के.जि.	५.५०	५.५०	५.५०
२५	गोबर	के.जि.	५.००	५.००	५.००
२६	निर्माण कार्यको लागी पानी				
	३ कि.मा. सम्म का दुरामा	लिट्र	०.२६	०.२६	०.२६
	३ कि.मा. दाख माथाका दुरामा	लिट्र	०.३१	०.३१	०.३१
२७	५०० गज प्लाष्टक सिट	व.मी.	३१.००	३१.००	३१.००
२८	Plastic felt (२०मा. × १मा.)	रोल	२३५.००	२३५.००	२३५.००
२९	१८-२० फट लामा घास	गोटा	२१०.००	२१०.००	२१०.००

१०७८/७९



नेपाल सरकार
गृह मन्त्रालय

प्रिकाष्ट आर.सि.सि.पाइपहरूको स्थिति रिडहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	NP-2 Class Pipes(Plain)				
	150 mm dia.	र.मि	५६९.००	५६९.००	५६९.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२५६.००	१२५६.००	१२५६.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७४७.००	१७४७.००	१७४७.००
	450 mm dia.	र.मि	१८५०.००	१८५०.००	१८५०.००
	500 mm dia.	र.मि	२०७५.००	२०७५.००	२०७५.००
	600 mm dia.	र.मि	२७३९.००	२७३९.००	२७३९.००
	700 mm dia.	र.मि	३५७३.००	३५७३.००	३५७३.००
	750 mm dia.	र.मि	३८६४.००	३८६४.००	३८६४.००
	800 mm dia.	र.मि	४३१३.००	४३१३.००	४३१३.००
	900 mm dia.	र.मि	५८२७.००	५८२७.००	५८२७.००
	1000 mm dia.	र.मि	६८००.००	६८००.००	६८००.००
	1200 mm dia.	र.मि	८२९४.००	८२९४.००	८२९४.००
	1500 mm dia.	र.मि	१७४३६.००	१७४३६.००	१७४३६.००
२	NP-3 Class Pipes(Plain)				
	150 mm dia.	र.मि	१२७१.००	१२७१.००	१२७१.००
	200 mm dia.	र.मि	१६९४.००	१६९४.००	१६९४.००
	250 mm dia.	र.मि	२११७.००	२११७.००	२११७.००
	300 mm dia.	र.मि	३०४३.००	३०४३.००	३०४३.००
	350 mm dia.	र.मि	३४१४.००	३४१४.००	३४१४.००
	375 mm dia.	र.मि	३६४९.००	३६४९.००	३६४९.००
	400 mm dia.	र.मि	३८८९.००	३८८९.००	३८८९.००
	450 mm dia.	र.मि	४३६५.००	४३६५.००	४३६५.००
	500 mm dia.	र.मि	४८६७.००	४८६७.००	४८६७.००
	600 mm dia.	र.मि	६०१४.००	६०१४.००	६०१४.००
	700 mm dia.	र.मि	७२६२.००	७२६२.००	७२६२.००
	750 mm dia.	र.मि	८३४१.००	८३४१.००	८३४१.००
	800 mm dia.	र.मि	९१०३.००	९१०३.००	९१०३.००
	900 mm dia.	र.मि	११८०७.००	११८०७.००	११८०७.००
	1000 mm dia.	र.मि	१३११९.००	१३११९.००	१३११९.००
	1200 mm dia.	र.मि	१५६१५.००	१५६१५.००	१५६१५.००
	1500 mm dia.	र.मि	२४५३७.००	२४५३७.००	२४५३७.००
३	NP-2 RCC Collar				
	150 mm dia	गोटा	१४१.००	१४१.००	१४१.००
	200 mm dia	गोटा	१८७.००	१८७.००	१८७.००
	250 mm dia	गोटा	२३२.००	२३२.००	२३२.००



प्रकाष्ट आर. सि. सि. माझमल्ल तथा रिडहरु

नेपाल सरकार

जिल्ला प्रशासन कार्यालय

ललितपुर

मु.अ.कर बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	300 mm dia	गोटा	३१४.००	३१४.००	३१४.००
	350 mm dia	गोटा	३४६.००	३४६.००	३४६.००
	375 mm dia	गोटा	३८०.००	३८०.००	३८०.००
	400 mm dia	गोटा	४३७.००	४३७.००	४३७.००
	450 mm dia	गोटा	४६२.००	४६२.००	४६२.००
	500 mm dia	गोटा	५१९.००	५१९.००	५१९.००
	600 mm dia	गोटा	६८५.००	६८५.००	६८५.००
	700 mm dia	गोटा	८९३.००	८९३.००	८९३.००
	750 mm dia	गोटा	९६५.००	९६५.००	९६५.००
	800 mm dia	गोटा	१०७८.००	१०७८.००	१०७८.००
	900 mm dia	गोटा	१४५६.००	१४५६.००	१४५६.००
	1000 mm dia	गोटा	१६९९.००	१६९९.००	१६९९.००
	1200 mm dia	गोटा	२०७३.००	२०७३.००	२०७३.००
	1500 mm dia	गोटा	४३५८.००	४३५८.००	४३५८.००
४	NP-3 Class Collars				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७९.००	१८७९.००	१८७९.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	NP-3 Pipes Socket and Spigot				
	150 mm dia.	र.मि	१३७९.००	१३७९.००	१३७९.००
	200 mm dia.	र.मि	१८६०.००	१८६०.००	१८६०.००
	250 mm dia.	र.मि	२३२३.००	२३२३.००	२३२३.००
	300 mm dia.	र.मि	३३४०.००	३३४०.००	३३४०.००
	400 mm dia.	र.मि	४६९०.००	४६९०.००	४६९०.००
	450 mm dia.	र.मि	४२७०.००	४२७०.००	४२७०.००
	500 mm dia.	र.मि	४७९४.००	४७९४.००	४७९४.००

प्रकाष्ट आर. सि. सि. माझमल्ल

रिडहरु

Page 12

DATE




नेपाल सरकार

प्रिकाष्ट आर.सि.सि. पईईपकस्ससिथुपरिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			ललितपुर आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	600 mm dia.	र.मि	५३४३.००	५३४३.००	५३४३.००
	700 mm dia.	र.मि	६६०२.००	६६०२.००	६६०२.००
	800 mm dia.	र.मि	७९७२.००	७९७२.००	७९७२.००
	900 mm dia.	र.मि	९९९२.००	९९९२.००	९९९२.००
	1000 mm dia.	र.मि	१२९६३.००	१२९६३.००	१२९६३.००
	1200 mm dia.	र.मि	१४४०२.००	१४४०२.००	१४४०२.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia.	र.मि	४३६००.००	४३६००.००	४३६००.००

(Handwritten signatures and marks)



भवन निर्माणमा प्रयोग हुने कर्मिर्माण सामग्री

गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	नेपालबाट उत्पादित विभिन्न ओ.पि.सि सिमेन्ट	व्याग	८२५.००	८२५.००	८२५.००
२	नेपालबाट उत्पादित विभिन्न पि.पि.सि सिमेन्ट	व्याग	७२५.००	७२५.००	७२५.००
३	सेतो सिमेन्ट (40kg/bag)	व्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	व्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	व्याग	१०.७०	१०.७०	१०.७०
६	Ready Mix Concrete (चक्रपथवाट ३ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15 Grade	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20 Grade	घ. मि	१५२२५.००	१५२२५.००	१५२२५.००
	M 25 Grade	घ. मि	१६२७५.००	१६२७५.००	१६२७५.००
	M 30 Grade	घ. मि	१७११५.००	१७११५.००	१७११५.००
	M 35 Grade	घ. मि	१८३८२.००	१८३८२.००	१८३८२.००
	M 40 Grade	घ. मि	१९९५०.००	१९९५०.००	१९९५०.००
	Ready Mix- Concrete Premix M45 -KTM	घ. मि			२३१०५.००
६	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२००.००	१२००.००
७	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	१०५०.००	१०५०.००
८	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	९५०.००	९५०.००
९	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	४९.००	४९.००	४९.००
	३.५ मी.मी.	व.फि.	५६.००	५६.००	५६.००
	४ मी.मी.	व.फि.	६५.००	६५.००	६५.००
	५ मी.मी.	व.फि.	७५.००	७५.००	७५.००
	६ मी.मी.	व.फि.	१००.००	१००.००	१००.००
	८ मी.मी.	व.फि.	१५०.००	१५०.००	१५०.००
	१० मी.मी.	व.फि.	१९०.००	१९०.००	१९०.००
	१२ मी.मी.	व.फि.	२२०.००	२२०.००	२२०.००
१०	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	४८.४१	४८.४१	४८.४१
	४ मी.मी.	व.फि.	५६.६५	५६.६५	५६.६५
११	पोलि फाईबर ग्लास				
	६ मी.मी.	व.फि.	१५४.५०	१५४.५०	१५४.५०
१२	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	९६.००	९६.००	९६.००

Page 14

भवन निर्माणमा प्रयोग हुने सामग्री



गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर एकाई

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. बाहेकको दररेट	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	४ मी.मी. वा.फि.		१०३.००	१०३.००	१०३.००
	५ मी.मी. वा.फि.		१२०.००	१२०.००	१२०.००
	६ मी.मी. वा.फि.		१६८.००	१६८.००	१६८.००
	८ मी.मी. वा.फि.		२४५.००	२४५.००	२४५.००
	१० मी.मी. वा.फि.		३५०.००	३५०.००	३५०.००
	१२ मी.मी. वा.फि.		४००.००	४००.००	४००.००
१३	Tinted Float glass बाहिर वाट नदेखिने भित्रवाट देखिने				
	५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	११६.००
१४	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि	६२००.००	६२००.००	६२००.००
१५	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१८४.००
१६	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००
	Above 8" wide	र.मि	१६९.००	१६९.००	१६९.००
१७	Plaster of paris	कि.ग्रा.	२३.००	२३.००	२३.००
१८	Wall putty-Normal	कि.ग्रा.	३५.००	३५.००	३५.००
१९	Wall putty-water proof	कि.ग्रा.	६०.००	६०.००	६०.००
२०	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६८	१६८.००	१६८.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१८४	१८४.००	१८४.००
२१	गेनाइट				
	१२ मी मी बाक्लो गेनाइट	व.फि.	२६२.००	२६२.००	२६२.००
	१६ मी.मी बाक्लो गेनाइट	व.फि.	३४०.००	३४०.००	३४०.००
	१८ मी.मी बाक्लो गेनाइट	व.फि.	३८५.००	३८५.००	३८५.००
२२	कोटा स्टोन				
	1" thick	व.फि.	१५०.००	१५०.००	१५०.००
	3/4" thick	व.फि.	१३७.००	१३७.००	१३७.००
२३	Porcelain Glazed Tiles (संबन्धित उत्पादक राक्षको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	व.फि.	१२६.००	१२६.००	१२६.००
	floor tile	व.फि.	८५.००	८५.००	८५.००
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५४.००
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४३.००
	Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१८०.००

Handwritten signature

Reela

Handwritten signature



नेपाल सरकार

भवन निर्माणमालियोग प्रशासन कार्यालय हनुमानचौमालियोग प्रशासन कार्यालय सामाग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको/दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५०.००
	24" x 24" GVT	व.फि.	१६५.००	१६५.००	१३०.००
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	१४४.००	१४४.००	१४४.००
	12" x 12" GRES homogenous Vitrified parking Tile	व.फि.	१०६.००	१०६.००	९५.००
	24" x 24" Vitrified	व.फि.	१११.००	१११.००	१११.००
	Floor tiles-				
	16"X16"	व.फि.	९८.००	९८.००	९८.००
	12"x12"	व.फि.	८८.००	८८.००	८८.००
	12"X12" (White / Ivory)	व.फि.	७७.००	७७.००	७७.००
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१०५.००
	12"x24" (Walls)	व.फि.	१३४.००	१३४.००	१२५.००
	12"x18"(wall)	व.फि.	१०३.००	१०३.००	९५.००
	Artificial Granite (800mmx2600mm)	व.फि.			४५०.००
	GVT Floor Tile (900mm x 1800mm)	व.फि.			३५०.००
	Double Charge Floor tile (800mmx800mm)	व.फि.			१५०.००
	Double Charge Floor tile (600mmx600mm)	व.फि.			१२०.००
	GVT Floor Tile (800mm x 1600mm)	व.फि.			२००.००
	10"x24" (Walls)	व.फि.			१२५.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.			२५०.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.			१६०.००
२४	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६२३.००	६२३.००	६२३.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७५.००	७५.००
२५	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि.	८७.००	८७.००	८७.००
	Heritage flakes	व.फि.	१०७.००	१०७.००	१०७.००
	Heritage granite finish	व.फि.	८७.००	८७.००	८७.००
	Heritage Top coat (plastic lamination)	व.फि.	२२.००	२२.००	२२.००
	Plastic Sheet 500 guage	व.मि.	३८.००	३८.००	३८.००
	Plastic Tripal 500 guage	व.मि.	४१.००	४१.००	४१.००
२८.०	Sandwich/EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि.	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि.	२५२.००	२५२.००	२५२.००


 भवन निर्माणमा प्रयोग हुने सामग्री

 ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	CLADDING				
१	MCM Brick Cladding	व.मी			३९०.००
२	MCM Slate Stone Cladding	व.मी			४५०.००
३	MCM Oasis Stone Cladding	व.मी			४९०.००
४	MCM Wood Cladding	व.मी			५६०.००
५	MCM Travertine Stone Cladding	व.मी			६९०.००
	Laminates				
१	Liner 0.7mm				१०५०.००
२	0.8 mm SUD				१५००.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8 mm				१७००.००
४	PGL 0.8 mm				१७००.००
५	Marker Grade MGD 0.8 mm				१८००.००
६	SUD 0.8 mm				१५००.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm				१७००.००
८	gloss PRG 0.8 mm				१७००.००
९	marker grade MGD 0.8 mm				१८००.००
१०	metal ZRL 0.8 mm				५५००.००
११	Plain 1mm				२५००.००
१२	Texture 1mm				३०००.००
१३	SUD 1mm				२६००.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM				३५००.००

 per
sheet
(8'X4')



भवन निर्माणमा प्रयोग हुने विभिन्न सामग्री

नेपाल सरकार
जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१५	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm				४०००.००
१६	HDG 1mm				४५००.००
१७	Unicore 1mm				७५००.००
१८	Metal 1mm				७५००.००
	EXTERIOR FAÇADE				
	Clads Solids 6mm	sq.ft			६५०.००
	Clads Wood Grains 6mm	sq.ft.			७२५.००

(Handwritten signatures and marks)

माटो तथा ढुङ्गाबाट निर्मित परम्परागत विभिन्न सामग्रीहरू



जिल्ला प्रशासन कार्यालय
ललितपुर २०७६/७७

अ.कर बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. २०७७/०७८	आ. व. २०७८/७९
	मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू			
१	कालो ढुङ्गाको बुटा सहितको थाम ६" X ९" X ६.०"	प्रति गोटा	७००००.००	७००००.००
२	कालो ढुङ्गाको बुटा सहितको थाम ६" X ९" X ६.६"	प्रति गोटा	१०५०००.००	१०५०००.००
३	कालो ढुङ्गाको बुटा सहितको थाम १२" X १२" X ७.६"	प्रति गोटा	२४००००.००	२४००००.००
४	४" बाक्लो पेटी ढुङ्गा (१०" X ४")	फिट	८००.००	८००.००
५	४" बाक्लो नागोल ढुङ्गा (१०" X ४")	फिट	९००.००	९००.००
६	४" बाक्लो बुटेदारी कसिमो, कार्नेस र फ्यो (१०" X ४")	फिट	३७००.००	३७००.००
७	कालो साइडल ढुङ्गा (इल्हो) (३०" X ३०" X १८")	प्रति गोटा	४००००.००	४००००.००
८	Peti kuna Dhunga(19.9**9**18")	प्रति गोटा	२७२०.००	२७२०.००
९	Peti kuna Dhunga(10**10**14")	प्रति गोटा	१९००.००	१९००.००
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००
१५	ढुङ्गेधारा	गोटा	११५५.००	११५५.००
	माटो वाट निर्मित परम्परागत निर्माण सामग्रीहरू			
१	Daachi Appa	गोटा	२५.००	२५.००
२	Daachi kuna	गोटा	३५.००	३५.००
२	Twa Aapa	गोटा	२७.००	२७.००
३	Gol Aapa	गोटा	२७.००	२७.००
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००
५	Kalash(4"x6")	गोटा	५३.००	५३.००
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००
७	Nagol	गोटा	२७.००	२७.००
८	Nagol kuna	गोटा	४०.००	४०.००
९	Kashimo	गोटा	२७.००	२७.००
१०	Kashimo Kuna	गोटा	४०.००	४०.००
११	Sakuli	गोटा	२७.००	२७.००
१२	Sakuli Kuna	गोटा	४०.००	४०.००
१३	Paan butta	गोटा	२७.००	२७.००
१४	Paan butta Kuna	गोटा	४०.००	४०.००
१५	Sano Fa butta	गोटा	२७.००	२७.००
१६	Sano Fa butta Kuna	गोटा	४०.००	४०.००
१७	Thulo Fa butta	गोटा	२७.००	२७.००
१८	Thulo Fa butta kuna	गोटा	४०.००	४०.००
१९	Naya fa butta	गोटा	२७.००	२७.००



नेपाल सरकार

गृह मन्त्रालय

परामर्श कक्ष

ललितपुर

माटो तथा ढुङ्गावाट निर्मित परामर्श कक्ष निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
२०	Naya fa butta Kuna	गोटा	४०.००	४०.००	४०.००
२१	Sano ga butta	गोटा	२७.००	२७.००	२७.००
२२	Sano ga butta Kuna	गोटा	४०.००	४०.००	४०.००
२३	Thulo Ga butta	गोटा	२७.००	२७.००	२७.००
२४	Thulo Ga butta Kuna	गोटा	४०.००	४०.००	४०.००
२५	Pumha buta	गोटा	२७.००	२७.००	२७.००
२६	Pumha buta Kuna	गोटा	४०.००	४०.००	४०.००
२७	Tinkune swa	गोटा	२७.००	२७.००	२७.००
२८	Tinkune swa Kuna	गोटा	४०.००	४०.००	४०.००
२९	Tinkune Pali	गोटा	२७.००	२७.००	२७.००
३०	Tinkune Pali kuna	गोटा	४०.००	४०.००	४०.००
३१	Sano swa butta	गोटा	२७.००	२७.००	२७.००
३२	Sano swa butta Kuna	गोटा	४०.००	४०.००	४०.००
३३	Thulo swa Butta	गोटा	२७.००	२७.००	२७.००
३४	Thulo swa Butta Kuna	गोटा	४०.००	४०.००	४०.००
३५	Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००
३६	Nag Ghati R/L	गोटा	७०.००	७०.००	७०.००
३७	Nag Jiu	गोटा	२७.००	२७.००	२७.००
३८	Kuna	गोटा	४०.००	४०.००	४०.००
३९	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००
४०	Nag Ghati	गोटा	७०.००	७०.००	७०.००
४१	Thulo Nag Jiu	गोटा	२७.००	२७.००	२७.००
४२	Thulo Nag Jiu Kuna	गोटा	४०.००	४०.००	४०.००
४३	Nag Male/Female	गोटा	५३०.००	५३०.००	५३०.००
४४	Khal Nagol	गोटा	२७.००	२७.००	२७.००
४५	Khal Nagol Kuna	गोटा	४०.००	४०.००	४०.००
४६	Khal Fyo	गोटा	२७.००	२७.००	२७.००
४७	Khal Fyo Kuna	गोटा	४०.००	४०.००	४०.००
४८	Lahara butta	गोटा	२७.००	२७.००	२७.००
४९	Lahara butta Kuna	गोटा	४०.००	४०.००	४०.००
५०	Nagbeli	गोटा	२७.००	२७.००	२७.००
५१	Nagbeli kuna	गोटा	४०.००	४०.००	४०.००
५२	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३२.००
५३	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३२.००
५४	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३२.००
५५	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३२.००
५६	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३२.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
५७	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३२.००
५८	Palifo R/L	गोटा	२७.००	२७.००	२७.००
५९	Palifo R/L Kuna	गोटा	४०.००	४०.००	४०.००
६०	Palifo Bitch	गोटा	४०.००	४०.००	४०.००
६१	Naya Palifo	गोटा	२७.००	२७.००	२७.००
६२	Naya Palifo Kuna	गोटा	४०.००	४०.००	४०.००
६३	Shida Palifo	गोटा	२७.००	२७.००	२७.००
६४	Shida Palifo kuna	गोटा	४०.००	४०.००	४०.००
६५	Thulo Palifo R/L	गोटा	२७.००	२७.००	२७.००
६६	Thulo Palifo R/L Kuna	गोटा	४०.००	४०.००	४०.००
६७	Thulo Palifo Bitch	गोटा	२७.००	२७.००	२७.००
६८	2" Singh	गोटा	३२.००	३२.००	३२.००
६९	2" Garud	गोटा	३२.००	३२.००	३२.००
७०	Dhalimo	गोटा	३२.००	३२.००	३२.००
७१	3" Singh	गोटा	४२.००	४२.००	४२.००
७२	3" Garud	गोटा	४२.००	४२.००	४२.००
७३	3" singh full Jodiyako	गोटा	५३.००	५३.००	५३.००
७४	3" Astmangal	गोटा	४२.००	४२.००	४२.००
७५	3" Garud full	गोटा	५३.००	५३.००	५३.००
७६	4" Singh	गोटा	५३.००	५३.००	५३.००
७७	4" Garud	गोटा	५३.००	५३.००	५३.००
७८	Twa fyo	गोटा	२७.००	२७.००	२७.००
७९	Twa fyo Kuna	गोटा	४०.००	४०.००	४०.००
८०	4" Astmangal	गोटा	५३.००	५३.००	५३.००
८१	6" Singh	गोटा	१०५.००	१०५.००	१०५.००
८२	6" Garud	गोटा	१०५.००	१०५.००	१०५.००
८३	Chaal butta	गोटा	२७.००	२७.००	२७.००
८४	Chaal butta Kuna	गोटा	४०.००	४०.००	४०.००
८५	2" fyo	गोटा	२७.००	२७.००	२७.००
८६	2" fyo Kuna	गोटा	४०.००	४०.००	४०.००
८७	4" fyo	गोटा	२७.००	२७.००	२७.००
८८	4" fyo Kuna	गोटा	४०.००	४०.००	४०.००
८९	Tara Butta Puralo	गोटा	२७.००	२७.००	२७.००
९०	Tara Butta Puralo Kuna	गोटा	४०.००	४०.००	४०.००
९१	Naya tara butta	गोटा	२७.००	२७.००	२७.००
९२	Naya tara butta Kuna	गोटा	४०.००	४०.००	४०.००
९३	Swafa tara	गोटा	२७.००	२७.००	२७.००



माटो तथा ढुङ्गावाट निर्मित परम्परागत खनि निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
९४	Swafa tara Kuna	गोटा	४०.००	४०.००	४०.००
९५	Sikri butta	गोटा	२७.००	२७.००	२७.००
९६	Sikri butta Kuna	गोटा	४०.००	४०.००	४०.००
९७	Na Sikri	गोटा	२७.००	२७.००	२७.००
९८	Na Sikri Kuna	गोटा	४०.००	४०.००	४०.००
९९	Nhaya butta sano	गोटा	२७.००	२७.००	२७.००
१००	Na Sikri Kuna	गोटा	४०.००	४०.००	४०.००
१०१	Nhaya butta Thulo	गोटा	२७.००	२७.००	२७.००
१०२	Nhaya butta Thulo Kuna	गोटा	४०.००	४०.००	४०.००
१०३	Gol Nagol	गोटा	२७.००	२७.००	२७.००
१०४	Gol Nagol kuna	गोटा	४०.००	४०.००	४०.००
१०५	Ga swa butta	गोटा	२७.००	२७.००	२७.००
१०६	Ga swa butta Kuna	गोटा	४०.००	४०.००	४०.००
१०७	Chandrama butta	गोटा	२७.००	२७.००	२७.००
१०८	Chandrama butta kuna	गोटा	४०.००	४०.००	४०.००
१०९	Ga tha butta	गोटा	२७.००	२७.००	२७.००
११०	Ga tha butta Kuna	गोटा	४०.००	४०.००	४०.००
१११	Bajra lahara	गोटा	२७.००	२७.००	२७.००
११२	Bajra lahara Kuna	गोटा	४०.००	४०.००	४०.००
११३	Simakacha	गोटा	२७.००	२७.००	२७.००
११४	Simakacha Kuna	गोटा	४०.००	४०.००	४०.००
११५	Methpau	गोटा	२७.००	२७.००	२७.००
११६	Chir butta	गोटा	२७.००	२७.००	२७.००
११७	Chir butta Kuna	गोटा	४०.००	४०.००	४०.००
११८	Thi butta	गोटा	२७.००	२७.००	२७.००
११९	Thi butta Kuna	गोटा	४०.००	४०.००	४०.००
१२०	32 No. swa	गोटा	२७.००	२७.००	२७.००
१२१	32 No. swa Kuna	गोटा	४०.००	४०.००	४०.००
१२२	Sano Ribbon	गोटा	२७.००	२७.००	२७.००
१२३	Sano Ribbon Kuna	गोटा	४०.००	४०.००	४०.००
१२४	Thulo Ribbon	गोटा	२७.००	२७.००	२७.००
१२५	Thulo Ribbon Kuna	गोटा	४०.००	४०.००	४०.००
१२६	Bajra tara butta	गोटा	२७.००	२७.००	२७.००
१२७	Bajra tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१२८	fa paliha swa	गोटा	६०.००	६०.००	६०.००
१२९	2" Tham	गोटा	५३.००	५३.००	५३.००
१३०	3" Tham	गोटा	६९.००	६९.००	६९.००
१३१	4" Tam	गोटा	१०५.००	१०५.००	१०५.००
१३२	Ga tara butta	गोटा	२७.००	२७.००	२७.००
१३३	Ga tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१३४	Full tara butta	गोटा	२७.००	२७.००	२७.००



नेपाल सरकार

ललितपुर प्रशासन कार्यालय

माटो तथा ढुङ्गावाट निर्मित घरसम्मामत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	ललितपुर एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१३५	Full tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१३६	Meth	गोटा	५००.००	५००.००	५००.००
१३७	12" Tham Set	गोटा	१८९६.००	१८९६.००	१८९६.००
१३८	6"x6" teliya/ 6*6 tinkune	गोटा	२२.००	२२.००	२२.००
१३९	8*8 teliya	गोटा	३५.००	३५.००	३५.००
१४०	Teliya nagol	गोटा	२५.००	२५.००	२५.००
१४१	Teliya nagol kuna	गोटा	३७.००	३७.००	३७.००
१४२	Khoshi Kerafo	गोटा	२७.००	२७.००	२७.००
१४३	Khoshi Kerafo Kuna	गोटा	४०.००	४०.००	४०.००
१४४	teliya skating	गोटा	३७.००	३७.००	३७.००
१४५	Naya lahara butta	गोटा	२७.००	२७.००	२७.००
१४६	Naya lahara butta Kuna	गोटा	४०.००	४०.००	४०.००
१४७	kamal lahara	गोटा	२७.००	२७.००	२७.००
१४८	kamal lahara Kuna	गोटा	४०.००	४०.००	४०.००
१४९	Sano kera Fo	गोटा	२७.००	२७.००	२७.००
१५०	Sano kera Fo Kuna	गोटा	४०.००	४०.००	४०.००
१५१	Thulo kera fo	गोटा	२७.००	२७.००	२७.००
१५२	Thulo kera fo Kuna	गोटा	४०.००	४०.००	४०.००
१५३	Dhalimo	गोटा	३२.००	३२.००	३२.००
१५४	Dhalimo Kuna	गोटा	४०.००	४०.००	४०.००
१५५	Illa butta	गोटा	२७.००	२७.००	२७.००
१५६	Illa butta Kuna	गोटा	४०.००	४०.००	४०.००
१५७	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२७.००
१५८	Parda Butta Sano R/L Kuna	गोटा	४०.००	४०.००	४०.००
१५९	Parda Butta Sano Bitch	गोटा	४०.००	४०.००	४०.००
१६०	Parda butta Thulo R/L	गोटा	२७.००	२७.००	२७.००
१६१	Parda butta Thulo R/L Kuna	गोटा	४०.००	४०.००	४०.००
१६२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४०.००
१६३	Pu pali butta	गोटा	६३.००	६३.००	६३.००
१६४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६३.००
१६५	Kalash jhalar	गोटा	६३.००	६३.००	६३.००
१६६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६३.००
१६७	ganesh Gajur Pali Kuna	गोटा	१०५.००	१०५.००	१०५.००
१६८	60 No. khwabutta	गोटा	२७.००	२७.००	२७.००
१६९	60 No. khwabutta Kuna	गोटा	४०.००	४०.००	४०.००
१७०	Tiki jhaya	गोटा	२७.००	२७.००	२७.००
१७१	bhyafyo apa	गोटा	६९.००	६९.००	६९.००
१७२	Naya Jhalar	गोटा	२७.००	२७.००	२७.००
१७३	Naya Jhalar Kuna	गोटा	४०.००	४०.००	४०.००
१७४	nyakucha	गोटा	२७.००	२७.००	२७.००
१७५	Jingati	गोटा	१०.००	१०.००	१०.००
१७६	Lock Dhuri	गोटा	७५.००	७५.००	७५.००
१७७	Dhuku	गोटा	७५.००	७५.००	७५.००



नेपाल सरकार

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१७८	मा थापा	गोटा	१९.००	१९.००	१९.००
१७९	त्वा थापा	गोटा	२५.००	२५.००	२५.००
१८०	फया थापा	गोटा	२७.००	२७.००	२७.००
१८१	दची कुला	गोटा	३५.००	३५.००	३५.००
१८२	गोंगचा सानो	गोटा	१५०.००	१५०.००	१५०.००
१८३	गोंगचा फमैला	गोटा	२५०.००	२५०.००	२५०.००
१८४	गोंगचा ठूलो	गोटा	३००.००	३००.००	३००.००
१८५	न्याकुचा	गोटा	२२.००	२२.००	२२.००
१८६	श्री गणेश	गोटा	११५५.००	११५५.००	११५५.००
१८७	कुमार	गोटा	११५५.००	११५५.००	११५५.००
१८८	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२०००.००
१८९	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३०००.००
१९०	ठुलो कलशा	गोटा	१७३.००	१७३.००	१७३.००
१९१	मसीनो सुर्कि	के.जी.	१४.००	१४.००	१४.००
१९२	खसो सुर्कि	के.जी.	८.००	८.००	८.००
१९३	गह्वा चुन	के.जि.	२३.००	२३.००	२३.००
१९४	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१३५०.००
१९५	पित्तल पाता	के.जी.	१०२५.००	१०२५.००	१०२५.००
१९६	पारो	तोला	३००.००	३००.००	३००.००
१९७	सूर्कि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१३८६.००
१९८	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	४७६.००



काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकैड	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	६' सम्मको सालकाठ	घ. फि	५६००.००	५६००.००	५६००.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	५८००.००	५८००.००	५८००.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६२५०.००	६२५०.००	६२५०.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६६००.००	६६००.००	६६००.००
५	साज काठ	घ. फि	२६५०.००	२६५०.००	२६५०.००
६	जामुन काठ	घ. फि	२१५०.००	२१५०.००	२१५०.००
७	सल्लाको काठ	घ. फि	१५५०.००	१५५०.००	१५५०.००
८	सिसौ काठ	घ. फि	३५००.००	३५००.००	३५००.००
९	जंगली सिसौ काठ ,,	घ. फि	५२७०.००	५२७०.००	५२७०.००
१०	उतीस को काठ	घ. फि	६२५.००	६२५.००	६२५.००
११	काठ दाउरा	के.जी	१८.००	१८.००	१८.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेट मेसिनमेड वाटरपुफ, बोरर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	२३५.००	२३५.००	२३५.००
	Ordinary-one side teak water proof	व.फि	२८०.००	२८०.००	२८०.००
	Both side teak water Proof	व.फि	३२५.००	३२५.००	३२५.००
	वाटर पुफ गरिएको				
	Plain	व.फि	२४५.००	२४५.००	२४५.००
	One side teak	व.फि	२८८.००	२८८.००	२८८.००
	Both side teak	व.फि	३३३.००	३३३.००	३३३.००
१३	कुँदिएको काठको काम तयारी				
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	९७०.००	९७०.००	९७०.००
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको जंगली स्पेगल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०५०.००	१०५०.००	१०५०.००
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८०.००	६८०.००
	भन्याङ्को रेलिङको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२५०.००	२२५०.००
	देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	१२३००.००	१२३००.००	१२३००.००
	देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	१४०००.००	१४०००.००	१४०००.००
	विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	२६२५.००	२६२५.००	२६२५.००



नेपाल सरकार

काठ तथा प्लाइउड संवर्धन निर्माण सामग्रीको प्रशासन कोष

ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	६९००.००	६९००.००	६९००.००
	सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	८७५.००	८७५.००	८७५.००
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	९२२५.००	९२२५.००	९२२५.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	२२५०.००	२२५०.००	२२५०.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	९६५०.००	९६५०.००	९६५०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पत्ती तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	र.फि.	९०५०.००	९०५०.००	९०५०.००
	४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	८७५.००	८७५.००	८७५.००
१४	Wooden Parquet Flooring				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	२००.००	२००.००	२००.००
	Wall panelling (with wood frame) sisam wood. (75mm*16mm)	व.फि.	५६०.००	५६०.००	५६०.००
१५	विभिन्न मोटाईको प्लाइउडहरू				
	साधारण प्लाइउड				
	३ मी.मी	व.फि.	२९.००	२९.००	२९.००
	३.५ मी.मी	व.फि.	२५.००	२५.००	२५.००
	४ मी.मी	व.फि.	२६.००	२६.००	२६.००
	६ मी.मी	व.फि.	४३.००	४३.००	४३.००
	८ मी.मी	व.फि.	४७.००	४७.००	४७.००
	१२ मी.मी	व.फि.	७०.००	७०.००	७०.००
	१९ मी.मी B/B	व.फि.	९०४.००	९०४.००	९०४.००
	१८ मी.मी PLY	व.फि.	९०७.००	९०७.००	९०७.००
१६	वाटर पुफ प्लाइउड				
	४ मी.मी	व.फि.	४६.००	४६.००	४६.००
	६ मी.मी	व.फि.	६९.००	६९.००	६९.००
	८ मी.मी	व.फि.	६३.००	६३.००	६३.००
	९ मी.मी	व.फि.	७३.००	७३.००	७३.००
	१२ मी.मी	व.फि.	८५.००	८५.००	८५.००
	१५ मी.मी PLY	व.फि.	९९३.००	९९३.००	९९३.००
	१८ मी.मी B/B	व.फि.	९९७.००	९९७.००	९९७.००



नेपाल सरकार

काठ तथा प्लाइउड संरक्षित निर्माण सामग्री

जिल्ला प्रशासन कार्यालय ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१७	Natural Teak Plywood				
	३ मी. मी	व.फि	४८.००	४८.००	४८.००
	४ मी. मी (Group Match of in 5 pcs)	व.फि	६९.००	६९.००	६९.००
	४ मी. मी (Regular)	व.फि	६०.००	६०.००	६०.००
	४ मी. मी (Crown)	व.फि	४३.००	४३.००	४३.००
	४ मी. मी (Beri)	व.फि	४९.००	४९.००	४९.००
	४ मी. मी (Whitest line)	व.फि	३९.००	३९.००	३९.००
	४ मी. मी (Beach)	व.फि	४६.००	४६.००	४६.००
	४ मी. मी (Recon 18 No.)	व.फि	३७.००	३७.००	३७.००
१८	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	१७.००	१७.००	१७.००
	फोरमाईका	व.फि	७५.००	७५.००	७५.००
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि	४४.००	४४.००	४४.००
१९	DECORATIVE (THICKER)			०.००	०.००
	6 OST	व.फि	१२६.००	१२६.००	१२६.००
	6 BST	व.फि	१६०.००	१६०.००	१६०.००
	9 OST	व.फि	१४०.००	१४०.००	१४०.००
	9 BST	व.फि	१७३.००	१७३.००	१७३.००
	12 OST	व.फि	१५३.००	१५३.००	१५३.००
	12 BST	व.फि	१८७.००	१८७.००	१८७.००
	19 B/B OST	व.फि	१६५.००	१६५.००	१६५.००
	19 B/B BST	व.फि	२००.००	२००.००	२००.००
	18 OST	व.फि	१८७.००	१८७.००	१८७.००
	18 BST	व.फि	२२१.००	२२१.००	२२१.००
२०	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७४.००	१७४.००	१७४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३७.००	२३७.००	२३७.००
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१९९.००	१९९.००	१९९.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२६८.००	२६८.००	२६८.००
२१	काठको लिष्टि				
	1/2" wide	र.फि.	१४.००	१४.००	१४.००
	3/4" wide	र.फि.	१६.००	१६.००	१६.००
	1.5" wide	र.फि.	२७.००	२७.००	२७.००
	Decorative	र.फि.	३८.००	३८.००	३८.००



नेपाल सरकार
गृह विभाग
सि.वि. निर्माण प्रशासन कार्यालय
ललितपुर
काठ तथा प्लाइउड सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
२२	Infill Material				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	३८०.००
	Frame U - Studs(0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	३८०.००
	Board 9 mm	गोटा	२२२७.००	२२२७.००	२२२७.००
	Fiber mess tape (for 90mm/roll)	गोटा	३००.००	३००.००	३००.००
	PU sasuage rod	गोटा	१८००.००	१८००.००	१८००.००

(Handwritten signatures and initials)



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर
Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	102 SERIES WINDOWS				
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६५७.००	६५७.००	६५७.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७२३.००	७२३.००	७२३.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८३६.००	८३६.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९२०.००	९२०.००
५	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand :				०.००
	90 SERIES WINDOWS				०.००
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87×56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५२९.००	५२९.००	५२९.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६०४.००	६०४.००

नेपाल सरकार
गृह मन्त्रालय
ललितपुर

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७१.००	५७१.००	५७१.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६५८.००	६५८.००	६५८.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४२८.००	४२८.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	४९२.००	४९२.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१८८.००	१८८.००
102 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५१९.००	५१९.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	५६३.००	५६३.००
64 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	३९०.००	३९०.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७८.००	४७८.००	४७८.००
ACOUSTIC PARTITION					
	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the	Sq.m.			४५०००.००
STRUCTURAL GLAZING					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५४८.००	५४८.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६३६.००	६३६.००

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

Aluminum Doors and Windows






सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७७३.००	७७३.००
	GLASS DOOR & PARTITION				
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Alunium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२५९.००	१२५९.००
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Alunium Frame (Ground Floor).	Sq.ft.	८१७.००	८१७.००	८१७.००
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३५४.००	१३५४.००
	Aluminium Composite Panel (ACP).				
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३३३.००	३३३.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४४७.००	४४७.००
	FABRIC LINED ACOUSTIC PANEL				
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m			२५०००.००
	ALUMINIUM DOOR & WINDOW				
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : TOSTEM/RAYNAERS/CORTIZO.	Sq.ft.			१५१०.२२



 नेपाल सरकार
 मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 ललितपुर

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m			१०००००.००
३	Steel Door & Windows				
	Steel Door (a set with frame)				
	900x2100	set			२१०००.००
	1000x2100	set			२२०००.००
	ABS Door				
	900x2100	set			१८०००.००
	Panel Door				
	900x2100	set			१४०००.००
	Window				
	115mm	set			८७५.००










नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door				
A	Single glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	७२१५.००	७२१५.००	७२१५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६६६४.००	६६६४.००	६६६४.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७४९३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७४९३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८२१४.००	८२१४.००	८२१४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८३२८.००	८३२८.००	८३२८.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	८८८४.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	८८८४.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८६०६.००	८६०६.००	८६०६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	९९९१.००	९९९१.००	९९९१.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass	व.मि	८६२६.००	८६२६.००	८६२६.००
११	UPVC 60x64mm white colour casement window with 5mm glass pannel	व.मि	९७९६.००	९७९६.००	९७९६.००
१२	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०३५३.००	१०३५३.००	१०३५३.००
१२	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१०७१७.००	१०७१७.००	१०७१७.००
१३	UPVC 60x60mm white colour swing door with 5mm glass pannel	व.मि	६७२७.००	६७२७.००	६७२७.००
B	Double glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९४३५.००	९४३५.००	९४३५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	८९३५.००	८९३५.००	८९३५.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	९७१८.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	९७१८.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०४३९.००	१०४३९.००	१०४३९.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०५४७.००	१०५४७.००	१०५४७.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१११०३.००	१११०३.००	१११०३.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१०८२५.००	१०८२५.००	१०८२५.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	९६११.००	९६११.००	९६११.००






नेपाल सरकार
छाना छीउने निर्माण सामग्री
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	ग्याल्मनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४४८५.००	४४८५.००	४४८५.००
	0.22 mm (30 guage Medium)	बण्डल	४९१४.००	४९१४.००	४९१४.००
	0.24 mm (30 guage Heavy)	बण्डल	५२४५.००	५२४५.००	५२४५.००
	0.26 mm (28 guage light)	बण्डल	५५२५.००	५५२५.००	५५२५.००
	0.28 mm (28 guage Medium)	बण्डल	५८८८.००	५८८८.००	५८८८.००
	0.31 mm (28 guage Heavy)	बण्डल	६४३५.००	६४३५.००	६४३५.००
	0.35 mm (26 guage light)	बण्डल	७१३१.००	७१३१.००	७१३१.००
	0.37 mm (26 guage Medium)	बण्डल	७४८४.००	७४८४.००	७४८४.००
	0.41 mm (26 guage Heavy)	बण्डल	८२०१.००	८२०१.००	८२०१.००
	0.45 mm (24 guage light)	बण्डल	८८९७.००	८८९७.००	८८९७.००
	0.50 mm (24 guage Medium)	बण्डल	९७८६.००	९७८६.००	९७८६.००
	0.52 mm (24 guage Heavy)	बण्डल	१०१२८.००	१०१२८.००	१०१२८.००
	0.75 mm	बण्डल	१४५४०.००	१४५४०.००	१४५४०.००
२	कोरुगेटेड रीगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	५८८८.००	५८८८.००	५८८८.००
	0.22 mm (30 guage Medium)	बण्डल	६२७४.००	६२७४.००	६२७४.००
	0.24 mm (30 guage Heavy)	बण्डल	६६३८.००	६६३८.००	६६३८.००
	0.26 mm (28 guage light)	बण्डल	६९९१.००	६९९१.००	६९९१.००
	0.28 mm (28 guage Medium)	बण्डल	७३९८.००	७३९८.००	७३९८.००
	0.31 mm (28 guage Heavy)	बण्डल	७९५५.००	७९५५.००	७९५५.००
	0.35 mm (26 guage light)	बण्डल	८७९१.००	८७९१.००	८७९१.००
	0.37 mm (26 guage Medium)	बण्डल	९२३०.००	९२३०.००	९२३०.००
	0.41 mm (26 guage Heavy)	बण्डल	९९९०.००	९९९०.००	९९९०.००
	0.45 mm (24 guage light)	बण्डल	१०७१८.००	१०७१८.००	१०७१८.००
	0.50 mm (24 guage Medium)	बण्डल	११६५०.००	११६५०.००	११६५०.००
	0.52 mm (24 guage Heavy)	बण्डल	१२०४६.००	१२०४६.००	१२०४६.००
	0.55 mm (24 guage Medium)	बण्डल	१२९६४.६०	१२९६४.६०	१२९६४.६०
	0.75 mm	बण्डल	१६९०७.००	१६९०७.००	१६९०७.००
३	ग्याल्मनाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४४८५.००	४४८५.००	४४८५.००
	0.22 mm (30 guage Medium)	बण्डल	४८६०.००	४८६०.००	४८६०.००
	0.24 mm (30 guage Heavy)	बण्डल	५१९३.००	५१९३.००	५१९३.००
	0.26 mm (28 guage light)	बण्डल	५४६०.००	५४६०.००	५४६०.००
	0.28 mm (28 guage Medium)	बण्डल	५८२४.००	५८२४.००	५८२४.००
	0.31 mm (28 guage Heavy)	बण्डल	६३७१.००	६३७१.००	६३७१.००
	0.35 mm (26 guage light)	बण्डल	७०७७.००	७०७७.००	७०७७.००




छाना छाउने निर्माण सामग्रीहरूको विवरण
 नेपाल सरकार
 जनता प्रशासन कार्यालय
 ललितपुर
 मु.अ.कर बाहेकको दररेट


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	0.37 mm (26 guage Medium)	बण्डल	७४३०.००	७४३०.००	७४३०.००
	0.41 mm (26 guage Heavy)	बण्डल	८१३७.००	८१३७.००	८१३७.००
	0.45 mm (24 guage light)	बण्डल	८८३३.००	८८३३.००	८८३३.००
	0.50 mm (24 guage Medium)	बण्डल	९७२९.००	९७२९.००	९७२९.००
	0.52 mm (24 guage Heavy)	बण्डल	१००६५.००	१००६५.००	१००६५.००
	0.75 mm	बण्डल	१४५४०.००	१४५४०.००	१४५४०.००
४	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	१५३९.००	१५३९.००	१५३९.००
	0.22 mm base metal	बण्डल	१६६९.००	१६६९.००	१६६९.००
	0.24 mm base metal	बण्डल	१७७६.००	१७७६.००	१७७६.००
	0.26 mm base metal	बण्डल	१८६२.००	१८६२.००	१८६२.००
	0.28 mm base metal	बण्डल	१९९९.००	१९९९.००	१९९९.००
	0.31 mm base metal	बण्डल	२१६२.००	२१६२.००	२१६२.००
	0.35 mm base metal	बण्डल	२३९८.००	२३९८.००	२३९८.००
	0.38 mm base metal	बण्डल	२५९५.००	२५९५.००	२५९५.००
	0.41 mm base metal	बण्डल	२७५९.००	२७५९.००	२७५९.००
५	४ फिट x ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	३१०५.००	३१०५.००	३१०५.००
	0.90 mm base metal	पिस	२५६९.००	२५६९.००	२५६९.००
	0.80 mm base metal	पिस	२३२३.००	२३२३.००	२३२३.००
	0.75 mm base metal	पिस	२१८३.००	२१८३.००	२१८३.००
	0.70 mm base metal	पिस	२०३३.००	२०३३.००	२०३३.००
	0.62 mm base metal	पिस	१८१९.००	१८१९.००	१८१९.००
	0.55 mm base metal	पिस	१६३७.००	१६३७.००	१६३७.००
	0.50 mm base metal	पिस	१४८८.००	१४८८.००	१४८८.००
	0.48 mm base metal	पिस	१४३४.००	१४३४.००	१४३४.००
	0.45 mm base metal	पिस	१३५९.००	१३५९.००	१३५९.००
	0.42 mm base metal	पिस	१३२७.४३	१३२७.४३	१३२७.४३
	0.40 mm base metal	पिस	१२९९.००	१२९९.००	१२९९.००
	0.37 mm base metal	पिस	११३४.००	११३४.००	११३४.००
	0.35 mm base metal	पिस	१०८९.००	१०८९.००	१०८९.००
	0.30 mm base metal	पिस	९५२.००	९५२.००	९५२.००
	0.28 mm base metal	पिस	८९८.००	८९८.००	८९८.००
६	४ x ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	२८२५.००	२८२५.००	२८२५.००
	0.80 mm base metal	पिस	२५५८.००	२५५८.००	२५५८.००
	0.75 mm base metal	पिस	२४४०.००	२४४०.००	२४४०.००


 नेपाल सरकार
 गृह मन्त्रालय
 छाना छानो निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	0.70 mm base metal	पिस	२३२३.००	२३२३.००	२३२३.००
	0.62 mm base metal	पिस	२०८७.००	२०८७.००	२०८७.००
	0.55 mm base metal	पिस	१८८४.००	१८८४.००	१८८४.००
	0.50 mm base metal	पिस	१७३३.००	१७३३.००	१७३३.००
	0.48 mm base metal	पिस	१६४८.००	१६४८.००	१६४८.००
	0.45 mm base metal	पिस	१५९५.००	१५९५.००	१५९५.००
	0.42 mm base metal	पिस	१६६४.००	१६६४.००	१६६४.००
	0.40 mm base metal	पिस	१४५५.००	१४५५.००	१४५५.००
	0.37 mm base metal	पिस	१३४८.००	१३४८.००	१३४८.००
	0.35 mm base metal	पिस	१२९४.००	१२९४.००	१२९४.००
	0.30 mm base metal	पिस	११४५.००	११४५.००	११४५.००
	0.28 mm base metal	पिस	१०९१.००	१०९१.००	१०९१.००
७	GI Expanded metal Mesh				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३२.००	१३२.००	१३२.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१८३.००	१८३.००	१८३.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	११२.००	११२.००	११२.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५३.००	१५३.००	१५३.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१०२.००	१०२.००	१०२.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९	१५९.२९	१५९.२९
८	UPVC Roofing Sheet (3mm thick)				
	PMMA coating & Mesh (Regular)	व.मि.	१५०६.००	१५०६.००	१५०६.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२००.००	१२००.००	१२००.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००
	UPVC Clip	गोटा	२६.००	२६.००	२६.००
	self tapping screw 3"	गोटा	३०.००	३०.००	३०.००
	self tapping screw 2.2"	गोटा	२०.००	२०.००	२०.००
	self tapping screw 2"	गोटा	११.००	११.००	११.००
	self tapping screw 1.5"	गोटा	८.५०	८.५०	८.५०
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.			१४५२.६०
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.			१२९१.२०
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.			११२९.८०
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.			१४००.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.			१३००.००
९	Eco-UPVC Roofing Sheet (Ultra Modern Technology)				
	Corrugated sheets(2mm)	व.फि.	६६.३७	६६.३७	६६.३७
	Corrugated ridge (2mm) (3*1.4')	गोटा	७४५.१३	७४५.१३	७४५.१३


 Page 36


 नेपाल सरकार
 छाना छाउने निर्माण सामग्री
 जिल्ला प्रशासन कार्यालय
 ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर कार्ड	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Corrugated ridge side(2mm)(3*1.4)	गोटा	४४७.७९	४४७.७९	४४७.७९
	Spanish tile without fiber mesh(3mm)	व.फि.	१०१.७७	१०१.७७	१०१.७७
	Spanish tile with fiber mesh(3mm)	व.फि.	११०.६२	११०.६२	११०.६२
	Spanish ridge(3mm)(3*1.4)	गोटा	१३४३.३६	१३४३.३६	१३४३.३६
	Spanish ridge side(3mm)	गोटा	७४५.१३	७४५.१३	७४५.१३
	Spanish tile tripod(3mm)	गोटा	९९६.४६	९९६.४६	९९६.४६
	Clip Set	गोटा	८.८५	८.८५	८.८५
१०	एल्मुनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	२९.००	२९.००	२९.००
	(ख) ३० गेज	व.फि.	२७.००	२७.००	२७.००
११	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. मोटो प्लेन	व.फि.	११५.००	११५.००	११५.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२७.००	१२७.००	१२७.००
	१.२ मी.मी. मोटा प्लेन	व.फि.	१२७.००	१२७.००	१२७.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१४६.००	१४६.००	१४६.००
	२ मी.मी. मोटो प्लेन	व.फि.	२१६.००	२१६.००	२१६.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२५५.००	२५५.००	२५५.००
	३ मी. मी. मोटो प्लेन	व.फि.	२९३.००	२९३.००	२९३.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३८२.००	३८२.००	३८२.००
१२	ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft				
	Corrugated steel Sheet-Thickness-1.1mm , vweight-5.5K/sam)	व.मिटर	१०७६.००	१०७६.००	१०७६.००
	Ridge Cover corrugated	र.मिटर	१५५०.००	१५५०.००	१५५०.००
	Self tapping screw 75mm with clip set	गोटा	२०.००	२०.००	२०.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर			१६००.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर			१६००.००
	Self tapping screw 3" with clip set	गोटा			३०.००
	Self tapping screw 2.2" with clip set	गोटा			२५.००
१३	Fiber Glass छाउनाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६७.००	६७.००	६७.००
१४	Fiber Glass छाउनाको लागि Ribet nut	गोटा	७.००	७.००	७.००
१५	विभिन्न साइजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१३७.००
१६	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००
१८	Roofing Material				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर			४०००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर			३०००.००
१९	Fiber Plain Sheet				

छाना छाउने सामग्रीहरूको विवरण

सि.नं.	निर्माण सामग्रीहरूको विवरण	मू. अ. कर बाहेकको दररेट	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/०७८	आ. व. २०७८/७९
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.			१००.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.			१२०.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.			१४५.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.			१५५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.			१९५.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.			२४०.००
२०	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	रनिङ्ग फिट			६४०.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	रनिङ्ग फिट			१२५.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	रनिङ्ग फिट			१७०.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	रनिङ्ग फिट			४८५.००
	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	व.मी.			२९६०.००
	IKO Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	व.मी.			४००.००
	Providing and installing 12mm thick Cement Fiber Board (Thailand) complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	व.मी.			१५६०.००
२१	Black Color/Combat Color Zinc Panel for wall & Roof				



छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	50mm				४५६.००
	75mm				४६३.००
	100mm				५१२.००
	125mm				६०८.००
	150mm				६५२.००
२२	Blue & Orange Color Roofing Panel				
	50mm				३९८.००
	75mm				४४७.००
	100mm				५३६.००
	125mm				५४५.००
	150mm				५९३.००




 नेपाल सरकार
 जिल्ला प्रशासन कार्यालय
 ललितपुर

 Partition Board and Ceiling



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	Plain Particle Board (Exteriors Grade)				
	९ मी .मी	व.फि	३८.००	३८.००	३८.००
	१२ मी .मी	व.फि	४३.००	४३.००	४३.००
	१८ मी .मी	व.फि	५५.००	५५.००	५५.००
	२५ मी .मी	व.फि	७४.००	७४.००	७४.००
२	PPB One side lamination Melamined faced (Exterior Grade)				
	९ मी .मी	व.फि	७७.००	७७.००	७७.००
	१२ मी .मी	व.फि	८६.००	८६.००	८६.००
	१८ मी .मी	व.फि	१०२.००	१०२.००	१०२.००
	२५ मी .मी	व.फि	१३२.००	१३२.००	१३२.००
३	PPB Both side lamination Melamined faced (Exteriors Grade)				
	९ मी .मी	व.फि	८६.००	८६.००	८६.००
	१२ मी .मी	व.फि	९९.००	९९.००	९९.००
	१८ मी .मी	व.फि	११४.००	११४.००	११४.००
	२५ मी .मी	व.फि	१४५.००	१४५.००	१४५.००
४	Plain Particle Board (Interiors Grade)				
	९ मी .मी	व.फि	२८.००	२८.००	२८.००
	१२ मी .मी	व.फि	३२.००	३२.००	३२.००
	१८ मी .मी	व.फि	४८.००	४८.००	४८.००
	२५ मी .मी	व.फि	६९.००	६९.००	६९.००
५	PPB One side lamination Melamined faced (Interior Grade)				
	३ मी .मी	व.फि	४२.००	४२.००	४२.००
	६ मी .मी	व.फि	५९.००	५९.००	५९.००
	९ मी .मी	व.फि	६८.००	६८.००	६८.००
	१२ मी .मी	व.फि	७७.००	७७.००	७७.००
	१८ मी .मी	व.फि	८९.००	८९.००	८९.००
	२५ मी .मी	व.फि	१११.००	१११.००	१११.००
६	PPB Both side lamination Melamined faced (Interiors Grade)				
	३ मी .मी	व.फि	४८.००	४८.००	४८.००
	६ मी .मी	व.फि	६४.००	६४.००	६४.००
	९ मी .मी	व.फि	७७.००	७७.००	७७.००
७	PPB One side lamination Melamined faced (Interior Grade)				
	३ मी .मी	व.फि	४८.००	४८.००	४८.००
	४ मी .मी	व.फि	५५.००	५५.००	५५.००
	६ मी .मी	व.फि	६८.००	६८.००	६८.००
	९ मी .मी	व.फि	८८.००	८८.००	८८.००
	१२ मी .मी	व.फि	९९.००	९९.००	९९.००
	१८ मी .मी	व.फि	१२७.००	१२७.००	१२७.००
	२५ मी .मी	व.फि	१७६.००	१७६.००	१७६.००

Partition Board and Ceiling




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
८	PPB Both side lamination Melaminated faced -Alstone Hybrid Board (WPC Board) , Rucca Eco-Wood, Femiuha, Century & equivalent (Interiors Grade)				
	३ मी .मी	व.फि	५५.००	५५.००	५५.००
	४ मी .मी	व.फि	६९.००	६९.००	६९.००
	६ मी .मी	व.फि	७६.००	७६.००	७६.००
	९ मी .मी	व.फि	९५.००	९५.००	९५.००
	१२ मी .मी	व.फि	१०५.००	१०५.००	१०५.००
	१८ मी .मी	व.फि	१३३.००	१३३.००	१३३.००
	२५ मी .मी	व.फि	१८०.००	१८०.००	१८०.००
९	Alstone Hybrid Board (WPC Board)				
	६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१७५.००	१७५.००
	१२ मी .मी	व.फि	२८०.००	२८०.००	२८०.००
	१८ मी .मी	व.फि	४२३.००	४२३.००	४२३.००
१०	Alstone Hybrid Board				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	८४.००	८४.००	८४.००
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	१२०.००	१२०.००	१२०.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	२२९.००	२२९.००	२२९.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	३०५.००	३०५.००	३०५.००
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	३७०.००	३७०.००	३७०.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	५५३.००	५५३.००	५५३.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	७९३.००	७९३.००	७९३.००
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	३८०.००	३८०.००	३८०.००
	WPC door shutter 30 mm th. (7*3) size	व.फि	५४०.००	५४०.००	५४०.००
	18 mm th. WPC OLIGO (colour)	व.फि	५७५.००	५७५.००	५७५.००
११	Alstone Hybrid Board (WPC Board) , Rucca Eco-Wood, Femiuha, Century & equivalent				
	६ मी .मी size (1220*2440) mm	व.फि	१६८.००	१६८.००	१६८.००
	१२ मी .मी size (1221*2440) mm	व.फि	३१९.००	३१९.००	३१९.००
	१८ मी .मी size (1222*2440) mm	व.फि	४४४.००	४४४.००	४४४.००
१२	Supplying and fixing of Thai gypsum board				
	Wall partition	व.फि	१२४.००	१२४.००	१२४.००
	Wall paneling	व.फि	८२.००	८२.००	८२.००
	12.5mm thick Gypsum Board False ceiling	व.फि	८३.००	८३.००	८३.००
१३	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि.	२६.००	२६.००	२६.००
	3.2 MM (4'x8')	व.फि.	२८.००	२८.००	२८.००
	3.5 MM (4'x8')	व.फि.	३२.००	३२.००	३२.००
	4MM (4'x8')	व.फि.	३३.००	३३.००	३३.००
	६MM (4'x8')	व.फि.	४७.००	४७.००	४९.२९

Partition Board and Ceiling




नेपाल सरकार
सिन्धुपाल्चोक जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	8MM (4'x8')	व.फि.	६३.००	६३.००	६६.८५
	9MM (4'x8')	व.फि.	७१.००	७१.००	७५.४१
	10MM (4'x8')	व.फि.	८०.००	८०.००	८४.७५
	12MM (4'x8')	व.फि.	८९.००	८९.००	१०१.२८
	Fiber cement board (Floor)				
	15MM (4'x8')	व.फि.			१३४.४५
	18MM (4'x8')	व.फि.			१६०.७७
	20MM (4'x8')	व.फि.			१८०.३२
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.			८८.२०
१४	Fiber Cement Board (Planck)				
	8MM (3"x9'-10") 9'-10"Rft	व.फि.	३२.००	३२.००	३२.००
	8MM (6"x9'-10") 9'-10"Rft	व.फि.	५०.००	५०.००	५५.३८
	8MM (8"x9'-10") 9'-10"Rft	व.फि.	६८.००	६८.००	७४.५३
	8MM Coloured Teak Texture Walnut (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture GST (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture Cherry Red (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture Afromosia -Brown (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
१५	Infill wall Partition using 6mm Board on 74mm Stud	व.मि			४९९७.२४
	Infill wall Partition using 10mm Board on 74mm Stud		६३७०.००	६३७०.००	५९६३.५८
	Infill wall Partition using 6mm Board on 50mm Stud				४०५६.५२
	Dry wall Partition using 10mm Board on 74mm Stud				५०१३.६६
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९०.००	९०.००	९०.००
१७	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	व.मि			१५०००.००
१८	Ivory Color Flat Wall Panel				
	50mm				३४२.५०
	75mm				३५०.००
	100mm				३९८.००
	125mm				४९६.००
	150mm				५४५.००
१९	Gray Color RP Wall Panel				
	50mm				३७५.००



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	75mm				३८२.००
	100mm				४३९.००
	125mm				५२८.००
	150mm				५७७.५०
२०	Wooden Color Siding Wall Panel				
	50mm				
	75mm				४६३.००
	100mm				५९२.००
	125mm				५६८.००
	150mm				६९०.००



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPION) non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	३०२.००	३०२.००	३०२.००
	b)50 mm thick	व.फि	२३९.००	२३९.००	२३९.००
१	False Ceiling/Partition/External cladding of SCG/Shera or equivalent Fiber Board				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९३.००	९३.००
	Supplying, making, fixing of 70mm thick exterior with full height of partiron with everest fibre cemnet board	व.फि	२७९.००	२७९.००	२७९.००
	Supplying, making, fixing of 66mm thick exterior with full height of partiron with everest fibre cemnet board	व.फि	२४४.००	२४४.००	२४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partiron with everest fibre cemnet board	व.फि	३११.००	३११.००	३११.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	व.फि	२७४.००	२७४.००	२७४.००
	Supplying, making, fixing of 50mm thick full height of partiron with everest RAPICON wall panels	व.फि	२१७.००	२१७.००	२१७.००
	Supplying, making, fixing of 75mm thick full height of partiron with everest RAPICON wall panels	व.फि	२८८.००	२८८.००	२८८.००
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	३५.००	३५.००	३५.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा			२८००.००
	150X300 Tile	गोटा			३५००.००
	300X300 Tile	गोटा			४०००.००
३	Cement board Aerocon C Board				
	6 mm thick	व.फि	३४.००	३४.००	३४.००
	8 mm thick	व.फि	४२.००	४२.००	४२.००
	10 mm thick	व.फि	५३.००	५३.००	५३.००
	12 mm thick	व.फि	६४.००	६४.००	६४.००
४	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire			०.००	०.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	३९३.००	३९३.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४२४.००	४२४.००	४२४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५२४.००	५२४.००	५२४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	व.फि	११२.००	११२.००	११२.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent			०.००	०.००
	50 mm thick	व.फि	२६३.००	२६३.००	२६३.००
	75 mm thick	व.फि	३४७.००	३४७.००	३४७.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	२८२.००	२८२.००	२८२.००

Handwritten signature and stamp

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२८६.००	२८६.००	२८६.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO	व.फि	२५०.००	२५०.००	२५०.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३१९.००	३१९.००	३१९.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	३५९.००	३५९.००	३५९.००
५	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos) as face board on both sides (Size 2270*610mm)- excluding installation				
	50mm thickness	व.फि	२१०.००	१८०.००	१८०.००
	60mm thickness	व.फि	२७५.००	२७५.००	२७५.००
	75mm thickness	व.फि	३३०.००	३३०.००	३३०.००
	90mm thickness	व.फि	३८५.००	३८५.००	३८५.००
	120mm thickness	व.फि	४६५.००	४६५.००	४६५.००
	Installation charge	व.फि	२५.००	२५.००	२५.००
६	Precast boundary wall, Precast slab, Precast Beam				
	H-beam	र.फि		१८५.००	१८५.००
	50 mm wall slab	व.फि		१६०.००	१६०.००
	120 mm floor slab (with installation)	व.फि		३५०.००	३५०.००
	70 mm water permeable				
	Color Block	व.फि		१३५.००	१३५.००
	Non Color Block	व.फि		१२०.००	१२०.००
७	स्याण्डविच पफ रुफिङ्ग प्यानल(चौडाई ९५० मि.मि.)				
	३० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि		२३०.००	२३०.००
	४० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि		२५०.००	२५०.००
	५० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,क्रिम	व.फि		२७५.००	२७५.००
८	स्याण्डविच पफ वाल प्यानल (चौडाई ९५०मि.मि)				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२३५.००	२३५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२५५.००	२५५.००
	७५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि		३३०.००	३३०.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		४१५.००	४१५.००
	१२५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि			५०५.००
	१५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		४९०.००	४९०.००
९	स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि)				
	४० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि		२८०.००	२८०.००
	५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि		३००.००	३००.००
	७५ मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि		३७५.००	३७५.००
	१०० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि		४६०.००	४६०.००



Prefab Panel for wall Partition

नेपाल सरकार
गृह मन्त्रालय
ललितपुर कार्यालय
मु.अ.के.र.प.स.को.द.रेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.के.र.प.स.को.द.रेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	१५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिकाइष्ट्र)	व.फि		५३५.००	५३५.००
10	स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि)				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्ट्र) अर्का तर्फ क्रिम	व.फि		२५५.००	२५५.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्ट्र) अर्का तर्फ क्रिम	व.फि		२७५.००	२७५.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्ट्र) अर्का तर्फ क्रिम	व.फि		३५०.००	३५०.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्ट्र) अर्का तर्फ क्रिम	व.फि		४३५.००	४३५.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्ट्र) अर्का तर्फ क्रिम	व.फि		५१५.००	५१५.००
11	पोलिकार्बोनेट रुफिङ्ग सिट				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च	व.फि		११९.००	११९.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाइ ३२ इन्च	व.फि		१४९.००	१४९.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाइ ४२ इन्च	व.फि		१७७.००	१७७.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाइ ४३ इन्च	व.फि		२२४.००	२२४.००
	पोलिकार्बोनेट प्लेन तथा क्रिस्टल सिट				
	नर्मल तथा क्रिस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च	व.फि		१८५.००	१८५.००
	नर्मल तथा क्रिस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.फि		२४७.००	२४७.००
	नर्मल तथा क्रिस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि		१५५.००	१५५.००
	टायल प्रोफायल मेटल रुफिङ्ग सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च	व.फि		१२०.००	१२०.००
	सि एण्ड जेड पर्लिन				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४९.००	१४९.००
	सि एण्ड जेड पर्लिन(३२० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४७.००	१४७.००
	सि एण्ड जेड पर्लिन(३६० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४६.००	१४६.००
	सि एण्ड जेड पर्लिन(४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१५८.००	१५८.००
	अल्मुनियम				
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल		१८५००.००	१८५००.००
	पेन्टेड अल्मुनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल		१४५००.००	१४५००.००
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल		१६५००.००	१६५००.००
	पेन्टेड अल्मुनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल		१२५००.००	१२५००.००
	Metal Tile Roofing Sheet				
	0.5 Thickness - (Red, Green, Blue)	वन्डल			२२१५०.००
	0.5 Thickness - (Chocolate)	वन्डल			२४५५०.००

[Handwritten signature]

[Handwritten signature]
Page 46

[Handwritten signature]



Prefab Panel for wall Partition

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
मु. अ. कर बाहिरी दररेट
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहिरी दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Ridge Cap(0.4 Thickness)	रनिङ्ग फिट			२००.००
	Gutter				
	0.50 mm Thickness (Size- 12")	रनिङ्ग फिट			९५.००
	0.50 mm Thickness (Size- 18")	रनिङ्ग फिट			१६५.००
	0.40 mm Thickness (Size- 12")	रनिङ्ग फिट			११५.००
	0.40 mm Thickness (Size- 12")	रनिङ्ग फिट			१६५.००
	Polycarbonate Corrugated Sheet				
	1 mm Thickness	व.फि			१००.००
	1.25mm Thickness	व.फि			१२०.००
	1.5 mm Thickness	व.फि			१४५.००
	1.75mm Thickness	व.फि			१६५.००
	2mm Thickness	व.फि			१९०.००
	2.5 mm Thickness	व.फि			२३०.००
	Polycarbonate Plain Sheet				
	1 mm Thickness	व.फि			८५.००
	1.5 mm Thickness	व.फि			१३०.००
	2 mm Thickness	व.फि			१७५.००
	2.5 mm Thickness	व.फि			२१५.००
	3 mm Thickness	व.फि			२६०.००
	4 mm Thickness	व.फि			३५०.००
	5 mm Thickness	व.फि			४३५.००
	6 mm Thickness	व.फि			५२५.००
	8 mm Thickness	व.फि			७००.००
	10 mm Thickness	व.फि			८८०.००
	12 mm Thickness	व.फि			१०५५.००

(Handwritten signatures and initials)




भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
मु.अ.कर बाहिरीको दररेट


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहिरीको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२८.००	२८.००	२८.००
	(ग) ५" साइज	गोटा	४३.००	४३.००	४३.००
	(घ) ६" साइज	गोटा	५६.००	५६.००	५६.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२६०.००	२६०.००	२६०.००
	225 mm	गोटा	२२७.००	२२७.००	२२७.००
	150 mm	गोटा	१९५.००	१९५.००	१९५.००
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२०.००	२०.००	२०.००
	(ख) ४" लामो	गोटा	४०.००	४०.००	४०.००
	(ग) ६" लामो	गोटा	६७.००	६७.००	६७.००
	(घ) ८" लामो	गोटा	८०.००	८०.००	८०.००
	(ङ) १०" लामो	गोटा	९४.००	९४.००	९४.००
	(च) १२" लामो	गोटा	१०७.००	१०७.००	१०७.००
४	Aluminum Handle (हतकल)			०.००	०.००
	Ordinary	गोटा	३२.००	३२.००	३२.००
	Special	गोटा	४७.००	४७.००	४७.००
५	ब्रासको कब्जा				
	2" x 1/2"	गोटा	६३.००	६३.००	६३.००
	2 1/2 x 3/4"	गोटा	७९.००	७९.००	७९.००
	3" x 3/4"	गोटा	८७.००	८७.००	८७.००
	2" x 3/4"	गोटा	७९.००	७९.००	७९.००
	2 1/2" x 3/4"	गोटा	७९.००	७९.००	७९.००
	3" x 3/4"	गोटा	८७.००	८७.००	८७.००
	3" x 1"	गोटा	१८९.००	१८९.००	१८९.००
	4" x 1"	गोटा	२८४.००	२८४.००	२८४.००
	5" x 1"	गोटा	३७९.००	३७९.००	३७९.००
	6" x 1"	गोटा	४५८.००	४५८.००	४५८.००
६	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१४२.००
	(ख) ४" लामो	गोटा	१८९.००	१८९.००	१८९.००
	(ग) ६" लामो	गोटा	२८४.००	२८४.००	२८४.००
	(घ) ८" लामो	गोटा	३७९.००	३७९.००	३७९.००
	(ङ) १०" लामो	गोटा	४७३.००	४७३.००	४७३.००
	(च) १२" लामो	गोटा	५६८.००	५६८.००	५६८.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५०.००	१५०.००	१५०.००
	8" Brass handle	गोटा	४५८.००	४५८.००	४५८.००
	10" Brass handle	गोटा	९४७.००	९४७.००	९४७.००
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	९४७.००	९४७.००	९४७.००
	(ख) १०" लामो	गोटा	१५६२.००	१५६२.००	१५६२.००
	(ग) १२" लामो	गोटा	१७३५.००	१७३५.००	१७३५.००
	Special Fittings				
९	एल ड्रप				
	८" लामो	गोटा	१०६२.००	१०६२.००	१०६२.००
	१०" लामो	गोटा	११९९.००	११९९.००	११९९.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
१०	ह्याण्डल ८" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
११	टावर बोल्ट				
	६" लामो	गोटा	२२५.००	२२५.००	२२५.००
	८" लामो	गोटा	३००.००	३००.००	३००.००
	१०" लामो	गोटा	३७५.००	३७५.००	३७५.००
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	८९२.००	८९२.००	८९२.००
	१०" लामो	गोटा	११३०.००	११३०.००	११३०.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
	ह्याण्डल				
	६" लामो	गोटा	२५०.००	२५०.००	२५०.००
	८" लामो	गोटा	३७५.००	३७५.००	३७५.००
	मोर्टिस लक				
	Ordinary	गोटा	६२५.००	६२५.००	६२५.००
	Chinese	गोटा	४१६.००	४१६.००	४१६.००
	Indian Godrej Company	गोटा	२५५७.००	२५५७.००	२५५७.००
	Brass		११३०.००	११३०.००	११३०.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१७८.००	१७८.००	१७८.००
	hydraulic	गोटा	१८७४.००	१८७४.००	१८७४.००
	Window l-hook	गोटा	१८.००	१८.००	१८.००
१४	Gate Hook				
	4" Gate hook	गोटा	३१.००	३१.००	३१.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	5" Gate hook	गोटा	३५.००	३५.००	३५.००
	6" Gate hook	गोटा	४२.००	४२.००	४२.००
	Brass Gate hook	गोटा	७५.००	७५.००	७५.००
१५	Door stopper				
	Butterfly	गोटा	१४८.००	१४८.००	१४८.००
	Bell catch 2" size	गोटा	१९६.००	१९६.००	१९६.००
	C.P. handle	गोटा	४२५.००	४२५.००	४२५.००
	Power coated handle	गोटा	४०६.००	४०६.००	४०६.००
	Brass coated handle	गोटा	८७४.००	८७४.००	८७४.००
	Door stopper, single brass stopper	गोटा	१००.००	१००.००	१००.००
	Door stopper double brass stopper	गोटा	१७८.००	१७८.००	१७८.००
१६	Screw Brass				
	20mm	गोटा	१.९२	१.९२	१.९२
	25mm	गोटा	२.६७	२.६७	२.६७
	35mm	गोटा	४.११	४.११	४.११
	50mm	गोटा	१२.०६	१२.०६	१२.०६
	75mm	गोटा	१५.०८	१५.०८	१५.०८
१७	Screw Steel				
	20mm	गोटा	१.१७	१.१७	१.१७
	25mm	गोटा	१.९२	१.९२	१.९२
	35mm	गोटा	२.३३	२.३३	२.३३
	50mm	गोटा	७.२०	७.२०	७.२०
	75mm	गोटा	७.५४	७.५४	७.५४
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९२.७०	९२.७०	९२.७०
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९७.८५	९७.८५	९७.८५


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ. व.		
			२०७६/७७	२०७७/७८	२०७८/७९
१	सिमेन्ट पेन्ट	के.जि.	६५.००	६५.००	६५.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२७१.००	२७१.००	२७१.००
३	उड प्राइमर	लिटर	३६५.००	३६५.००	३६५.००
४	सेन्थेटिक इनामेल पेन्ट	लिटर	५०९.००	५०९.००	५०९.००
५	नेपाल रेडको म्याट फिनिसिङ	लिटर	४९१.००	४९१.००	४९१.००
६	कोरुगेटेड रुफ पेन्ट	लिटर	४६२.००	४६२.००	४६२.००
७	तयारी अल्मुनियम पेन्ट	लिटर	५३०.००	५३०.००	५३०.००
८	तयारी वार्नेस	लिटर	४२७.००	४२७.००	४२७.००
९	तयारी वार्नेर सेन्थेटिक	लिटर	३३०.००	३३०.००	३३०.००
१०	भारतीय थिनर	लिटर	२२४.००	२२४.००	२२४.००
११	उड एण्ड ग्लास पुटिन	के.जी	१२८.००	१२८.००	१२८.००
१२	मेटल पुटिन	के.जी	१५१.००	१५१.००	१५१.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	१९७.००	१९७.००	१९७.००
१४	नेपाली थिनर	लिटर	२११.००	२११.००	२११.००
१५	तारपिन तेल	लिटर	२०८.००	२०८.००	२०८.००
१६	रेड अकसाइड पेन्ट	लिटर	२५४.००	२५४.००	२५४.००
१७	उड प्रिजरभेटिव पेन्ट	लिटर	२२२.००	२२२.००	२२२.००
१८	ब्याक जापान	लिटर	४६६.००	४६६.००	४६६.००
१९	राम तिलक	के.जि.	५४.००	५४.००	५४.००
२०	गेरु रंग	के.जि.	१३३.००	१३३.००	१३३.००
२१	चप्रा	के.जि.	१२८०.००	१२८०.००	१२८०.००
२२	स्पीट	लिटर	८७.००	८७.००	८७.००
२३	तयारी वासेवल डिस्टेम्पर	लिटर	२१७.००	२१७.००	२१७.००
२४	तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लिटर	५११.००	५११.००	५११.००
२५	तयारी वेदरकोट पेन्ट (exterior)	लिटर	६१२.००	६१२.००	६१२.००
२६	प्लास्टिक ईमल्सन पेन्ट	लिटर	६५०.००	६५०.००	६५०.००
२७	एक्सटेरियर वेदर कोट	लिटर	६८३.००	६८३.००	६८३.००
२८	रोड मार्कीङ थर्मोप्लास्टिक पेन्ट	लिटर	५६२.००	५६२.००	५६२.००
२९	लिनसिड आयल	लिटर	१९१.००	१९१.००	१९१.००
३०	स्थानीय स्पीट	लिटर	११४.००	११४.००	११४.००
३१	मोथिकल / फेविकल	के.जि.	२५५.००	२५५.००	२५५.००
३२	मैन पालिस	के.जि.	३४५.००	३४५.००	३४५.००
३३	अक्रालिक एसिड	के.जि.	११८.००	११८.००	११८.००
३४	१" चौडा पेन्ट ब्रस	गोटा	७०.००	७०.००	७०.००
३५	२" चौडा पेन्ट ब्रस	गोटा	१४०.००	१४०.००	१४०.००
३६	३" चौडा पेन्ट ब्रस	गोटा	२१०.००	२१०.००	२१०.००



रंगरोगन तथा पुटिका सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३७	4" चौडा पेन्ट ब्रस	गोटा	२८०.००	२८०.००	२८०.००
३८	रंग लगाउने रोलर	गोटा	४००.००	४००.००	४००.००
३९	Sand paper	गोटा	६.००	६.००	६.००
४०	Wall putty plain	के.जि.	३६.००	३६.००	३६.००
४१	Wall putty- water Proof		६०.००	६०.००	६०.००
४२	Plaster of Parish (POP)	के.जि.	२२.००	२२.००	२२.००
४३	Redoxide zink cromate primer For Bridge	लिट्र	४५०.००	४५०.००	४५०.००
४४	Silk Breathless easy	लिट्र	१२३८.००	१२३८.००	१२३८.००
४५	Epoxy Paint for Operation theater	व.मी.	११७०६.००	११७०६.००	११७०६.००
४६	SPC CemTec Exterior Primer	लिट्र			२३३.२४
४७	SPC CemTec Interior Primer	लिट्र			१६८.५६
४८	SPC SynTec Enamel Paints	लिट्र			५०१.७६
४९	SPC WoodTec Primer	लिट्र			३०६.७४
५०	SPC Tetrox Red Oxide	लिट्र			२७०.४८
५१	SPC WalTec Wall Putty	के.जि.			३५.२८
	Decorative Painting Material				
A	Specialized paints				
१	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	१०९९.००
२	Acro Elastocrab (Anti carbonisation paint)	लिट्र	७६२.००	७६२.००	७६२.००
३	Dr. wallz Cerainsul (Heat Reflecting Energy Saving Insulation Paint)	लिट्र			११३०.००
४	Dr. Wallz Firegard (Instumescent weather resistant chlorinated rubber fire resistant retardant coating)	लिट्र			११३८.००
५	Dr. Wallz Renustu	के.जि.			९७.३५
६	Health -Guard Silver Ion higeinic Coating Paint	लिट्र			९५०.००
७	Health Pro Self Sanitizing Silver Ion Higienic Coating	लिट्र			९५०.००
B	Texture paints		०.००	०.००	
१	Mediterrano	के.जि.	१७६.००	१७६.००	१७६.००
२	Stucco Veneziano	के.जि.	१६३९.००	१६३९.००	१२७०.००
३	Velvetino	के.जि.	४३०५.००	४३०५.००	४३०५.००
४	Travertino	के.जि.	४१२.००	४१२.००	३४६.००
५	Gtone plaster	के.जि.	१२१.००	१२१.००	१२१.००
६	Colorato (Multi color)	के.जि.	९२१.००	९२१.००	९२१.००
७	Pearl skin texture	के.जि.	१४९.००	१४९.००	१४९.००
८	TS 52 Spray white	के.जि.	१९९.००	१९९.००	१९९.००
९	Rustic	के.जि.	१७४.००	१७४.००	१९७.००
१०	Rockart	लिट्र	१७४.००	१७४.००	१८७.००
११	Manhattan	के.जि.	२३८.००	२३८.००	२३८.००

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१२	Sabbia	के.जि.	२३८.००	२३८.००	२३८.००
१३	Sandy Stone	के.जि.	१७४.००	१७४.००	१७४.००
१४	Insulplast	के.जि.	२३७.००	२३७.००	२३७.००
१५	Poly Under White	के.जि.	२६४.००	२६४.००	२६४.००
१६	Antica(Top coat)	के.जि.	१२६७.००	१२६७.००	१२६७.००
१७	T.C 100(Top coat)	के.जि.	७२८.००	७२८.००	७२८.००
१८	Dekorica White	के.जि.	२६३१.००	२६३१.००	२६३१.००
१९	Poly Plaster	के.जि.	१०७.००	१०७.००	१०७.००
२०	Granite tone	के.जि.	१६५.००	१६५.००	१६५.००
२१	Graffiato	के.जि.	१५९.००	१५९.००	१५९.००
२२	Elligance stone	के.जि.	१८९.००	१८९.००	१८९.००
२३	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००
२४	Acro fine	लिटर	१८१.००	१८१.००	१८१.००
२५	Marmocastro base	के.जि.	१३९.००	१३९.००	१३९.००
२६	Selva Granite	के.जि.	२१५.००	२१५.००	२१५.००
२७	Romart	के.जि.	२३९.००	२३९.००	२३९.००
२८	Renstu plaster putty	के.जि.			८६.७०
२९	Hyperion base putty	के.जि.			५०७.००
३०	Cementzio base putty	के.जि.			२३०.००
३१	Helios base putty	के.जि.			४९७.००
३२	Cratere base putty	के.जि.			४८८.००
३३	Cerrotta base putty	के.जि.			४८८.००
३४	Coppotto Di cemento	के.जि.			१७०८.००
३५	Muroplast putty	के.जि.			७१.००
३६	Acro pure (PU top coat)	के.जि.			११४५.००
३७	Satenatto emulsion	लिटर			६००.००
३८	StuccoPlaster	लिटर			२८२.६४
३९	Elegantile	के.जि.			१९०.००
४०	Multi Granite	के.जि.			१९०.००
४१	Hermes Base	के.जि.			२३५.००
४२	Botticelli Base	के.जि.			२८२.००
४३	Granito Wall	के.जि.			१४६.००
C	Weather coat paints				
१	Guard	लिटर	५०३.००	५०३.००	५०३.००
२	Guard -3x	लिटर	५८८.००	५८८.००	५८८.००
३	Shield	लिटर	३२२.००	३२२.००	३२२.००
४	Acrotex matt	लिटर	५१०.००	५१०.००	५१०.००
५	Ext wall Primer	लिटर	२३८.००	२३८.००	२३८.००
६	SPC ExterShield Premium	लिटर			५७६.२४
७	SPC ExterShield Smooth	लिटर			४९२.९४
८	SPC ExterShield Standard	लिटर			३१५.५६
D	Emulsion Paints/Distemper				
१	silk Emulsion paints	लिटर	५२२.००	५२२.००	५२२.००

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]



रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
२	Aqualin Int.Emulsion	लिटर	२८०.००	२८०.००	२८०.००
३	pearl Emulsion paints	लिटर	७७२.००	७७२.००	७७२.००
४	int. wall Primer	लिटर	१७२.००	१७२.००	१७२.००
५	Acrylic Washable Distemper	लिटर	१४२.००	१४२.००	१४२.००
६	Acro gold Enamel	लिटर	५१२.००	५१२.००	५१२.००
७	Universal primer (wood primer)	लिटर	३१३.००	३१३.००	३१३.००
८	Red oxide metal primer	लिटर	२७६.००	२७६.००	२७६.००
९	Construction Chemical / waterproof coating system				
	crack sill	लिटर	३८७.००	३८७.००	३८७.००
	crack fill A+B	लिटर	१७०.००	१७०.००	१७०.००
१०	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	४६६.००	४६६.००	४६६.००
	Acropreg W	लिटर	६१९.००	६१९.००	६१९.००
	Wall putty	के.जि.	३९.००	३९.००	३९.००
११	SPC InnraCare Premium Emulsion	लिटर			७०७.५६
१२	SPC InnraCare Smooth Emulsion	लिटर			५११.५६
१३	SPC InnraCare Standard Emulsion	लिटर			२७४.४०
१४	SPC EvtinVigil Washable Distemper	के.जि.			१३९.१६
	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
A	Acro Spanezia maestro finishes texture				
१	Mediterrano texture	व.फि.	१२८.००	१२८.००	१२८.००
२	Travertino texture	व.फि.	१९५.००	१९५.००	१९५.००
३	Velvetino texture	व.फि.	१६७.००	१६७.००	१६७.००
४	Gtone plaster and Colorato texture(Multicolour texture)	व.फि.	१३३.००	१३३.००	१३३.००
५	Stucco veneziano texture	व.फि.	१४०.००	१४०.००	१४०.००
६	Pearl skin texture	व.फि.	१२०.००	१२०.००	१२०.००
७	Marmorino texture	व.फि.	१५६.००	१५६.००	१५६.००
८	Mediterrano and Colorato texture(Multi color texture)	व.फि.			१५९.००
B	Acro texture				
१	Acro spray flat/Acro spray dews texture	व.फि.	६५.००	६५.००	६५.००
२	Featherglow/Royal touch/Superfine/Ceratex texture	व.फि.	७४.००	७४.००	७४.००
३	Rustic texture	व.फि.	९९.००	९९.००	९९.००
४	Rockart texture	व.फि.	९३.००	९३.००	९३.००

रंगरोगन तथा पुटिका सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.को बर्हिर्को दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
५	Graffiato texture	व.फि.	१०३.००	१०३.००	१०३.००
६	Marmocastro texture	व.फि.	९०.००	९०.००	९०.००
७	Marmoplast texture	व.फि.	९०.००	९०.००	९०.००
८	Sabbia texture	व.फि.	११२.००	११२.००	११२.००
९	Manhattan texture	व.फि.	११२.००	११२.००	११२.००
१०	Sandy stone texture	व.फि.	१५४.००	१५४.००	१५४.००
११	Selva Granite texture	व.फि.	११६.००	११६.००	११६.००
१२	Elligance stone texture	व.फि.	१०७.००	१०७.००	१०७.००
१३	Granite tone texture	व.फि.	९८.००	९८.००	९८.००
१४	Romaart texture	व.फि.	१२४.००	१२४.००	१२४.००
१५	Insulplast texture	व.फि.	१३५.००	१३५.००	१३५.००
१६	Lastrafiniture texture	व.फि.	२३४.२७	२३४.२७	२३४.२७
१७	Fossa finiture texture	व.फि.	२५३.८७	२५३.८७	२५३.८७
१८	PierreDe Beaton texture	व.फि.	२१५.२२	२१५.२२	२१५.२२
१९	Maglia texture	व.फि.	२४४.००	२४४.००	२४४.००
२०	Pietra texture	व.फि.	२५१.१४	२५१.१४	२५१.१४
२१	Muro fussa texture	व.फि.	२९७.५३	२९७.५३	२९७.५३
२२	Cattelo Di Cemento texture	व.फि.	२१४.३४	२१४.३४	२१४.३४
२३	Cratere texture	व.फि.	२५४.९१	२५४.९१	२५४.९१
२४	Cerrota texture	व.फि.	१३४.६३	१३४.६३	१३४.६३
२५	Cementizio texture	व.फि.	१२१.९१	१२१.९१	१२१.९१
२६	Riverstire De Pennelli texture	व.फि.	२४२.८४	२४२.८४	२४२.८४
२७	Acro Bio-guard (Hospital Paint)	व.फि.	५४.००	५४.००	४८.६१
२८	Acro Ellastocarb(anti carbonisation paint)	व.फि.	३८.००	३८.००	४८.४५
२९	Acro fire guard (fire retardent paint)	व.फि.	३४.००	३४.००	३४.००
३०	Health Guard Silver Ion hygienic Coating Paint	व.फि.			४३.७९
३१	Health Pro self Sanitizing Silver ion Hygienic Coating	व.फि.			४४.५८
३२	Acro Cerainsu (Heat Reflecting Energy Saving Insulation Paint)	व.फि.			४३.००
३३	Elegantile	व.फि.			१३०.००
३४	Multi Granite	व.फि.			१२१.००
३५	Harmesh	व.फि.			२०८.००
३६	Botticelli	व.फि.			१७३.००



रंगरोगन तथा पुटिका सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३७	Granito Wall	व.फि.			१४२.००
३८	Cratere texture with marmocatello and acro pure	व.फि.			२२८.००
३९	Cratere texture with marmocatello and elastocarb	व.फि.			२२७.००
४०	Stucco Plaster Texture	व.फि.			२४१.००
C	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	ACROGUARD 3X	व.फि.	२३.००	२३.००	२३.००
	ACROGUARD	व.फि.	२१.००	२१.००	२१.००
	ACROSHIELD	व.फि.	१७.००	१७.००	१७.००
	ACROTEX MATT	व.फि.	३१.००	३१.००	३१.००
D	INTERIOR SURFACE EMULSION PAINTS				
	ACROPEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२४.००
	ACROSILK EMULSION PAINTS	व.फि.	२०.००	२०.००	२०.००
	AQUALIN EMULSION PAINTS	व.फि.	१६.००	१६.००	१६.००
	AQUALIN ACRYLIC WASHABLE DISTEMPER	व.फि.	११.००	११.००	११.००
	ACRO GOLD ENAMEL PAINTS	व.फि.	१८.००	१८.००	१८.००
E	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००
	Fittings for wall paper	व.फि.	७.००	७.००	७.००
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००
F	Pro Plaster Material	के.जी	३२.४३	३२.४३	३२.४३
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L			२०८८०.००
		10 L			११४४०.००
		4 L			४५८०.००
		1 L			११५०.००
2	Environmentally Friendly Natural Exterior Paint	20 L			
		10 L			१३८००.००
		4 L			७१००.००
		1 L			२९८०.००
					८२०.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L			
		10 L			१०८८०.००
		4 L			४९४०.००
		1 L			२५८०.००
					६५०.००

रंगरोगन तथा पुटिका सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर विहकको तहसिल		
			आ. व. २०७६/७७	आ. व. २०७७/०७८	आ. व. २०७८/७९
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L			
		10 L			११८००.००
		4 L			६४००.००
		1 L			२७६०.००
					७००.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L			
		10 L			१८८००.००
		4 L			९९००.००
		1 L			३९६०.००
					९९०.००
6	Environmentally Friendly Natural Interior Wall paint	20 L			
		10 L			१२८००.००
		4 L			६६००.००
		1 L			२७६०.००
					७२०.००
7	Environmentally Friendly Constant Interior wall Paint	20 L			
		10 L			९८००.००
		4 L			५१००.००
		1 L			२१६०.००
					५८०.००
8	Eco Friendly Interior Wall Paint	20 L			
		10 L			५९००.००
		4 L			३१५०.००
		1 L			१३८०.००
					४००.००
9	Environmentally Efficient Exterior Wall Primer	20 L			
		10 L			१०८००.००
		4 L			६६००.००
		1 L			३९६०.००
					१२४०.००
10	Environmentally Friendly Alkali Resistant wall primer interior	20 L			
		10 L			८४००.००
		4 L			५२००.००
		1 L			२५६०.००
					१०८०.००
11	Eco Friendly Primer	20 L			
		10 L			६४००.००
		4 L			४३००.००
		1 L			२२००.००
					८८०.००
12	Granite texture Spray / Imitation Stone Paint	1 sq ft			१४५.००
13	Water in Water Colorfull Paint Four in one	Granite Primer	6 kg		५८२०.००
		Intermediate Coating Paint	7 Kg		७०००.००
		Granite Surface Paint	9 kg		१५०००.००
		Dust proof Surface Paint	3 kg		४९८०.००

Water Proofing Chemicals & Treatment works




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
A	CONCRETE ADMIXTURES (Chemical)				
१	Form Oil	लिट्र	१००.००	१००.००	१००.००
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३५०.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२०००.००
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२३५.००
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३५०.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४५०.००
१	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५०.००
२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formldehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२५०.००
३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F & G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४५०.००
४	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३००.००
५	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part	के.जी.	१०००.००	१०००.००	१०००.००
६	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991	के.जी.	१०००.००	१०००.००	१०००.००
७	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part	के.जी.	१२५०.००	१२५०.००	१२५०.००
८	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part	के.जी.	१८०.००	१८०.००	१८०.००
९	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२५०.००	२५०.००	२५०.००
१०	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३५०.००	३५०.००	३५०.००
११	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३५०.००
१२	Retarding Superplasticizer for Concrete [Napthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२५०.००
१३	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४५०.००	४५०.००	४५०.००
B	CONCRETE ADMIXTURES (Mineral)				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३३०.००	३३०.००	३३०.००
२	Micro Silica for High Performance Concrete ASTM C 1240 - 2005 , IS 15388-2003.	के.जी.	११०.००	११०.००	११०.००
३	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	८५.००
C	FOR JOINT SEALANTS & SYSTEMS				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८००.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८००.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३०००.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२०००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३०००.००
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२००.००

Water Proofing Chemicals & Treatment works




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
७	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE A]	के.जी.	३५०.००	३५०.००	३५०.००
८	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE B]	के.जी.	४५०.००	४५०.००	४५०.००
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१२५.००
१०	Waterproofing Joint Tape [120 mm]	र मि.	५५०.००	५५०.००	५५०.००
११	Waterproofing Joint Tape [200 mm]	र. मि.	७५०.००	७५०.००	७५०.००
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४०००.००	४०००.००	४०००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३०००.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२७५.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५००.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२७००.००
१७	Construction Joint Tape [100 mm]	र. मि.	८००.००	८००.००	८००.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	व. मि.	२४५०.००	२४५०.००	२४५०.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	व. मि.	४८५०.००	४८५०.००	४८५०.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	व. मि.	८००.००	८००.००	८००.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	व. मि.	१५००.००	१५००.००	१५००.००
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	व. मि.	२५००.००	२५००.००	२५००.००
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	व. मि.	३५००.००	३५००.००	३५००.००
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	व. मि.	४५००.००	४५००.००	४५००.००
D	INDUSTRIAL FLOORING SOLUTIONS				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जी.	१२०.००	१२०.००	१२०.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४५०.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.			७००.००
४	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.			१०४५.००
५	Anti bacterial Wall Coating Clearseal	के.जी.			७८५.००
६	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.			१३०५.००
७	Flooring System [Polyurethane] Florthane	के.जी.			१३०५.००
३	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	२५००.००	२५००.००	२५००.००
४	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
५	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	२०००.००	२०००.००	२०००.००
६	Self Levelling Flooring System [Epoxy]	के.जी.	१३७५.००	१३७५.००	१३७५.००
७	Self Levelling Flooring System [Polyurethane]	के.जी.	२०७५.००	२०७५.००	२०७५.००
८	Self Levelling Cementitious Flooring System	के.जी.	४१९.००	४१९.००	४१९.००
E	ENGINEERING GROUTS				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	११०.००	११०.००	११०.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१२५.००
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१६०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०००.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५००.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२५००.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४५००.००



Water Proofing Chemicals & Treatment works


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर/सिद्धिको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७५००.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१२५००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८५००.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४०००.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९५००.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३०.००
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६०.००
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२५०.००
१६	Durasport (Sport court coating)				१३०५.००
१७	Eposeal (for water storage tanks)				१३०५.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)				६९६.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)				६९६.००
२०	K10 Sovacryl (Waterproofs external surfaces)				१०४५.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)				७८५.००
२२	Coaltar Epoxy (Excellent resistance to water and alkali in steel surface)				३९२.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)				७८५.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)				६९६.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)				६९६.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)				३४८.००
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७५०.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	९५०.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२००.००
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८००.००
G	FIBERS (Steel & Polypropylene)				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२००.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५००.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२०००.००
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३५०.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
H	SURFACE TREATMENT				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२००.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१३५०.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४५००.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५००.००
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८००.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५००.००

Water Proofing Chemicals & Treatment works



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर ललितपुर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
७	High Performance Water Repellent Paint	लिट्र	९००.००	९००.००	९००.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
९	Ready to use Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४५०.००
I	CONCRETE REPAIRS				
१	Rust Remover & Passivator	लिट्र	१०००.००	१०००.००	१०००.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२००.००
३	Micro Concrete [M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४०.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१७५.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२५०.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२००.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२००.००
J	PREPACKED MORTARS				
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	८५.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३५०.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	८५.००
४	High Performanace Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	८५.००
५	High Performanace Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२७५.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७५००.००
L	LIQUID APPLIED				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७००.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५००.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७५०.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	८५०.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७५०.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३५०.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४००.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१६५०.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१२५०.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६००.००
M	PREFORMED				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	व. मि.	१८००.००	१८००.००	१८००.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	व. मि.	२०००.००	२०००.००	२०००.००

Water Proofing Chemicals & Treatment works



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर ललितपुर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	१०५०.००
४	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	१५००.००	१५००.००	१५००.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५००.००
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२०००.००
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२५००.००
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३०००.००
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३५००.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८००.००	८००.००	८००.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४५००.००
N	SPECIALTY				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५५०.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२२५.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५२५.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६५०.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१२५०.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०००.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७५०.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०००.००
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१०४००.००	१०४००.००	१०४००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७५००.००	७५००.००	७५००.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२५००.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२५००.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११०.००
१६	XPS - Extruded Polystyrene Boards [25 mm]	ब. मि.	१५२५.००	१५२५.००	१५२५.००
१७	XPS - Extruded Polystyrene Boards [50 mm]	ब. मि.	३५००.००	३५००.००	३५००.००

WATER PROOFING MEMBRANE



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर ललितपुर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.		४४००.००	४४००.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.		३८००.००	३८००.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.		१२००.००	१२००.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.		४२००.००	४२००.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system- Integritank @ 2mm thick(No protection required)	व.मि.		२८००.००	२८००.००
६	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.			१०२५.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.			५९०.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.			१६५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.			९९०.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece - membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.			३९५.००
	20 cm	र.मि.			५७५.००

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
A	STRUCTURAL STRENGTHENING				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८५००.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८०००.००	८०००.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६०००.००	१६०००.००
६	Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००
७	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३५००.००
८	SATURANT	के.जी.	३५००.००	३५००.००	३५००.००
९	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२५००.००
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३५००.००
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४५००.००
१२	Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२५००.००
१३	Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३५००.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२०००.००
B	Horizontal Expansion Joint for Slab				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०४९०.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२४६०.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१४७६०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	१९६८०.००
C	Expansion Joint for Basement				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८०४०.००
D	Expansion Joint for Roof				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१२५८०.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१४९५५.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१७७१०.००	१७७१०.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६१५.००	२३६१५.००	२३६१५.००



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
E	Inside Vertical Expansion Joint				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६५६०.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८२००.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	९८४०.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३१२०.००	१३१२०.००
F	Outside Vertical Expansion Joint				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७५४०.००
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९४३०.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११३१०.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५०८०.००

Cement Concrete Block




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहिरको दररेट		
			आ.व. २०७६/७७.	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	Interlocking Cement Concrete Block (Not less than M20 concrete				
	Curb stone-Not less than M20 concrete	र.मि.	१०५१.००	१०५१.००	१०५१.००
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	४०.००	४०.००	४०.००
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	४२.००	४२.००	४२.००
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	४८.००	४८.००
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४९.००	४९.००	४९.००
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५०.००	५०.००
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५२.००	५२.००	५२.००
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५९.००	५९.००	५९.००
२	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२२.००	२२.००	२२.००
	Hexagon (22*22 cm) colour	गोटा	२४.००	२४.००	२४.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३०.००	३०.००	३०.००
	Squire paver (30*30*4.5cm)colour	गोटा	३३.००	३३.००	३३.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	Isave paver (20*16*6cm)	गोटा	१६.००	१६.००	१६.००
३	Concrete Block different items				
	Hollow Block (16**8**6")	गोटा	७५.००	७५.००	७५.००
	Hollow Block (16**8**4")	गोटा	६६.००	६६.००	६६.००
	Comer Hollow Block (16**8**6")	गोटा	८४.००	८४.००	८४.००
	Lintel Block (16**8**6")	गोटा	८४.००	८४.००	८४.००
	Pavers Block (fish or other shape) 60mm thick	गोटा	१९.००	१९.००	१९.००
	concrete Brick (9**4**2.5")	गोटा	१२.००	१२.००	१२.००
५	Concrete block				
	Concrete block size (40*15*20) cm	गोटा	३८.००	३८.००	३८.००
	Concrete block size (40*10*20) cm	गोटा	३३.००	३३.००	३३.००
	Concrete block size (39*14*19) cm	गोटा	५२.००	५२.००	५२.००
६	Cellular light weight concrete(CLC) block				
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६७.००	१६७.००	१६७.००
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२५५.००	२५५.००	२५५.००
	Cellular light weight concrete(CLC) block- 24**x8**x4"	गोटा	११७.००	११७.००	११७.००
	Cellular light weight concrete(CLC) block 24**x8**x6"	गोटा	१७६.००	१७६.००	१७६.००
	Cellular light weight concrete(CLC) block24**x8**x8"	गोटा	२३५.००	२३५.००	२३५.००
७	Interlock Concrete Paving Blocks				

Cement Concrete Block




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२२७८.००	२२७८.००	२२७८.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२८२७.००	२८२७.००	२८२७.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३४६६.००	३४६६.००	३४६६.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१६८४.००	१६८४.००	१६८४.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२११८.००	२११८.००	२११८.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२५७३.००	२५७३.००	२५७३.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१८२९.००	१८२९.००	१८२९.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२३२३.००	२३२३.००	२३२३.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२८१८.००	२८१८.००	२८१८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१५८९.००	१५८९.००	१५८९.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१८५२.००	१८५२.००	१८५२.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१०८२.००	१०८२.००	१०८२.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१२९८.००	१२९८.००	१२९८.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१६८४.००	१६८४.००	१६८४.००
८	CONCRETE PAVING BLOCKS (M35 Grade)				
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50 mm)	व.मी.		१,९८१.३४	१,९८१.३४
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50 mm)	व.मी.		२,२१५.११	२,२१५.११
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50 mm)	व.मी.		२,३१२.८४	२,३१२.८४
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			१९८१.३४
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			२२१५.११
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			२३१२.८४
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.		१,७६०.८३	१,७६०.८३
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.		१,९१८.५२	१,९१८.५२



Cement Concrete Block


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कराबिहिकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80mm)	व.मी.		१,९९७.३६	१,९९७.३६
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60 mm)	व.मी.		१,२६१.४९	१,२६१.४९
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60mm)	व.मी.		१,४१९.१८	१,४१९.१८
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:226*200*60 mm)	व.मी.		१,४९८.०२	१,४९८.०२
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.		१,०२४.९६	१,०२४.९६
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.		१,२३५.२१	१,२३५.२१
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.		१,३१४.०५	१,३१४.०५
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१७६०.८३
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१९१८.५२
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१९९७.३६
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			१९५७.५२
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			२२३७.१७
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			२३४२.०३
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			३५८७.३४
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			३८५८.९०
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			४१२६.२३
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60 mm)	व.मी.		१,६९९.३८	१,६९९.३८
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60 mm)	व.मी.		२,१६६.९६	२,१६६.९६

Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर.बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*100*60 mm)	व.मी.		२,७०८.९२	२,७०८.९२
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			३७३४.८४
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			४०९२.५८
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			४३९८.५९
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173*60mm)	व.मी.		१,५४१.०३	१,५४१.०३
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173*60mm)	व.मी.		१,६९७.७५	१,६९७.७५
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173*60mm)	व.मी.		१,७४९.९९	१,७४९.९९
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	व.मी.			१५४१.०३
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	व.मी.			१६९७.७५
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	व.मी.			१७४९.९९
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60mm)	व.मी.		१,४१०.४२	१,४१०.४२
	Uni Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60mm)	व.मी.		१,६२५.०५	१,६२५.०५
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:240*120*60mm)	व.मी.		१,७१७.०३	१,७१७.०३
	Square Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,६६६.०७	१,६६६.०७
	Square Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,९६२.२६	१,९६२.२६
	Square Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		२,२२१.५०	२,२२१.५०
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60mm)	व.मी.		१,६२९.२६	१,६२९.२६
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60mm)	व.मी.		१,९२५.७३	१,९२५.७३


Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर तल्लिपुर दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:100*100*60mm)	व.मी.		२,२२२.२०	२,२२२.२०
	Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,५३३.७३	१,५३३.७३
	Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,६९८.९०	१,६९८.९०
	Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,७६९.६९	१,७६९.६९
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,५०४.१५	१,५०४.१५
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,६५८.९९	१,६५८.९९
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60mm)	व.मी.		१,७४७.४७	१,७४७.४७
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	व.मी.			१६५८.२८
९	CONCRETE PAVING TILES (M35 Grade)				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40mm)	व.मी.		१,२९६.४०	१,२९६.४०
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40mm)	व.मी.		१,४३५.२६	१,४३५.२६
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40mm)	व.मी.		१,६२०.४८	१,६२०.४८
१०	CONCRETE KERB-STONES				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		३२९.२०	३२९.२०
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		३४०.७१	३४०.७१
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		३७६.११	३७६.११
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.			४२१.४३
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	र.फि.			४३६.१६
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	र.फि.			४८१.४८

Page 70

Cement Concrete Block




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300mm)	र.फि.		३६७.२६	३६७.२६
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	र.फि.			४९९.६९
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	र.फि.			४४७.९९
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.			९६९९.९९
११	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70mm)	गोटा		९९.६८	९९.६८
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70mm)	गोटा		२९.४५	२९.४५
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190mm)	गोटा		९४३.३६	९४३.३६
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190mm)	गोटा		९६९.५०	९६९.५०
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190mm)	गोटा		९०२.५०	९०२.५०
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190mm)	गोटा		९९७.५०	९९७.५०
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190mm)	गोटा		८७.००	८७.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190mm)	गोटा		९८.००	९८.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55mm)	गोटा		९७.३५	९७.३५
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55mm)	गोटा		९८.२४	९८.२४
१२	CONCRETE PAVING BLOCKS				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.		९,४७९.७४	९,४७९.७४
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.		९,६५५.७९	९,६५५.७९

Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बल्लिको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.		१,७३४.५५	१,७३४.५५
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.		१,२७०.४३	१,२७०.४३
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.		१,५१४.७५	१,५१४.७५
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.		१,५९६.१८	१,५९६.१८
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.		१,९५७.५२	१,९५७.५२
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.		२,२३७.१७	२,२३७.१७
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.		२,३४२.०३	२,३४२.०३
	Nostalgic Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet)	व.मी.		२,३८२.०६	२,३८२.०६
	Nostalgic Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet)	व.मी.		२,६३७.२८	२,६३७.२८
	Nostalgic Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet)	व.मी.		२,७२२.३५	२,७२२.३५
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm)	व.मी.		१,६५८.२८	१,६५८.२८
१३	CONCRETE PAVING TILES (M35 Grade)				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40mm)	व.मी.		१,४११.३३	१,४११.३३
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40mm)	व.मी.		१,५४१.५७	१,५४१.५७
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40mm)	व.मी.		१,७१७.९८	१,७१७.९८
१४	CONCRETE KERB-STONES				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325mm)	र.फि.		२६१.०६	२६१.०६
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 165mm, Dimension:300*165*325mm)	र.फि.		२७८.७६	२७८.७६


Page 72



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 165mm, Dimension:300*165*325mm)	र.फि.		३०९.७३	३०९.७३
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:250*200*380mm)	र.फि.		३२९.२०	३२९.२०
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:250*200*380mm)	र.फि.		३४०.७९	३४०.७९
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:250*200*380mm)	र.फि.		३७६.९९	३७६.९९
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		३६७.२६	३६७.२६
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		३९३.८९	३९३.८९
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.		४२०.३५	४२०.३५

[Handwritten signatures and initials]




Security System

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	Steel Security Gate				
	Metal detector (black Scorpion Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२८८४०.००
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००
२	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	८६८३.००	८६८३.००	८६८३.००
	Half leaf :- 50 mm, 70 mm, 100mm	ब. मि.	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	ब. मि.	१०४१९.००	१०४१९.००	१०४१९.००
३	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
४	CCTV System				
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water				
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६.००	५८९१६.००	५८९१६.००
५	Indoor high speed Dome Integrated CAMERA			०.००	०.००
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५४३८४.००
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०.००	१५४५०.००	१५४५०.००
	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८३६४.००
	8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३३९९०.००
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५०९८५.००
	17" LCD Monitor	सेट	१०८१५.००	१०८१५.००	१०८१५.००


Page 74

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	Surface Hardness	Element	१०००.००	१०००.००	१०००.००
२	Cover Survey/ Rebar Orientation	Element	४०००.००	४०००.००	४०००.००
३	Homogeneity	Element	५०००.००	५०००.००	५०००.००
४	Crack Depth Measurement	Element	५०००.००	५०००.००	५०००.००
५	E-Modulus Calculation Test	Element	५०००.००	५०००.००	५०००.००
६	Resistivity	Element	२५००.००	२५००.००	२५००.००
७	Curing Efficiency Test	Element	२५००.००	२५००.००	२५००.००
८	Corrosion Mapping	Element	१५०००.००	१५०००.००	१५०००.००
९	Half Cell Potential	Element	७०००.००	७०००.००	७०००.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१००००.००	१००००.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७०००.००	७०००.००
१२	Concrete Tensile Strength Test	Element	७०००.००	७०००.००	७०००.००
१३	Moisture Content	Element	४५००.००	४५००.००	४५००.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७५००.००	७५००.००
	52 mm Dia	Element	८०००.००	८०००.००	८०००.००
	75 mm Dia	Element	८५००.००	८५००.००	८५००.००
	100 mm Dia	Element	१०००.००	१०००.००	१०००.००
	150 mm Dia	Element	१२५००.००	१२५००.००	१२५००.००
	200 mm Dia	Element	१५०००.००	१५०००.००	१५०००.००
	250 mm Dia	Element	१७५००.००	१७५००.००	१७५००.००
	300 mm Dia	Element	२००००.००	२००००.००	२००००.००
	350 mm Dia	Element	२५०००.००	२५०००.००	२५०००.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५०००.००	१५०००.००
१६	Anchor Pullout Test	Element	२००००.००	२००००.००	२००००.००
१७	Infrared Thermography	Element	३५००.००	३५००.००	३५००.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११०००.००	११०००.००
१९	High Strain Dynamic Pile Load Test	Element	५०००००.००	५०००००.००	५०००००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४०००.००	४०००.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५००.००	३५००.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५००.००	३५००.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२५००.००	१२५००.००
२४	Impulse Echo	Element	१००००.००	१००००.००	१००००.००
२५	Maturity Meter Test	Element	३५०००.००	३५०००.००	३५०००.००
२६	Chloride Profile	Element	१२५००.००	१२५००.००	१२५००.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५००.००	२५००.००
२८	Boroscope	Element	३५०००.००	३५०००.००	३५०००.००
२९	Videoscope	Element	८५०००.००	८५०००.००	८५०००.००
३०	Ground Penetrating Radar	Element	५००००.००	५००००.००	५००००.००
३१	CAPO Test	Element	१२५००.००	१२५००.००	१२५००.००
३२	Permeability Test	Element			
	Air		३००००.००	३००००.००	३००००.००
	Water		४००००.००	४००००.००	४००००.००
३३	Concrete Cutting Services	R. M.	३००००.००	३००००.००	३००००.००
३४	Wall Cutting Services	R. M.	५००००.००	५००००.००	५००००.००
३५	Impact Echo	Element	१००००.००	१००००.००	१००००.००


Page 75



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५०००.००	५०००.००
३७	ASR Detection Test	Element	१००००.००	१००००.००	१००००.००
३८	Moisture Content Test				
	Concrete	Element	२०००.००	२०००.००	२०००.००
	Brick	Element	२०००.००	२०००.००	२०००.००
	Masonry	Element	२०००.००	२०००.००	२०००.००
	Wood	Element	२५००.००	२५००.००	२५००.००


[Handwritten signatures and initials]



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. करै ल्याइएको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१	हेज द इन्च पोली	गोटा	४१.००	४१.००	४१.००
२	कार्पेट दुवो	व.फि	३६.००	३६.००	३६.००
३	कार्पेट दुवोको लागि टापे कार्य ज्याला	व.फि	२७.००	२७.००	२७.००
४	निगालो (जरा सहित)	गोटा	१३.००	१३.००	१३.००
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल वाहेक	गोटा	१२.००	१२.००	१२.००
६	गाई मैसीको मल/गोठे मल	के.जी.			६.००
७	लेयर्स कुखुराको मल	के.जी.			७.००
८	बोर्डलर कुखुराको मल	के.जी.			५.००
९	तोरीको पिना	के.जी.			४५.००
१०	नरिवल डोरी	के.जी.	१४५.००	१४५.००	१६०.००
११	नाइलन डोरी	के.जी.	३०८.००	३०८.००	३०८.००
१२	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२४२.००	२४२.००	२४२.००
वन कार्यालयबाट सम्पादन गरिने कार्यहरु					
१	पोलिथिन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	४१२.००	४१२.००	४१२.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१५१.००	१५१.००	१५१.००
३	ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म	प्रति विरुवा	१६९.००	१६९.००	१६९.००
४	अग्ला विरुवा रोपन ६ फिट देखि ८ फिट सम्म	प्रति विरुवा	२५४.००	२५४.००	२५४.००
५	दाउरा संकलन, दुवानी चट्टा निर्माण (२० फि. * ५ फि. ८ ५ फि)				
६	दाउरा लोड	चट्टा	३३००.००	३३००.००	३३००.००
७	दाउरा अनलोड	चट्टा	१२१२.००	१२१२.००	१२१२.००
८	संकलन कटान, मुखान	चट्टा	४४००.००	४४००.००	४४००.००
९	दुवानी (५ फि.मी.सम्म)	चट्टा		४४००.००	४४००.००
१०	अनलोडिङ	चट्टा	१५४०.००	१५४०.००	१५४०.००
११	चट्टा निर्माण	चट्टा	१६५०.००	१६५०.००	१६५०.००
१२	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	३०.००	३०.००	३०.००
१३	वन सुपारी	प्रति विरुवा	४४.००	४४.००	४४.००
शहरी वृक्षारोपणकार्य					
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१५४.००	१५४.००	१५४.००
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१७०.००	१७०.००	१७०.००
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१७०.००	१७०.००	१७०.००
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२६४.००	२६४.००	२६४.००
५	४ फिट गोलाई ४ फिट उचाईको	प्रति विरुवा			४०००.००
६	५ फिट गोलाई ५ फिट उचाईको	प्रति विरुवा			४८००.००
४ फिट सम्मको विरुवाको मुल्य					
१	कपूर	प्रति विरुवा	८४७.००	८४७.००	८४७.००
२	रुद्राक्ष	प्रति विरुवा	१०४५.००	१०४५.००	१०४५.००
३	कल्की बोटल ब्रस	प्रति विरुवा	७२६.००	७२६.००	७२६.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	७२६.००	७२६.००	७२६.००
५	असारे	प्रति विरुवा	७२६.००	७२६.००	७२६.००
९	पैयू	प्रति विरुवा	४८४.००	४८४.००	४८४.००
१०	लप्सी	प्रति विरुवा	४८४.००	४८४.००	४८४.००
११	धूपी	प्रति विरुवा	५४४.००	५४४.००	५४४.००
१२	बगामवेली	प्रति विरुवा	७२६.००	७२६.००	७२६.००
१३	काइयो	प्रति विरुवा	७२६.००	७२६.००	७२६.००
१४	रक्तकमल	प्रति विरुवा	१३८६.००	१३८६.००	१३८६.००
१५	समी	प्रति विरुवा	१०७२.००	१०७२.००	१०७२.००
१६	बर	प्रति विरुवा	१३८६.००	१३८६.००	१३८६.००
१७	पिपल	प्रति विरुवा	१३८६.००	१३८६.००	१३८६.००
१८	५ फिट सम्मको करिवर विरुवा	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००
१९	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००
२०	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	१४३०.००	१४३०.००	१४३०.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	तिकोमा	प्रति विरुवा			१७००.००
	वायो ईन्जिनियरिड सम्बन्धि काम				
	घासको विउ				
१	जई	कि.ग्रा	८२.००	८२.००	८२.००
२	भेच	कि.ग्रा	१८७.००	१८७.००	१८७.००
३	नेपीयर	सेट	३.००	३.००	३.००
४	वर्सिम	कि.ग्रा	१९२.००	१९२.००	१९२.००
५	घाँसको विउ र औषधि जिल्ला भित्र दुवानी गर्दा	कि.ग्रा	१७६.००	१७६.००	१७६.००
६	घाँसको विउ जिल्ला बाहिरवाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००
७	माटो भनें खाली बोरा	गोटा	३.००	३.००	३.००
८	बास काटेको सिंगो घाना	घाना	३८५.००	३८५.००	३८५.००
९	बाँसको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	६०.००	६०.००	६०.००
	Vegetation/Shrubs Cuttings/Slip/Plants/etc.			०.००	०.००
१	अम्रिसो(राइजोम)	प्रति विरुवा	७.००	७.००	७.००
२	अलैची गानो	प्रति विरुवा	१२.००	१२.००	१२.००
३	अलैची विरुवा	प्रति विरुवा	११.००	११.००	११.००
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	६.००	६.००	६.००
५	नेपीयर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००
६	NB 21 घाँस	प्रति विरुवा	२.००	२.००	२.००
७	निगालो राइजोम	प्रति विरुवा	५५.००	५५.००	५५.००
८	बासको बेर्ना (कटीग राइजोम)	प्रति विरुवा	३८५.००	३८५.००	३८५.००

(Handwritten signatures and marks)

(Large handwritten signature and checkmark)


वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
९	बाबियो ताइवानी दुबो	प्रति विरुवा	३.००	३.००	३.००
१०	सिजनल फुल ढ इन्च पोली	गोटा	२७.००	२७.००	२७.००
११	गुलाफ फुल ढ इन्च पोली	गोटा	१६५.००	१६५.००	१६५.००
१२	कार्पेट दुबो	व.फी.	३६.००	३६.००	३६.००
१३	कार्पेट दुबो को लागि छप्ने कार्यको ज्याला	व.फी.	२७.००	२७.००	२७.००
१४	निगालो (जरा सहीत)	गोटा	१३.००	१३.००	१३.००
१५	स्थानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	१२.००	१२.००	१२.००
१६	डाले घासको विरुवा	गोटा	१२.००	१२.००	१२.००
१७	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१८	लौठ सल्ला नेपाली	गोटा	१४५.००	१४५.००	१४५.००
१९	लौठ सल्ला अमेरिकन	गोटा	३०८.००	३०८.००	३०८.००
२०	खर	गोटा	८५.००	८५.००	८५.००
२१	अम्बा	प्रति विरुवा	१३२	१३२.००	१३२.००
२२	उतिस ,धयेरो,असुरो,वकाइगो,निम आदी	गोटा	४१०	४१०.००	४१०.००
२३	भुजेत्रो	के.जी.	१४५०	१४५०.००	१४५०.००
२४	खर,फुकेँ सिटो आदिको विउ	के.जी.	१४५०	१४५०.००	१४५०.००
२५	जुट नेट	व.मी.	४८५	४८५.००	४८५.००
द टिम्बर कपेरिशनबाट सम्पादन गरिने कार्यहरु					
१	चिरान उत्पादन(बाकल,भुष,फाल्ने क्रस कटिंग समेत)	क्यू.फि.	७१.००	७१.००	७१.००
२	चिरान लोड	क्यू.फि.	२४.००	२४.००	२४.००
३	चिरान पाइलिंग	क्यू.फि.	८.००	८.००	८.००
४	चिरान अनलोड	क्यू.फि.	९.००	९.००	९.००
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	१२.००	१२.००	१२.००
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला(गोलियामा)	क्यू.फि.	९९.००	९९.००	९९.००
७	दाउरा लोड	क्यू.फि.	५५.००	५५.००	५५.००
८	दाउरा अनलोड	क्यू.फि.	१८.००	१८.००	१८.००
९	पोल लोड	प्रति गोटा	६६.००	६६.००	६६.००
१०	पोल अनलोड	प्रति गोटा	३३.००	३३.००	३३.००
पाल्मका प्रजाति					
१	फिस्टेल पाल्म	प्रति गोटा	१३१२	१३१२.००	१५००.००
२	रोयल पाल्म	प्रति गोटा	१५७५	१५७५.००	१८००.००
३	वोटल पाल्म	प्रति गोटा	८४०	८४०.००	९५०.००
४	किं पाल्म	प्रति गोटा	१५७५	१५७५.००	१८००.००
५	हवाई पाल्म	प्रति गोटा	२१००	२१००.००	२४००.००
६	होचो हुने प्रजाति १ देखि २ फिट सम्म	प्रति गोटा			
७	साइकस पाल्म	प्रति गोटा	१०५०	१०५०.००	१२००.००
८	स्याविस पाल्म	प्रति गोटा	८४०	८४०.००	९५०.००
९	रेक्सोन पाल्म	प्रति गोटा	१०५०	१०५०.००	१२००.००

Handwritten signatures and marks

Handwritten signatures and marks



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१०	फोनिकस पाल्म	प्रति गोटा	६३०	६३०.००	७००.००
११	च्यामडोरा पाल्म	प्रति गोटा	६३०	६३०.००	७००.००
१२	सिपेरिया पाल्म	प्रति गोटा	४२०	४२०.००	५००.००
१३	फयान पाल्म	प्रति गोटा	६३०	६३०.००	७५०.००
१४	एरिका पाल्म	प्रति गोटा	६३०	६३०.००	७५०.००
	४ देखि ५ फिट उचाई सम्म				
१	हेवि सकस	प्रति गोटा	८४०	८४०.००	१००.००
२	एजेलिया	प्रति गोटा	१५७५	१५७५.००	१८००.००
३	ग्यामेलिया	प्रति गोटा	१५७५	१५७५.००	१८००.००
४	ग्राउण्ड कमर	प्रति गोटा	२६२	२६२.००	३००.००
	स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट				
१	पारिजात	प्रति गोटा	१२६०	१२६०.००	१४००.००
२	चमेली	प्रति गोटा	१०५०	१०५०.००	१२००.००
३	जाई	प्रति गोटा	८४०	८४०.००	९५०.००
४	बेलपत्र	प्रति गोटा	८४०	८४०.००	९५०.००
	स्थानिय प्रजाति २ देखि ४ फिट				
१	मालती	प्रति गोटा	४२०	४२०.००	५००.००
२	बगमवेली	प्रति गोटा	५२५	५२५.००	६००.००
३	वेली	प्रति गोटा	५२५	५२५.००	६००.००
४	पेशान फ्लावर	प्रति गोटा	६३०	६३०.००	७००.००
५	मान्डोमिल्ला	प्रति गोटा	१०५०	१०५०.००	१२००.००
६	फाइकस पुमिला	प्रति गोटा	१५७	१५७.००	२००.००
७	आडीम प्लाण्ट	प्रति गोटा	२६२	२६२.००	३००.००
८	कपुर	प्रति गोटा	८०८	८०८.००	८०८.००
९	रुद्राक्ष	प्रति गोटा	९९७	९९७.००	९९७.००
१०	कल्की	प्रति गोटा	६९३	६९३.००	६९३.००
११	जाकारन्डा	प्रति गोटा	६९३	६९३.००	६९३.००
१२	असारे	प्रति गोटा	६९३	६९३.००	६९३.००
१३	भिरिस	प्रति गोटा	६०६	६०६.००	७५०.००
१४	पैयू	प्रति गोटा	४६२	४६२.००	४६२.००
१५	लप्सी	प्रति गोटा	४६२	४६२.००	४६२.००
१६	धुपी	प्रति गोटा	५१९	५१९.००	५१९.००
१७	बगनवेली	प्रति गोटा	६९३	६९३.००	६९३.००
१८	काइयो	प्रति गोटा	६९३	६९३.००	६९३.००
१९	अमीसो(सानो विरुवा)	प्रति गोटा	६	६.००	६.००
२०	तेजपात	प्रति गोटा	८२६	८२६.००	१०००.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२१	अमला	प्रति गोटा	७६	७६.००	७८०.००
२२	हर्री	प्रति गोटा	७६	७६.००	८५०.००
२३	वरो	प्रति गोटा	७६	७६.००	८५०.००
२४	वकाईनो	प्रति गोटा	७६	७६.००	८५०.००
२५	इनद्रकमल	प्रति गोटा	११५७	११५७.००	१८००.००
२६	लालीगुरास	प्रति गोटा	१३२३	१३२३.००	१६५०.००
२७	स्यालफुसरे	प्रति गोटा	१३२३	१३२३.००	१६५०.००
२८	पुवाले	प्रति गोटा	१३२३	१३२३.००	१६५०.००
२९	देवदार	प्रति गोटा	२७५६	२७५६.००	२६५०.००
३०	क्रिसमस	प्रति विरुवा			३०००.००
३१	गोल्डेन धुपि	प्रति विरुवा			२४००.००
३२	गुन्सी	प्रति विरुवा			१९५०.००
३३	अन्य	प्रति विरुवा			१६५०.००
	बस्ती क्षेत्र भित्रका रुख कटान मुछान गरी गिण्डा पार्ने				
१	सामान्य जोखिम भएको	प्रति गोटा	७८	७८.००	७८.००
२	मध्यम	प्रति गोटा	१३१	१३१.००	१३१.००
३	अति जोखिम	प्रति गोटा	२१०	२१०.००	२१०.००
	वन पैदावर संकलन तथा घाटगद्दी खर्च				
१	रुख नम्बरीङ्ग/छपान/ब्लेजीङ्ग गर्न (०।००२ जना प्रति क्यू.फि.)	क्यू.फि.		२	२
२	ढलापडा रुख कटान मुछान	क्यू.फि.		४०	४०
३	गोलिया काठ नम्बरीङ्ग तथा नाप पैमाइस (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.		६०	६०
४	बोक्रा ताछने (आवश्यकता अनुसार) (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.		६	६
५	याडिङ्ग गर्ने (भिरालो भौगोलिक अवस्थामा मात्र) (०।१६७ जना प्रति क्यू.फि.)	क्यू.फि.		११५	११५
६	गोलिया काठ लोड गर्ने (०।०३२ जना प्रति क्यू.फि.)	क्यू.फि.		२०	२०
७	गोलिया काठ ढुवानी घाटगद्दी सम्म (५ कि.मी दुरीसम्म) (०।०६७ जना प्रति क्यू.फि.)	क्यू.फि.		४५	४५
८	गोलिया काठ अनलोड गर्ने (०।०२१ जना प्रति क्यू.फि.)	क्यू.फि.		१८	१८
९	ग्रेडिङ्ग अनुसार घाटगद्दी गर्ने (०।०२७ जना प्रति क्यू.फि.)	क्यू.फि.		२५	२५
१०	कूल संकलन खर्च (०।३७१ जना प्रति क्यू.फि.)	क्यू.फि.		२३०	२३०
ख	आयआर्जन तथा पाकेका लागि आवश्यक विरुवाको स्थानिय बजारको मूल्य			०	०
१	टिमुर	गोटा		५५	५५
२	सतुवा	गोटा		१३०	१३०
३	ओखर	गोटा		२५०	२५०
४	बडहर	गोटा		७०	७०

Page 81


वनजंगल संग सम्बन्धित विउ तथा विरुवाहरूको



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क्र. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
५	कटहर	गोटा		७०	७०
६	सुपारी	गोटा		२६०	२६०
७	नरिवल	गोटा		२६०	२६०
८	अर्गोल कटिंग	गोटा		४०	४०
९	चिराइतो	गोटा		४०	४०
१०	सल्लो	गोटा		४०	४०
११	बकाइनो	गोटा		२५	२५
१२	वयर	गोटा		१६०	१६०
१३	सिमल	गोटा		३०	३०
१४	सुगन्धकोकिला	गोटा		४८	४८
१५	कल्किफूल	गोटा		७०	७०
१६	दालचिनी	गोटा		३५	३५
१७	बाँस विउबाट एक वर्षे	गोटा		८५	८५
१९	वन सुपारी	प्रति विरुवा		५०	५०
२०	अगर उड	प्रति विरुवा		२७५	२७५
२२	कराविर फूल	प्रति विरुवा		९७०	९७०
२३	चाप	प्रति विरुवा		१७००	१७००
२५	डूलो साईजको बाँसको विरुवा (विउबाट उत्पादित)	गोटा		३००	३००
२६	बोधिचिन्त	गोटा		१२६	१२६
२७	दाते ओखर	गोटा		२००	२००
२८	रिटठा	गोटा		५०	५०
२९	निम	गोटा		८०	८०
३०	चिउरी	गोटा		७०	७०
३१	श्रीखण्ड	गोटा		३७०	३७०
३२	रक्तचन्दन	गोटा		२७०	२७०
३३	खयर	गोटा		७०	७०
घ	खाली एलानी पर्ति जग्गामा लगाउन आवश्यक फलफूल विरुवा				
१	कागती	प्रति विरुवा		२२०	२२०
२	सुन्तला	प्रति विरुवा		२२०	२२०
३	जुनार	प्रति विरुवा		२२०	२२०
४	हलुवावेद	प्रति विरुवा		२२०	२२०
५	आप	प्रति विरुवा		२२०	२२०
६	कागति	गोटा		५०	५०
७	सुन्तला	गोटा		५०	५०
८	निवुवा	गोटा		५०	५०
९	नास्पाति	गोटा		२२०	२२०
१०	एभोकाडो	गोटा		२६०	२६०

Handwritten signatures and initials are present at the bottom of the page, along with the page number 'Page 82'.


Geocell Technology



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	शुद्धिकरण कोषकालिय दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मि.		६३०.००	६३०.००
	cell height-75 mm	व.मि.		९००.००	९००.००
	cell height-100 mm	व.मि.		१२००.००	१२००.००
	cell height-120 mm	व.मि.		१५००.००	१५००.००
	cell height-150 mm	व.मि.		१७५०.००	१७५०.००
	cell height-200 mm	व.मि.		२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मि.		६५०.००	६५०.००
	cell height-75 mm	व.मि.		९२५.००	९२५.००
	cell height-100 mm	व.मि.		१२५०.००	१२५०.००
	cell height-120 mm	व.मि.		१५५०.००	१५५०.००
	cell height-150 mm	व.मि.		१८००.००	१८००.००
	cell height-200 mm	व.मि.		२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मि.		९५०.००	९५०.००
	cell height-75 mm	व.मि.		१३५०.००	१३५०.००
	cell height-100 mm	व.मि.		१८००.००	१८००.००
	cell height-120 mm	व.मि.		२३००.००	२३००.००
	cell height-150 mm	व.मि.		२६००.००	२६००.००
	cell height-200 mm	व.मि.		३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मि.		६००.००	६००.००
	cell height-75 mm	व.मि.		८५०.००	८५०.००
	cell height-100 mm	व.मि.		११५०.००	११५०.००
	cell height-120 mm	व.मि.		१४५०.००	१४५०.००
	cell height-150 mm	व.मि.		१६७५.००	१६७५.००
	cell height-200 mm	व.मि.		२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मि.		६००.००	६००.००
	cell height-75 mm	व.मि.		८५०.००	८५०.००
	cell height-100 mm	व.मि.		१२००.००	१२००.००
	cell height-120 mm	व.मि.		१५००.००	१५००.००


Page 84

Geocell Technology




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. वि. ब. वि. वि. दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	cell height-150 mm	व.मि.		१७००.००	१७००.००
	cell height-200 mm	व.मि.		२४००.००	२४००.००
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मि.		९००.००	९००.००
	cell height-75 mm	व.मि.		१२५०.००	१२५०.००
	cell height-100 mm	व.मि.		१७००.००	१७००.००
	cell height-120 mm	व.मि.		२१५०.००	२१५०.००
	cell height-150 mm	व.मि.		२५००.००	२५००.००
	cell height-200 mm	व.मि.		३४५०.००	३४५०.००
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मि.		५२५.००	५२५.००
	cell height-75 mm	व.मि.		७५०.००	७५०.००
	cell height-100 mm	व.मि.		१०००.००	१०००.००
	cell height-120 mm	व.मि.		१२७५.००	१२७५.००
	cell height-150 mm	व.मि.		१४७५.००	१४७५.००
	cell height-200 mm	व.मि.		२०५०.००	२०५०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मि.		५५०.००	५५०.००
	cell height-75 mm	व.मि.		७७५.००	७७५.००
	cell height-100 mm	व.मि.		१०५०.००	१०५०.००
	cell height-120 mm	व.मि.		१३००.००	१३००.००
	cell height-150 mm	व.मि.		१५००.००	१५००.००
	cell height-200 mm	व.मि.		२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मि.		८००.००	८००.००
	cell height-75 mm	व.मि.		११००.००	११००.००
	cell height-100 mm	व.मि.		१५००.००	१५००.००
	cell height-120 mm	व.मि.		१९५०.००	१९५०.००
	cell height-150 mm	व.मि.		२२००.००	२२००.००
	cell height-200 mm	व.मि.		३१००.००	३१००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मि.		३६५.००	३६५.००
	cell height-75 mm	व.मि.		५२५.००	५२५.००
	cell height-100 mm	व.मि.		७२५.००	७२५.००
	cell height-120 mm	व.मि.		९००.००	९००.००
	cell height-150 mm	व.मि.		१०००.००	१०००.००
	cell height-200 mm	व.मि.		१४००.००	१४००.००

Geocell Technology



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व.को दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मि.		३७५.००	३७५.००
	cell height-75 mm	व.मि.		५५०.००	५५०.००
	cell height-100 mm	व.मि.		७२५.००	७२५.००
	cell height-120 mm	व.मि.		९००.००	९००.००
	cell height-150 mm	व.मि.		१०५०.००	१०५०.००
	cell height-200 mm	व.मि.		१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मि.		५५०.००	५५०.००
	cell height-75 mm	व.मि.		८००.००	८००.००
	cell height-100 mm	व.मि.		१०५०.००	१०५०.००
	cell height-120 mm	व.मि.		१३२५.००	१३२५.००
	cell height-150 mm	व.मि.		१५५०.००	१५५०.००
	cell height-200 mm	व.मि.		२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मि.		२९०.००	२९०.००
	cell height-75 mm	व.मि.		४२५.००	४२५.००
	cell height-100 mm	व.मि.		५९०.००	५९०.००
	cell height-120 mm	व.मि.		७६०.००	७६०.००
	cell height-150 mm	व.मि.		८६५.००	८६५.००
	cell height-200 mm	व.मि.		१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मि.		३००.००	३००.००
	cell height-75 mm	व.मि.		४५०.००	४५०.००
	cell height-100 mm	व.मि.		६००.००	६००.००
	cell height-120 mm	व.मि.		७५०.००	७५०.००
	cell height-150 mm	व.मि.		९००.००	९००.००
	cell height-200 mm	व.मि.		१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मि.		४५०.००	४५०.००
	cell height-75 mm	व.मि.		६२५.००	६२५.००
	cell height-100 mm	व.मि.		९००.००	९००.००
	cell height-120 mm	व.मि.		११००.००	११००.००
	cell height-150 mm	व.मि.		१३००.००	१३००.००
	cell height-200 mm	व.मि.		१८००.००	१८००.००

Doors & Windows




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	WPC/Fibre Doors & Windows				
१	WPC Single Toilet Hollow Door Board (Size up to 14 sq. ft.) (32 mm)				
	Embossing Without Film	व.फि			६६०.००
	With Hot-stamping Film	व.फि			७६५.००
	With Hot-stamping Film and Grooving	व.फि			८१०.००
२	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)				
	Embossing Without Film	व.फि			६६०.००
	With Hot-stamping Film	व.फि			७६५.००
	With Hot-stamping Film and Grooving	व.फि			८१०.००
३	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.)(32 mm)				
	Embossing Without Film	व.फि			६६०.००
	With Hot-stamping Film	व.फि			७६५.००
	With Hot-stamping Film and Grooving	व.फि			८१०.००
४	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)				
	Embossing Without Film	व.फि			६६०.००
	With Hot-stamping Film	व.फि			७६५.००
	With Hot-stamping Film and Grooving	व.फि			८१०.००
५	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)				
	Embossing Without Film	व.फि			६६०.००
	With Hot-stamping Film	व.फि			७६५.००
	With Hot-stamping Film and Grooving	व.फि			८१०.००
६	Fiber Door-Single				
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	व.फि			१०९०.००
	Single (Model: Kalash, New Flower and Peacock)	व.फि			१३१५.००
	Double (Model : Glass Art)	व.फि			१६३५.००
	Double (Model : Old Murti)	व.फि			१८५०.००
	Double (Model : New Murti)	व.फि			२०५०.००
७	Fiber Door Frame				
	Thickness : 100 and 110 mm	रनिङ्ग फिट			४३५.००
८	Fiber Window or Ventilation Frame				

Doors & Windows



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	नेपाल सरकार बाहेकको दररेट		
			आर्किटेक्चर मा.व. २०७६/७७	मा.व. २०७७/७८	मा.व. २०७८/७९
	Thickness : 110 mm	रनिङ्ग फिट			४५५.००
९	Fiber Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रति गोटा			४५००.००
१०	Fiber Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रति गोटा			४७४०.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा			४५३०.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रति गोटा			४९८०.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा			४७४०.००
११	Fiber Ventilation Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रति गोटा			३५४०.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रति गोटा			३३६०.००
१२	Fiber Ventilation Net Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रति गोटा			३३६०.००
१३	WPC Wall Panel: (Thickness:9mm) , Width: 30/40/60 cm, Length: 2.80 m/3.00m/3.60m/5.8m or customized as per need	व.मी			१८०.००
१४	Homogenous Flooring: (Thickness: 2mm), Single Roll consisting of 2m x 20 m.	व.मी			२२५.००
	ALUMINIUM DOORS				
	Proving and fixing non fire Aluminum door a BB 4330, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" x 3mm, in SS 304 and in SSS finish, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle Pure 8906 / 8100 /8998 Lever Handle on Roses & escutcheons 7122. Including 271 Sash lock with 78mm CTC, Mortice shaft dead bolt with key with BS 57mm and 25mm Sq forend with escutheions in SSS, 55mm Backset 20mm Square for end, floor stop half dome with 45mm dia The above work complete in all respect as per approved drawings and to the satisfaction of Architect /Engineer-in-Charge . Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी			९९६८.००



Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	NON-FIRE RATED WOODEN DOORS				
	Proving and fixing non fire rated wooden door a BB 4330, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" x 3mm, in SS 304 and in SSS finish, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle Pure 8906 / 8100 /8998 Lever Handle on Roses & escutcheons 7122. Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, floor stop half dome with 45mm dia door will be 40 mm thick Single leaf solid core and resin bound FLUSH DOOR SHUTTERS, confirming to IS . 1659 - 1960 and 2202 part 1 - 1962 as modified unto date BOTH SIDE TEAK veneering factory pressed teakwood lipping as per specification & design around the shutters and fixed to existing frame and as specified including cost of all materials. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी			१६१४०.००
५	120 MIN FIRE RATED METAL DOORS WITH FRAME				
	Providing and fixing 120 Min Fire Rated Single Action Metal Door along with Fire Rated Antimicrobial Hardware's 3090F, 5 Knuckle, 2 bearing butt hinges size 4" x 3" x 3mm, in SS 304, As per EN 1935, CE Marked, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle, Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, rack and pinion door closer TS 71 EN size 3/4, with std. arm, Full plastic cover. Silver finish. As per EN 1154, metal door of 46mm thick along with 200X400 Vision Panel tested as per BS:476 Part- 20 & 22 & IS 3614 Part-2 for stability, integrity having insulating properties steel fire rated door of 120 minutes fire rating fabricated with 2 nos. 18guage thick galvanized sheet with infill of fire rated proprietary insulation filler both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for fire rating. The door frames are manufactured from 16 guage thick galvanized steel sheet pressed form to Double rebate profile of size 143x57mm (nominal in powder coating and contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी			२८०००.००

Doors & Windows



नेपाल सरकार
प्रशासनिक मन्त्रालय
एकाई कार्यालय
२०७६/७७

सि.नं.	निर्माण सामग्रीहरूको विवरण	प्रकार	मु.अ.कर	बाहेकको दररेट
		आ.व.	आ.व.	
		२०७७/७८	२०७८/७९	
	120 MIN FIRE RATED WOODEN DOOR			
	Providing and fixing 120 Min Fire Rated Single Action Wooden Door along with Fire Rated Antimicrobial Hardware's 3090F, 5 Knuckle, 2 bearing butt hinges size 4" x 3" x 3mm, in SS 304, As per EN 1935, CE Marked, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle, Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, rack and pinion door closer TS 71 EN size 3/4, with std. arm and with two independent closing valves and latching speed adjustable by arm. Full plastic cover. Silver finish. As per EN 1154, Fully Insulated Non Metallic Wooden Fire door at all levels from ISO 9001:2015 certified Manufacturer . All Fire doors must satisfy the requirement of latest NBC 2016 Part 4 for Fire & Life Safety guidelines for 120 minutes Fire Rating, Wooden fire door should carry 120 minutes Insulation properties. The Prototype offered wooden Fire door must carry a prior test evidence as per IS 3614 part-2 / BS 476 Part 20 & 22, CBRI / NABL ISO/IEC 17011 and accredits labs as per ISO/IEC 17025 for testing and calibration scopes shall be eligible, FR/0378 or equivalent for 52mm thick Wooden fire doors with batch sticker Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी		३४५००.००
	GLASS PARTITION WITH DOOR			
	Supply and fixing of Slim Glass partition with glass door of 10mm Saint Gobain Clear Toughened Glass using Alterra System-27 Frames to a height of maximum 3mtr or as per drawing. The Fixed glass to be fixed using alterra ALT 27 slim frame Profiles at Top & Bottom & ALT27 OHP at sides. The profile size to be 27x30MM to be fixed on to the floor/wall/ ceiling as per the architect design. H Junction profile to be used at all Glass to Glass vertical joints, 90 Deg L Junction Profiles and T Junction profiles necessary as per design. In case of Glass overall panel Alexa MP45 & BP45 Overpanel Profile to be used. In case of Open glass edges EP45 End Profile to be used with Sound Reduction Upto 30 dB, Internal Wind Load to Consider (relative to Max system height) 200 N/M2, Max Glass Deflection to Consider (relative to Max system height) L/200 The alterra profiles shall be suitable for Glass thickness of 10mm. The Profile shall be matt natural anodized, the Profile Manufacturer to supply all the necessary clips, seals and fixing accessories for the system. All Profiles to be with 2 mm Gauge thickness Excluding 20 Micron of Anodizing. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी		२०४४४.००
	FRAMELESS GLASS DOOR			

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर मु.अ.कर बाहेकको दररेट		
			औ.धालय २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<p>Providing & installation of frameless glass Door without over panel sidelight using 12mm Clear toughened glass make die cast patch fitting with stainless steel cover PT 10,PT 20 , PT 24 ,US-10, pull Handle Antimicrobial coated Pull Handle as per ISO 22196 - TGDI-H 450 back to back with 350mm CTC, adjustable fixing for glass, wood and metal doors in satin stainless steel. The pull handles should have supporting washer with raised beveling on the outer surface. Length =450mm, 25mm dia, -SS304, Crown Series floor spring BTS 75 V with std. spindle and cover plate. As per DIN EN 1154.(500,000 cyle tested) , Finish: Satin stainless steel floor stop half dome with 45mm dia with fixing accessories, in satin Chrome, Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.</p>	व.मी			२१०००.००
	ACOUSTIC MOVABLE WALL				
	<p>Providing & fixing of Acoustic Hueppe Operable movable Wall consisting of 85 mm thick individually movable elements with sound insulation of 45 dB tested in a third-party laboratory as per EN Standards, suspended from a top track only, without floor guides. Each panel to have top and bottom operable pressure seals operated by a crank handle to ensure optimum contact pressure of up to 800N. Fixed sweep seal are not allowed on the panel. The elements must be inter-connected by means of a positive locking concave/convex trapezoidal aluminum profile integrated with Magnetic Profile having a linear attraction of not less than 40N/m. Each element must be suspended on the track as per the specification of the manufacturer. Elements must be constructed of a non-deflecting steel tube frame and aluminum profiles, bolted together. The frame must be clad either side with single Clad 16mm MDF panels hung in acoustic free suspension from the panel frame. The facia panels must also be easily removable without requiring to dismantle the movable wall element for service/maintenance purpose. The panel must be filled with high density rock wool in accordance with the specified sound insulation requirements.The Telescopic Element must open and close 120mm and must be operated by a single mechanism for both the top and bottom seals and the travel of the telescopic sleeve .The telescopic element must maintain all the same quality criteria as the other elements. The Acoustic Movable Wall partition should be have test certificate produced by a third party carried out in the test laboratory, accredited to DAP. The weighted sound reduction index Rw (dB) is determined in accordance with EN 20140 – 3. Equivalent Brand : Dormakaba/Newsing/Lotus.</p>	व.मी			६२४०८.००



Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	कर बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	AUTOMATIC GLASS SLIDING DOOR			
	Providing and fixing Automatic Sliding door operator, crown series ES 200 drive heavy duty Automatic operator , compliant with future European standards and produced according to the guidelines for power-operated windows, doors and gates, BGR 232, the UVV and the VDE regulations. TÜV design tested,, fulfils DIN 18650 standards, modular design including internal cover and with 12 mm Clear Toughened glass for 2 Nos sliding door panels and 2 Nos fixed panels, both sliding & fixed panels .Operator & Frame Finish should be Silver Anodised E6/C0, with operator dimensions (H x D) : 100 x 180 mm and of length as required to suit the opening size given below with Clear Passage Height: 2100 upto 3200mm, Transit Width LW 800- 2000MM The track profile should be separate from the main profile for enabling reduction in vibration insulation. Microprocessor-controlled control unit, Self-learning, with adjustable parameters for opening and closing speed, hold-open time and opening and closing force, reversing when obstruction is encountered, Class of protection IP 20. Activators- Prosecure Opti Combi, Light barriers, comprising receiver and transmitter, Electro-mechanical locking, Equivalent Brand : Dormakaba/Besam/Boonadams.	व.मी		२८००००.००
	GLASS RAILLING			
	providing and fixing of Modular (weld free, component base) System. 50.8 mm dia x 1.6mm thick handrail fixed to Balustrade of 50 .8 mm dia x 1.6 mm thick with top adapter(neck) type fixed (Dorma Art no. 9180205) with 2nos of M4x10mm Allen CSk Screw). The balustrade fixed to Top of the floor, straight or staircase with base plate by 3/2 m12x120mm long anchor fastener. The balustrade C/C is 900 to 1000mm.The Ht. of the handrail 1000mm from FFL. glass infill of 10 mm thick toughened (monolithic) is fixed to the Balustrade with Glass link (Dorma Art no. 9180073) by M8 x 25mm Allen cap screw (two per balustrade) , Complete with all End cap). All the material of handrail, balustrade and components should be of SS 304 grade satin finish., Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी		४५०००.००
	FRONT GLASS FAÇADE SPIDER			

(Handwritten signatures and initials)



नेपाल सरकार

Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व.	आ.व.
	Design, supply of frameless glazed façade and steel supports as stabilizers, used at each vertical joint to provide lateral stiffness against wind loading. Deflections and other specified loads expected including frame work wherever necessary and hardware all other accessories in the glazing with all extrusions, fittings, suspension brackets, spider fittings of RSF make with 4, 2 points spiders & RSF stainless steel bolts as per design. The RSF fin/ spider non-fin fitting shall have a stream line design for high strength performance and better aesthetics. The RSF bolts for facade glass shall be of SS 316 Grade with all necessary accessories. The spiders shall be manufactured by investment casting process of grade SS 316 as per EN norms. All screws, all weather elements such as flashing, coping, approved silicone sealants, etc to make the system completely waterproof. All spider fittings should be designed to support the weight of the glass by direct bearing on the bolts wherein the structure should be designed as per the relevant codes and should be able to withstand the relevant thermal movements. Design calculations for the facade to be furnished for approval by client / consultant. Double leaf glass door with patch fittings such as PT series , pull handle 450 x 25 mm and crown series BTS 75V floor spring conforming to DIN EN 1154 in long-time test 500,000 operating cycles). Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी	२०७६/७७	२०७६/७९
	Concrete Prefabricated Frames			
	Door			
१	७ फिट × ४ फिट	रनिड फुट		१९९.९२
२	६ फिट ६ इन्च × ४ फिट			
३	७ फिट × ३ फिट ६ इन्च			
४	६ फिट ६ इन्च × ३ फिट ६ इन्च			
५	७ फिट × ३ फिट			
६	७ फिट × ३ फिट भेन्टीलेसन समेत			
७	७ फिट × २ फिट ६ इन्च			
८	७ फिट × २ फिट ६ इन्च भेन्टीलेसन			
९	६ फिट × ३ फिट			
१०	६ फिट × २ फिट ६ इन्च			
११	५ फिट ६ इन्च × २ फिट ६ इन्च			
	Window			
१	५ फिट उचाइका १ देखि ४ पल्ला (चौडाइ २० इन्च देखि ६ फुट ६ इन्च सम्म)			

Page 93

(Handwritten signatures and marks)



Doors & Windows

नेपाल सरकार
मूठ नगरपालिका
जिल्ला प्रशासन कार्यालय ललितपुर

सि.नं.	निर्माण सामग्रीहरुको विवरण	अ.क.र बाहेकको दररेट		
		एकाई	आ.व.	आ.व.
		२०७६/७७	२०७७/७८	२०७८/७९
२	४ फुट ६ इन्च उचाइका १ देखि ४ पल्ला	रनिङ फुट		१९९.९२
३	४ फुट ६ इन्च x ६ फुट भन्टीलेसन भएको			
४	४ फुट ६ इन्च x ६ फुट ६ इन्च (रड)			
५	४ फिट उचाइका १ देखि ४ पल्ला			
६	३ फुट ६ इन्च उचाइका १ देखि ४ पल्ला			
७	३ फुट ६ इन्च उचाइ x २ फुट (२ पल्ला)			
८	३ फिट उचाइका २ पल्ला			
Ventilation				
१	भर्याड मा राखे रनिङ भन्टीलेसन ५ फुट x ३ फुट	रनिङ फुट		१९९.९२
२	भर्याड मा राखे रनिङ भन्टीलेसन ५ फुट x ३ फुट ६ इन्च			
३	१५ इन्च उचाइका १ देखि २ पल्ला			
४	२० इन्च उचाइका १ देखि ३ पल्ला			
५	१८ इन्च उचाइका १ देखि २ पल्ला			
६	३० इन्च उचाइ x ४२ इन्च चौडाइ			

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

FLOORING AND CEILING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	नेपाल सरकार बाहेकको दररेट महान्त्रालय जिल्ला प्रशासन कार्यालय ललितपुर २०७६/७९	आ.व. २०७७/७८	आ.व. २०७८/७९
	Vinyl Flooring				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively	व.मी			४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2 00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³) Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the	व.मी			३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m ² ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable Low VOC emissions after 28days of installation (lower than ≤100µg/m ³). The laid flooring should be included of Self leveling base course all complete as per the specification	व.मी			३५००.००
४	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cffs1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m ² K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution This unique method is made possible by- The Product's Exceptional Dimensional Stability (0.10%); Omnisports Reference, Excel, & Pure Play's Weight : The honeycomb backing, creating a suction effect. The laid	व.मी			६२००.००
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm hetrogenious Accoustic PVC Vinyl Phthalate free, flooring Tarket/Mohawk/Polyflor or euqivalent brand, total weight is 3250g/m ² , PUR, No wax no polish for life (. Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0 40%, impact sound reduction approx +19db with accoustic improvement <65Db class A,Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3 5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer Hot welded joint gives exclusively seamless finish on the floor	व.मी			५०००.००

Page 95



FLOORING AND CEILING

नेपाल सरकार

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गृह मन्त्रालय बाहेकको दररेट		
			जिल्ला प्रशासन कार्यालय ललितपुर अ.नं.पर २०७९/७७	भा.व. २०७७/७८	भा.व. २०७८/७९
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type 1 confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation $R_i \geq 5 \times 10^4$ Ohm; Electrical resistance $R \leq 109$ Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C , ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches. Thermal resistance Approx. $0.01m^2 K/W$ as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी			५८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of $\leq 1g$ as per EN ISO 5470-1; Resistance to indentation should be $\leq 0.10mm$ confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have binder content Type 1 confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation $R_i \geq 5 \times 10^4$ Ohm; Electrical resistance $R \leq 109$ Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx $0.01m^2 K/W$ as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of	व.मी			५८००.००
	False Ceiling				
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 . Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the	व.मी			२९५२.००
2	Providing and fixing mineral fiber false ceiling classic-lite board, size 600 X 600 MM & 16 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.55 , Humidity Resistance (RH) of 99%, Light Reflectance-85%, Thermal conductivity $k = 0.052 - 0.057$ w/m K, Weight 3 1kgs/m2, Fire Performance as per BS 476 pt – 6 & 7 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of silhouette. The tile shall be laid on Silhouette 15 mm wide, having 6mm black color reveal section on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 90 Kgs. Product test certificates required for items mentioned in the boq from the	व.मी			४७५०.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



FLOORING AND CEILING

नेपाल सरकार
गृह मन्त्रालय
सुदूरपश्चिम प्रदेश
सिन्धुपाल्चोक जिल्लाको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गृह मन्त्रालय, सिन्धुपाल्चोक जिल्लाको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
3	Providing & Fixing Soft Fiber optra ceiling Acoustical Suspended Ceiling System with beveled Tegular Edge board in white Color. The board should have Humidity Resistance (RH) of 95%, NRC 0.9 - 0.95, Light Reflectance $\geq 85\%$, Color White, weight 1.8kgs/m ² . Fire Performance UK Class 0 / Class 1 (BS 476 pt - 6 & 7) in module size of 600 x 600 x 15mm thick, T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of Suprafine. The tile shall be laid on Suprafine 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			४८४२.००
4	Providing and fixing metal finish false ceiling board at all heights of size 600 X 600 MM of approved texture, design and pattern. The tiles should have durable, electrostatic factory applied polyester coil or power coated finish to meet or exceed EN 13964 and TIAM standards. The tile should have standard color i.e. Global white(12% gloss), Light Reflectance min. 80%, Weight 3.1 - 4.3 kgs/m ² , Fire Performance as per (BS 476 pt - 6 & 7) standard in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of the tile shall be laid on Armstrong Suprafine channel 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq	व.मी			४६२६.००
5	Providing and fixing mineral fiber false ceiling tiles having anti-microbial performance. The tiles should have Noise Reduction Coefficient (NRC value) = 0.70, weight 3.3kgs/m ² , Humidity Resistance (RH) of 99%, Light Reflectance- 87%, Thermal conductivity $k = 0.052 - 0.057$ w/m K, Fire Performance as per (BS 476 pt - 6 & 7) in true horizontal level suspended on interlocking T-Grid of hot dipped all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of main T runners of 15x32 MM of length 3000 MM, cross T of size 15x32 MM of length 1200 MM and secondary intermediate cross T of size 15x32 MM of length 600 MM to form grid module of size 600x600 MM suspended on Suprafine 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq from the	व.मी			४६२६.००
6	Providing & installing Woodwork false ceiling RG6011 (RG6) perforations with approved laminate (Portland Maple, Sea Beech, Siam Wood & Mystique Walnut) finish would have an NRC of 0.55. Weight 13kgs/m ² , Humidity Resistance (RH) of 70% in module size of 600mm x 600mm x 18mm and density of 725 Kgs/M ³ . The tile shall be laid on Armstrong Silhouette 45 with 15 mm wide T - section flanges color black having rotary stitching on all T sections i.e. 3000mm the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			११८३६.००
7	Providing and Fixing Channeled Woodworks G13/21 perforated ceiling panels of width 192mm, thickness of 15mm and length 2400 mm or as required by the Architect/ approving engineer, made of a high density fibre board with minimum 725 Kg/M ³ density substrate with a laminated facing as per the approved shade & finish and a melamine balancing layer on the reverse side. The boards shall have a special perforation pattern where the visible surface has a "Helmholtz" fluted perforation of 3mm width and 21mm of visible panel each. The edges of the ceiling panels shall be "tongue-and-grooved" to receive special clips for installation. The back of the perforated panel shall have sound absorbing non-woven acoustical fleece having NRC of 0.52. The ceiling panels shall be mounted on special aluminium splines using clips provided by Armstrong and approved by the Architect/ Engineer-in-Charge. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			१२३७४.००

(Handwritten signatures and initials)

FLOORING AND CEILING

नेपाल सरकार
गृह मन्त्रालय
प्रशासन कार्यालय
ललितपुर
मु.अ.कर बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
8	Providing and supplying 'Optra Acoustical Wall Paneling' with square edges made of fibre glass substrate 25mm thick and wrapped on the front side with an acoustically transparent and classified for Fire reaction Class B-s1, d1 as per EN13501, fabric with various colors having size 600X1200 mm providing a minimum sound absorption level of 0.90 NRC to be affixed to wall using Wall panel impalers supplied by M/s Armstrong Industries India Pvt. Ltd and construction adhesives as per the instructions laid down by the manufacturer. Product test certificates required for items mentioned in the boq from the manufacturer's	व.मी			१२९१२.००
	Levelling Compund for Vinyl Flooring				
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for	व.मी			५९२.००
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी			२९५.००
	WPC Items				
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी			९४६९.००
2	Providing and installing WPC Wall panel cladding in pre-painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 . 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी			६५१०.००
	Ceiling				
1	Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be	व.मी			१४५२६.००

FLOORING AND CEILING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.आ.करै बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
2	Providing and fixing Green Pro Certified, 300C Linear Slat Ceiling, manufactured out of 0.7mm thick coil coated Aluminium Alloy AA 3105 Perforated with 2.0 mm diameter 5mm centre to centre with Non-Woven Acoustical textile of approved colour. Panel size 300mm X 29 mm deep with panel length up to 6 mtr, Coil Coated on a Continuous Paint Line, and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The coated coil is passed thru ARKU SIX Hi configuration roller levelling process to ensure the flatness of the coil. Double baked and roll formed from enamelled corrosion resistance Aluminium alloy AA 3105 (Al Mg) for higher strength and good roll forming characteristics. Panel shall be clipped to a baked enamelled aluminium panel carrier of 41.5mm wide x 62mm deep x 0.95 mm thick in standard length of 3 to 5 mtrs made of double baked stove enamelled aluminium magnesium alloy AA3005 black with cut outs to hold the panels. The Carrier shall be suspended by means of G.I. suspension rod 6mm diameter, and a Galvanised suspension spring clip at a distance of 1.2mtrs centre to centre. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certification compliant with in house testing facility and should have their	व.मी			११८३६.००
4	Providing and fixing Linear Multi B Slat Ceiling 30B/80B/130B/180B, manufactured out of 5mm/0.5mm/0.5mm/0.6mm thick coil coated Aluminium Alloy AA 3105 of approve color. Panel size 30mm/80mm/130mm/180mm wide X 15 mm deep with Perforation of 2 mm diameter diagonal pattern, 5 mm center to center apertures, 16 % openness, panel length up to 6 meter, coil coated on a continuous paint line, and shall be stove enamelled in a continuous coil coating process with the approved color on the exposed side and the reverse side with polyester primer. The coated coil is passed thru a multistage high precision customized roll forming line to achieve the desired profile. Double baked and roll formed from enamelled corrosion resistance Aluminium alloy AA 3105 (Al. Mg) for higher strength and good roll forming characteristics. Panel shall be clipped to a aaked enamelled customized Aluminium panel carrier manufactured in PLC controlled roll forming machine. The Carrier is of 60mm width x 30mm height and 0.90mm thick in standard length of 5 meter in Aluminium alloy AA 3005 (Al. Mg) black with cut outs to hold the panels in a module of 50/100/150/200 mm. 20mm gap between the panels is filled with recessed "V" join profile. The Carrier shall be suspended by means of G.I. suspension rod 6mm diameter, and a Galvanized suspension spring clip at a distance of 1.2mtrs center to center. The Linear Aluminium ceiling system should meet the required standards for Green ro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India.	व.मी			११३००.००
5	Supply & Fixing of Miniwave Cladding System including 50*25*1.5mm aluminium sub frame box section, comprising of Miniwave of 270mm Width, Length in linear Mtr as per the site requirement (Max length 6Mtrs for Coil coated and 4Mtrs for Powder coated) , 0.7 - 0.8mm thk. Aluminium Alloy 3003, Plain or Perforated with 2.5mm dia. at 5.5mm centre to centre pitch. The Miniwave Panel shall be Manufactured in CAD/CAM equipment having several stages of Roll forming process achieved thru ARKU SIX Hi configuration roller levelling process to ensure the flatness of the coil. Any steel sub-structure required shall be measured and paid extra under structural steel system. The Miniwave Panels shall be Exterior powder coated / PVDF in approved Colour. The Miniwave system manufacturer should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certification compliant with inels. The Carrier shall be suspended by means of G.I. suspension rod 6mm diamete	व.मी			१८८३०.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Epoxy Flooring				
1	Driveways & parking areas - Providing and applying 1mm thick CPS 10 E system 2 components solvent free high performance glossy floor finish coating by mixing using mechanical means, spreading the mixed from Ardex Endura R 35 CE having the Bond Strength > 1.5 MPa and water abrasion mill by using R 35 CE, sandwiched between the 2 coats of high gloss coating consists of Antislip aggregates from Ardex Endura R 130 C - and allowed to dry completely, removing the loosely bonded Antislip aggregates by brushing or by vacuuming, applying second coat of high gloss epoxy and allowed to dry completely, after cleaning the substrate to make them free from the contaminants, etc. and complete as per manufacturer's specification. The glossy floor finish should have Compressive strength > 30 N/mm ² , Flexural strength	व.मी			१९९५.००
2	Providing and applying 1.5 to 2 mm thick CPS 20 ID system having the good crack bridging properties and excellent resistance to abrasion and chemical attack 2 components modified urethane coating and applied by mixing using mechanical means, spreading the mixed from Ardex Endura R 50 CP sandwiched between the 2 coats urethane coating consists of Antislip aggregates from Ardex Endura R 130 C and allow it to dry completely, removing the loosely bonded Antislip aggregates by brushing or by vacuuming and then applying the final coat of urethane coating and allowed to dry completely, after cleaning the substrate to make them free from the contaminants, etc and complete as per manufacturer's specification from Ardex Endura R 50 CP. The urethane coating should have the Compressive Strength at 7 days > 20 N/mm ² , Tensile Strength @ 7 days > 7 N/mm ² with using R 50 CP which is 2 components modified urethane coating and applied by mixing using mechanical means, spreading the mixed R 50 CP and seeding the wet surface of R 50 CP.	व.मी			३७९०.००
3	Providing and installing seamless epoxy floor topping of 1 mm thickness having 4 components high glossy self smoothing chemical resistant epoxy resin floor finished from Ardex Endura R 21 CE or equivalent applied by mixing 4 components by mechanical means, spreading and applying that mix above 2mm thick self smoothing epoxy resin floor underlay from Ardex Endura R 24 CE or equivalent which is done over two or more coats of solvent free, low viscosity, two component epoxy primer from Ardex Endura R 2 CE or equivalent after cleaning the substrate to make them free from contaminants. The properties of top coating should have Compressive strength >60 N/mm ² , Flexural strength >33 N/mm ² , Tensile strength >20 N/mm ² , Shore D Hardness > 70; the properties of epoxy underlay should have Compressive Strength of > 80 N/mm ² after 7 days, Flexural Strength of >33 N/mm ² after 7 days, Tensile strength of > 12 N/mm ² and bonding strength > 1.5 N/mm ²	व.मी			३६९०.००
4	Providing and installing 3 mm thick seamless high gloss, self-smoothing epoxy floor finish from Ardex Endura R 25 CE, over two coat of Primer which is a solvent-free, two-component moisture tolerant epoxy primer from Ardex Endura R 3 E for use on concrete and cementitious surfaces that have damp surfaces (e.g. from water spillages or rain) prior to installing polyurethane and epoxy floor systems after cleaning the substrate to make them clean from contaminants. The properties of the epoxy flooring should have the Compressive Strength of 70 N/mm ² after 28 days, Flexural Strength of >30N/mm ² after 28 days, Tensile strength of 20N/mm ² and Shore hardness > 70. Brand Name: Ardex -Endura or equivalent	व.मी			४७९०.००
5	Providing and installing seamless epoxy coving at required size and shape from 3 component outstanding wearing properties epoxy coving render, mixing 3 components by mechanical means, spreading and finishing the mixed from Ardex Endura R 33 CE over completely tacky dried primer applied in one or more coat from Ardex Endura R 3 E primer including grinding, cleaning, making termination grooves, etc and complete as per manufacturer's specification. The properties of the coving should have the Compressive strength 70 N/mm ² , Flexural strength 23 N/mm ² .	र.मी			७९०.००

(Handwritten signatures and marks)



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क.स.को दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
6	Providing and applying seamless 3 component, antistatic conductive epoxy flooring system from Ardex Endura R 625 CE 2 over two or more coats of dried 2 component epoxy primer from Ardex Endura R 3 E solvent free, by mixing using mechanical means, applying the first coat of R 3 E and allowing it to dry, installing copper strips (peel & stick, 12-20mm wide and 70-100 micron thick) at the periphery of the primed surfaces and also to form grid pattern at required size, applying the second coat of R 3 E (total thickness of primer shall be 175-200 micron) and allowing it to dry, applying the top coat .The top coat should have the Flexural Strength > 39.00 N/mm ² , Compressive Strength > 50.00 N/mm ² 2 components conductive range of 10 ⁴ - 10 ⁶ Ω epoxy floor, by mixing all components by mechanical means, spreading at 1.5-2mm thickness using notch trowel or depth set rake trowel, rolling the surface using spike roller and finishing, allowing it to dry completely, including grinding, cleaning etc and complete as per manufacturer's specification	व.मी			५९७५.००
7	Providing and applying the anti carbonation facade coating in two coats of extremely weather resistant water based acrylic from Ardex Endura AC 20 anti carbonation protective coating having the tensile strength =4-5 kg/cm ² , pull of strength>1N/mm ² , permeability of CO ₂ > 50 M with the primer WPM 209 as per technical specifications and site engineer and manufacturers specification	व.मी			१२९०.००
8	Bonded Screed installation :- Providing and installing screed by mixing A3, screed concentrate having compression testing > 30 N/mm ² at 28 days , flexural strength >3.0 N/mm ² at 28 days and the pull of testing >202 mpa the made up of high quality additives and superior polymer, to Grey OPC 53 Grade cement and screed sand with water by mechanical means, including installing level buttons, spreading the screed using straight edge, compacting at required thickness over the wet bonding slurry, continuing the day end joints or joints due to delay by applying bonding slurry, etc and complete as per manufacturer's specification.	व.मी			१३९०.००
9	Providing and applying impregnating tile and stone sealer for use on unglazed floor tiles, porous tiles such as terracotta, clay tiles and stone to reduce water permeability of the surface, reduces stains, seals with a glossy finish enhancing the colour of tiles providing a breathable surface on interior & exterior tiled surfaces, bricks & stones, having voc content 3.16g/l.	व.मी			५९०.००
Hard wood flooring					
1	OAK HERRINGBONE: 14 X 138X 690MM Supplying and laying of BKB 3-layer 14mm engineered hardwood flooring products with European-style parquet with 3-layer construction, engineered with real hardwood on the top and supported by Hevea hardwood or Pine or plywood in the middle and softwood veneer as the back. The natural wood source originates from Europe, Canada, Australia, peninsular Malaysia, etc. There are various type of wood species for selection to suit every taste and lifestyle wonderfully rustic charm is enhanced by broad variations in grain, color and distinctive knots with two choices of profile such as Tongue & Groove and 5G Valinge Click System. The latter utilizes a patented 5G-C system from Sweden. Apply 7-layers UV coating system exclusively from BONA, a world leader and specialist in wooden floor treatments with lifetime support with scratch resistance, gloss, chemical resistance, friction and recoatability with excellent bond strength that capable of meeting formaldehyde emission E1 and E0 standards, which has been duly tested in accordance to the European standard EN 717-1:2004 and JAS:2008 (F4 star). also certified to MS ISO9001:2015, MS ISO 14001:2015 and offers Green Environment certification such as FSC, PEFC, F4 Star, Singapore Green Label and along with full installation cost of labor & materials required for installation purpose	व.मी			५९२०.००
Flooring Material					
	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	व.मी			२७००.००

(Handwritten signatures and initials)

Slope Stabilizing Structures



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Upto 5 Height (in Metre)	व.मी			१७५९१.४३
	10 Height (in Metre)	व.मी			२२१४३.४०
	15 Height (in Metre)	व.मी			२६८६९.५९
	20 Height (in Metre)	व.मी			३४५६२.४४
	25 Height (in Metre)	व.मी			४७१०४.९७
	30 Height (in Metre)	व.मी			६००५६.७९
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी			२७९३१.९९
	20 Height (in meter)	व.मी			३८०६४.१३
	30 Height (in meter)	व.मी			५५७३८.१३
३	Reinforced Soil pier abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी			३४९५४.५९
४	Geo-composite Drainage with mini pipes				

[Handwritten signature]

[Handwritten signature]

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी			९२६.५४
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी			९२९.२६
	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी			९४५९.५४
	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी			२०८८.३०
५	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm ² , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.			९४६९२७.००
	Capacity 1000 KJ and height 5m	र.मी.			२९३६५९.००
	Capacity 1500 KJ and height 5m	र.मी.			३४२३९०.००

Slope Stabilizing Structures



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Capacity 2000 KJ and height 5m	र.मी.			४२३९५५.००
	Capacity 3000 KJ and height 5m	र.मी.			४९९४७६.००
	Capacity 5000 KJ and height 7m	र.मी.			९९९७३.००
६	High Tensile Wire mesh (wire strength ≥ 1770 N/mm ²)				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm ²) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m ² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी			१३१७१.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			२०८८.३०
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			९०१८.५३
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			२६८९.९७



Slope Stabilizing Structures


कार
दररेट
कार्यालय


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कङ बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			११६९७.७०
८	Fabric formed erosion and scour protection concrete mattresses				
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी			५८२६.६०
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी			६७८२.१०
	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी			३७३३.६०
	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी			४०६९.००
	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा			८०८७.३०
	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा			१९९३७.३०

(Handwritten signatures and marks)

Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा			७९८०.००
२	Spherical bearing = > 2250 KN Fixed type	गोटा			१३०७५.००
३	Spherical bearing =>2250 KN Free type	गोटा			१४५६१.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि			१५१०४.००
५	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा			१३९७९.००
६	Ultra sonic cross-hole test Machine hire	गोटा			२२३०.०० .
७	Sheath tube, D75mm (Mild steel)	र.मि			३५०.००
८	Carrying out Dynamic pile load test	गोटा			२८८६९२.००
९	Earthing cable(GV70)	र.मि			५७५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा			४२२०.००
११	Unbonded Pre stressed concrete strand	के.जी.			१५१.००





पाईप तथा फिटिङहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सामग्री बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
१	High Density Polythene Pipe NS-40	के. जी.	२५५.००	२५५.००	२७०.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी	१२८.००	१२८.००	१२८.००
	20mm	र.मी	१७४.००	१७४.००	१७४.००
	25mm	र.मी	२४६.००	२४६.००	२४६.००
	32mm	र.मी	३१६.००	३१६.००	३१६.००
	40mm	र.मी	३९२.००	३९२.००	३९२.००
	50mm	र.मी	६००.००	६००.००	६००.००
	65mm	र.मी	६८३.००	६८३.००	६८३.००
	80mm	र.मी	८०३.००	८०३.००	८०३.००
	100mm	र.मी	११५५.००	११५५.००	११५५.००
	125mm	र.मी	१७५२.००	१७५२.००	१७५२.००
	150mm	र.मी	२१५४.००	२१५४.००	२१५४.००
	200mm	र.मी	३१०३.००	३१०३.००	३१०३.००
३	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106	"			
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	४५२.००	४५२.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	५४२.००	५४२.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	६८०.००	६८०.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	८३९.००	८३९.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	९६०.००	९६०.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१२३३.००	१२३३.००
	73mm OD 3" SCH.40, 5.16 .mm thickness	र.मी	१८९५.००	१८९५.००	१८९५.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२४८१.००	२४८१.००	२०००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३२०५.००	३२०५.००	२८८०.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३९.००	३५३९.००	३५३९.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	४७८२.००	४७८२.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	६२०७.००	६२०७.००
	65 mm ID SCH.40				१९००.००
	80 mm ID SCH.40				२३००.००
	125 mm ID SCH.40				३८००.००
	150 mm ID SCH.40				४४३०.००
	200 mm ID SCH.40				५५२०.००
	250mm ID SCH.40				७१३०.००
	300 mm ID SCH.40				९७८०.००
	350 mm ID SCH.40				१८४००.००
	400 mm ID SCH.40				२४०००.००
	450 mm ID SCH.40				३०३३०.००
	500 mm ID SCH.40				३५७००.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी	१५१.००	१५१.००	१५७.७७
	20mm	र.मी	१९१.००	१९१.००	१९६.३५
	25mm	र.मी	२९०.००	२९०.००	२९९.१५

Handwritten signatures and initials at the bottom of the page.

पाईप तथा फिटिङहरू



नेपाल सरकार

मु.अ.क बाहेकको दररेट

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब. ०७७/७८	आ.ब.०७८/७९
	32mm	र.मी	३७९.००	३७९.००	३८९.२४
	40mm	र.मी	४३६.००	४३६.००	४४६.९९
	50mm	र.मी	५९८.००	५९८.००	६१४.४६
	65mm	र.मी	७६५.००	७६५.००	७८४.२५
	80mm	र.मी	९५०.००	९५०.००	९७५.९८
	100mm	र.मी	१५७३.००	१५७३.००	१४६९.०८
	125mm	र.मी	१९९८.००	१९९८.००	१९९०.३७
	150mm	र.मी	२३२९.००	२३२९.००	२३९०.००
	200mm	र.मी	३५४८.००	३५४८.००	३९९७.००
५	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	१८९.००	१८९.००	१८४.८०
	20mm	र.मी	२२५.००	२२५.००	२३९.००
	25mm	र.मी	३२०.००	३२०.००	३४४.९७
	32mm	र.मी	४३६.००	४३६.००	४०७.४०
	40mm	र.मी	५०३.००	५०३.००	५१६.२९
	50mm	र.मी	७४०.००	७४०.००	७५८.८४
	65mm	र.मी	९२३.००	९२३.००	८६३.९०
	80mm	र.मी	१०९०.००	१०९०.००	१११८.०४
	100mm	र.मी	१६७६.००	१६७६.००	१९२०.८०
	125mm	र.मी	२१६९.००	२१६९.००	२१७७.१८
	150mm	र.मी	२०२४.००	२०२४.००	२४६३.६२
	200mm	र.मी	३७६९.००	३७६९.००	४४२०.००
६	G.M. Gate valve				
	15mm	र.मी	९६२.००	९६२.००	९६२.००
	20mm	र.मी	११९८.००	११९८.००	११९८.००
	25mm	र.मी	१९३०.००	१९३०.००	१९३०.००
	32mm	र.मी	२७५३.००	२७५३.००	२७५३.००
	40mm	र.मी	३४६७.००	३४६७.००	३४६७.००
	50mm	र.मी	५५१९.००	५५१९.००	५५१९.००
	65mm	र.मी	११४१९.००	११४१९.००	११४१९.००
	80mm	र.मी	१४१८८.००	१४१८८.००	१४१८८.००
	100mm	र.मी	२३२३८.००	२३२३८.००	२३२३८.००
७	G.M Check valve				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००

(Handwritten signatures and marks)

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Elbow				
	15mm	गोटा	५२.००	५२.००	४५.००
	20mm	गोटा	९४.००	९४.००	७९.००
	25mm	गोटा	१४५.००	१४५.००	११३.००
	32mm	गोटा	२२०.००	२२०.००	१७६.००
	40mm	गोटा	३०८.००	३०८.००	२४२.००
	50mm	गोटा	४६४.००	४६४.००	३६८.००
	65mm	गोटा	८०५.००	८०५.००	६८५.००
	80mm	गोटा	१२५३.००	१२५३.००	९७८.००
	100mm	गोटा	२१५९.००	२१५९.००	१७५३.००
	125mm	गोटा	५३४२.००	५३४२.००	२१०३.६०
	150mm	गोटा	६४३०.००	६४३०.००	२५२४.३२
९	G.I. Tee				
	15mm	गोटा	८०.००	८०.००	७०.००
	20mm	गोटा	१२७.००	१२७.००	११०.००
	25mm	गोटा	१८५.००	१८५.००	१५०.००
	32mm	गोटा	२९६.००	२९६.००	२४०.००
	40mm	गोटा	४१०.००	४१०.००	२९५.००
	50mm	गोटा	६७९.००	६७९.००	४६०.००
	65mm	गोटा	१०५४.००	१०५४.००	९०५.००
	80mm	गोटा	१४२४.००	१४२४.००	१२०५.००
	100mm	गोटा	२५८७.००	२५८७.००	२०५३.००
	125mm	गोटा	७९६०.००	७९६०.००	२४६५.००
	150mm	गोटा	८२९८.००	८२९८.००	२९६०.००
१०	G.I. Union				
	15mm	गोटा	१६९.००	१६९.००	१२४.००
	20mm	गोटा	२३८.००	२३८.००	१७३.००
	25mm	गोटा	३४९.००	३४९.००	२३०.००
	32mm	गोटा	४८०.००	४८०.००	३४५.००
	40mm	गोटा	५९४.००	५९४.००	४५५.००
	50mm	गोटा	८८४.००	८८४.००	६३०.००
	65mm	गोटा	१८०८.००	१८०८.००	१२३०.००
	80mm	गोटा	२४३६.००	२४३६.००	१६८०.००
	100mm	गोटा	३२१०.००	३२१०.००	२३०८.००
	125mm	गोटा	७९६०.००	७९६०.००	२७७०.००
	150mm	गोटा	८६६३.००	८६६३.००	३३२४.००
११	G.I. Socket				

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व. ०७७/७८	आ.व.०७८/७९
	15mm	गोटा	४७.००	४७.००	४९.००
	20mm	गोटा	७३.००	७३.००	६४.००
	25mm	गोटा	९००.००	९००.००	८२.००
	32mm	गोटा	९५४.००	९५४.००	९२९.००
	40mm	गोटा	२०८.००	२०८.००	९७३.००
	50mm	गोटा	३०६.००	३०६.००	२६८.००
	65mm	गोटा	५५४.००	५५४.००	३७५.००
	80mm	गोटा	८९७.००	८९७.००	६००.००
	100mm	गोटा	९४९५.००	९४९५.००	९५०.००
	125mm	गोटा	३५३४.००	३५३४.००	९९४०.००
	150mm	गोटा	४७५२.००	४७५२.००	९३६८.००
९२	C.I. Plug				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	९२४.००	९२४.००	९२४.००
	50mm	गोटा	९४९.००	९४९.००	९४९.००
	65mm	गोटा	२९४.००	२९४.००	२९४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
९३	Hex Nipple				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	९३९.००	९३९.००	९३९.००
	32mm	गोटा	२९७.००	२९७.००	२९७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	९४८४.००	९४८४.००	९४८४.००
९४	Reducing Tee				
	20mm	गोटा	९३९.००	९३९.००	९२०.००
	25mm	गोटा	२०४.००	२०४.००	९६२.००
	32mm	गोटा	३२५.००	३२५.००	९४८.००
	40mm	गोटा	४५९.००	४५९.००	३२५.००
	50mm	गोटा	७३७.००	७३७.००	५९७.००
	65mm	गोटा	९९६०.००	९९६०.००	९९८.००
	80mm	गोटा	९५६८.००	९५६८.००	९४५०.००



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	100mm	गोटा	२८६६.००	२८६६.००	२७५०.००
	125mm	गोटा	७८८४.००	७८८४.००	३३००.००
	150mm	गोटा	९९२६.००	९९२६.००	३९६०.००
१५	Reducing Elbow				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	Reducing socket				
	15mm(1/2")	गोटा			५०.००
	20mm	गोटा	८०.००	८०.००	८०.००
	25mm	गोटा	१०८.००	१०८.००	१००.००
	32mm	गोटा	१६८.००	१६८.००	१५०.००
	40mm	गोटा	२२६.००	२२६.००	२१०.००
	50mm	गोटा	३३७.००	३३७.००	३२०.००
	65mm	गोटा	६०२.००	६०२.००	४५०.००
	80mm	गोटा	८६०.००	८६०.००	७२०.००
	100mm	गोटा	१५५२.००	१५५२.००	११४०.००
	125mm	गोटा	४४३६.००	४४३६.००	१३६८.००
	150mm	गोटा	५२१६.००	५२१६.००	१४८२.००
१७	Short bend				
	15mm	गोटा	१३९.००	१३९.००	१३०.००
	20mm	गोटा	२१४.००	२१४.००	१५०.००
	25mm	गोटा	३२८.००	३२८.००	१९०.००
	32mm	गोटा	६३०.००	६३०.००	२९०.००
	40mm	गोटा	९५२.००	९५२.००	४००.००
	50mm	गोटा	१३९३.००	१३९३.००	५९०.००
	65mm	गोटा	३५७६.००	३५७६.००	३५७६.००
	80mm	गोटा	५५४४.००	५५४४.००	५५४४.००
	100mm	गोटा	७८५५.००	७८५५.००	७८५५.००
१८	Cross Tee				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



नेपाल सरकार
संरक्षण विभाग

पाईप तथा फिटिङहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क.वर्षिकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६९९.००	६९९.००	६९९.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	Tank Nipple				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६९९.००	६९९.००	६९९.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	२५.००	२५.००	२२.००
	20mm	गोटा	३७.००	३७.००	३४.००
	25mm	गोटा	५०.००	५०.००	४४.००
	32mm	गोटा	६८.००	६८.००	५७.००
	40mm	गोटा	८३.००	८३.००	७९.००
	50mm	गोटा	१२७.००	१२७.००	१२७.००
२१	G.I. Nipple Medium Class -3" Long				
	15mm	गोटा	३७.००	३७.००	३४.००
	20mm	गोटा	५६.००	५६.००	४७.००
	25mm	गोटा	७६.००	७६.००	६६.००
	32mm	गोटा	१०२.००	१०२.००	८५.००
	40mm	गोटा	१२६.००	१२६.००	१०६.००
	50mm	गोटा	१८८.००	१८८.००	१३४.००
	65mm	गोटा	२५९.००	२५९.००	१८६.००
	80mm	गोटा	३७८.००	३७८.००	२२०.००
२२	G.I. Nipple Medium Class -4" Long				
	15mm	गोटा	५०.००	५०.००	४५.००
	20mm	गोटा	७४.००	७४.००	६३.००
	25mm	गोटा	१०९.००	१०९.००	८८.००
	32mm	गोटा	१३६.००	१३६.००	११३.००
	40mm	गोटा	१६६.००	१६६.००	१४२.००

(Handwritten signatures and marks)

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व. ०७७/७८	आ.व.०७८/७९
	50mm	गोटा	२५३.००	२५३.००	१७९.००
	65mm	गोटा	३४७.००	३४७.००	२४८.००
	80mm	गोटा	५०५.००	५०५.००	२०४.००
	100mm	गोटा	६४९.००	६४९.००	४२२.००
	125mm	गोटा			६४३.००
	150mm	गोटा			७६३.००
२३	G.I. Nipple Medium Class -6" Long				
	15mm	गोटा	७६.००	७६.००	६८.००
	20mm	गोटा	११३.००	११३.००	९४.००
	25mm	गोटा	१५१.००	१५१.००	१३२.००
	32mm	गोटा	२०५.००	२०५.००	१७०.००
	40mm	गोटा	२५३.००	२५३.००	१२२.००
	50mm	गोटा	३७९.००	३७९.००	२६९.००
	65mm	गोटा	५१८.००	५१८.००	३७३.००
	80mm	गोटा	७४२.००	७४२.००	४३९.००
	100mm	गोटा	९१७.००	९१७.००	६३३.००
	125mm	गोटा			९६५.००
	150mm	गोटा			११४६.००
२४	G.I. Nipple Medium Class -9" Long				
	15mm	गोटा	११३.००	११३.००	१०२.००
	20mm	गोटा	१६७.००	१६७.००	१४२.००
	25mm	गोटा	२०२.००	२०२.००	१९९.००
	32mm	गोटा	३०७.००	३०७.००	२५५.००
	40mm	गोटा	४१३.००	४१३.००	३१९.००
	50mm	गोटा	५६९.००	५६९.००	४०३.००
	65mm	गोटा	७६८.००	७६८.००	५६०.००
	80mm	गोटा	११३६.००	११३६.००	६५८.००
	100mm	गोटा	४८७.००	४८७.००	९४९.००
	125mm	गोटा			१४४८.००
	150mm	गोटा			१७१९.००
२५	G.I. Nipple Medium Class -12" Long				
	15mm	गोटा	१५१.००	१५१.००	१३६.००
	20mm	गोटा	२२१.००	२२१.००	१८९.००
	25mm	गोटा	२५१.००	२५१.००	२६५.००
	32mm	गोटा	४१०.००	४१०.००	३४०.००
	40mm	गोटा	५०५.००	५०५.००	४२५.००
	50mm	गोटा	७५७.००	७५७.००	५३७.००
	65mm	गोटा	१०२२.००	१०२२.००	७४६.००
	80mm	गोटा	१५१४.००	१५१४.००	८७७.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब. ०७७/७८	आ.ब.०७८/७९
	100mm	गोटा	१८०८.००	१८०८.००	१२६६.००
	125mm	गोटा			१९३९.००
	150mm	गोटा			२२९९.००
२६	G.I. Nipple Medium Class -18" Long				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६९४.००	६९४.००	६९४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	९९३६.००	९९३६.००	९९३६.००
	65mm	गोटा	९५३६.००	९५३६.००	९५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
२७	GI End Cap				
	15mm	गोटा			२५.००
	20mm	गोटा			४०.००
	25mm	गोटा			६५.००
	32mm	गोटा			८०.००
	40mm	गोटा			९५.००
	50mm	गोटा			२५०.००
२८	G.I./G.I. Flange				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	९९८६.००	९९८६.००	९९८६.००
	50mm	गोटा	९४५३.००	९४५३.००	९४५३.००
	65mm	गोटा	९६९९.००	९६९९.००	९६९९.००
	80mm	गोटा	९८९२.००	९८९२.००	९८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
२९	G.I./ Flange Set				
	32mm(1-1/4")	गोटा			६६०.००
	40mm(1-1/2")	गोटा			८८०.००
	50mm(2")	गोटा			९३७५.००
	65mm(2-1/2")	गोटा			९७७५.००
	80mm(3")	गोटा			२३५०.००
	100mm(4")	गोटा			२७२०.००
	125mm(5")	गोटा			२९९२.००
	150mm(6")	गोटा			३२९९.००


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बृहत्कालीन दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	200mm(8")	गोटा			३६२०.००
३०	G.I./HDP Flange				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३३८.००	३३३८.००	३३३८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
३१	GI/HDP Flange set with adaptor				
	50mm(2")	गोटा			१२८०.००
	65mm(2-1/2")	गोटा			१९८०.००
	80mm(3")	गोटा			२४२०.००
	100mm(4")	गोटा			२७७५.००
	125mm(5")	गोटा			३०५३.००
	150mm(6")	गोटा			३३३८.००
	200mm(8")	गोटा			३६९४.००
३२	HDP/HDP Flange set with adaptor				
	32mm	गोटा	९९८.००	९९८.००	९९८.००
	40mm	गोटा	१२७२.००	१२७२.००	१२७२.००
	50mm	गोटा	१५०३.००	१५०३.००	१५०३.००
	65mm	गोटा	१७५५.००	१७५५.००	१७५५.००
	80mm	गोटा	१८७६.००	१८७६.००	१८७६.००
	100mm	गोटा	२३१५.००	२३१५.००	२३१५.००
	125mm	गोटा	३६७०.००	३६७०.००	३६७०.००
	150mm	गोटा	३३७४.००	३३७४.००	३३७४.००
	200mm	गोटा	७३४०.००	७३४०.००	७३४०.००
३३	Brass Compression Fittings				
	15mm	गोटा			२१०.००
	20mm	गोटा			३२०.००
	25mm	गोटा			८१०.००
	32mm	गोटा			१३८०.००
	40mm	गोटा			१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा			३८०.००
	1/2" (25-50mm dia) HDPE Saddle	गोटा			१८०.००
३४	Brass tap - 1/2"				
	15mm 400 gm heavy	गोटा	८७२.००	८७२.००	८७२.००
	Ordinary	गोटा	१९७.००	१९७.००	१९७.००
३५	Globe Valve (GM)				
	15mm	गोटा	८८८.००	८८८.००	८८८.००
	20mm	गोटा	१४४८.००	१४४८.००	१४४८.००
	25mm	गोटा	१७८८.००	१७८८.००	१७८८.००
	32mm	गोटा	२८४९.००	२८४९.००	२८४९.००
	40mm	गोटा	३५७७.००	३५७७.००	३५७७.००

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब. ०७७/७८	आ.ब.०७८/७९
	50mm	गोटा	४४६५.००	४४६५.००	४४६५.००
	65mm	गोटा	८७७२.००	८७७२.००	८७७२.००
	80mm	गोटा	१४४९४.००	१४४९४.००	१४४९४.००
	100mm	गोटा	२३४३७.००	२३४३७.००	२३४३७.००
३६	Float Valve				
	15mm	गोटा	१०९१.००	१०९१.००	१०९१.००
	20mm	गोटा	१२३४.००	१२३४.००	१२३४.००
	25mm	गोटा	१४९७.००	१४९७.००	१४९७.००
	32mm	गोटा	२५८९.००	२५८९.००	२५८९.००
	40mm	गोटा	३८८९.००	३८८९.००	३८८९.००
	50mm	गोटा	५१७९.००	५१७९.००	५१७९.००
३७	C.I. Air valve (Heavy)				
	15mm	गोटा	३६१५.००	३६१५.००	३६१५.००
	20mm	गोटा	४९८७.००	४९८७.००	४९८७.००
	25mm	गोटा	५५३०.००	५५३०.००	५५३०.००
३८	Brass Union with Adopter				
	15mm	गोटा	२३५.००	२३५.००	२३५.००
	20mm	गोटा	३६२.००	३६२.००	३६२.००
	25mm	गोटा	५४८.००	५४८.००	५४८.००
	32mm	गोटा	७१३.००	७१३.००	७१३.००
	40mm	गोटा	१२७२.००	१२७२.००	१२७२.००
	50mm	गोटा	१८८७.००	१८८७.००	१८८७.००
३९	Saddle Ferrule				
	40mm	गोटा	३४०.००	३४०.००	३४०.००
	50mm	गोटा	४४९.००	४४९.००	४४९.००
	65mm	गोटा	१२५६.००	१२५६.००	१२५६.००
	80mm	गोटा	१६६२.००	१६६२.००	१६६२.००
	100mm	गोटा	२३७०.००	२३७०.००	२३७०.००
४०	Flow Regulating Valve (G.M.)				
	15mm	गोटा	१२७२.००	१२७२.००	१२७२.००
४१	C.I Sluice Valve				
	40mm	गोटा	६५८८.००	६५८८.००	६५८८.००
	50mm	गोटा	८७८८.००	८७८८.००	८७८८.००
	65mm	गोटा	१०९७७.००	१०९७७.००	१०९७७.००
	80mm	गोटा	१३१७६.००	१३१७६.००	१३१७६.००
	100mm	गोटा	१७५६४.००	१७५६४.००	१७५६४.००
	125mm	गोटा	२६६९६.००	२६६९६.००	२६६९६.००
	10mm	गोटा	३२०३९.००	३२०३९.००	३२०३९.००
	200mm	गोटा	४४८५५.००	४४८५५.००	४४८५५.००
४२	Brass Ferrule Cock				
	15mm	गोटा	१४४८.००	१४४८.००	१४४८.००
	20mm	गोटा	१८८७.००	१८८७.००	१८८७.००
	25mm	गोटा	२७७०.००	२७७०.००	२७७०.००
४३	Ball valve				



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहिरको दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
	15mm	गोटा	४९३.००	४९३.००	४९३.००
	20mm	गोटा	६२५.००	६२५.००	६२५.००
	25mm	गोटा	८३९.००	८३९.००	८३९.००
	32mm	गोटा	१०११.००	१०११.००	१०११.००
	40mm	गोटा	१९५८.००	१९५८.००	१९५८.००
	50mm	गोटा	३२१४.००	३२१४.००	३२१४.००
४४	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४५१.००	४५१.००	४५१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००

Handwritten signatures and initials at the bottom of the page.

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६।७७	आ.व. ०७७।७८	आ.व.०७८।७९
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००



DI पाईप तथा फिटिङहरू

नेपाल सरकार
पल्प तथा कागज मन्त्रालय
ललितपुर प्रशासक कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी			२१९०.००
	DN150 C40	र.मी			३०१०.००
	DN200 C40	र.मी			४१४०.००
	DN250 C40	र.मी			५७६०.००
	DN300 C40	र.मी			७५८०.००
	DN350 C40	र.मी			८३९०.००
	DN400 C30	र.मी			९९९०.००
	DN450 C30	र.मी			११७७०.००
	DN500 C30	र.मी			१३९१०.००
	DN600 C30	र.मी			१८८५०.००
	DN700 C25	र.मी			२४०५०.००
	DN800 C25	र.मी			३०८८०.००
	DN900 C25	र.मी			४०७००.००
	DN1000 C25	र.मी			४९०१०.००
	DI pipes with flanged end				
	Dia 1000mm C25	र.मी			६६६१०.००
	Dia 900mm C25	र.मी			६४६३०.००
	Dia 800mm C25	र.मी			५३४१०.००
	Dia 700mm C25	र.मी			४२५५०.००
	Dia 600mm C30	र.मी			३४८४०.००
	Dia 500mm C30	र.मी			२५७४०.००
	Dia 450mm C30	र.मी			२१६००.००
	Dia400mm C30	र.मी			१८०१०.००
	Dia 350mm C30	र.मी			१४९२०.००
	Dia 300mm C30	र.मी			११७७०.००
	Dia250mm C40	र.मी			९३५०.००
	Dia200mm C40	र.मी			६९९०.००
	Dia 150mm C40	र.मी			५१८०.००
	Dia 100mm C40	र.मी			३८२०.००
	Dia80mm C40	र.मी			३३१०.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				
	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा			१०५६००.००
	Dia 600mm	गोटा			७३०१०.००
	Dia 500mm	गोटा			४६९३०.००
	Dia 450mm	गोटा			४१७६०.००
	Dia 300mm	गोटा			१६९३०.००
	Dia250mm	गोटा			१२४१०.००
	Dia200mm	गोटा			८५३०.००
	Dia150mm	गोटा			५२८०.००
	Dia100mm	गोटा			२९७०.००
	45 deg bend				
	Dia 1000mm	गोटा			१८३१८०.००
	Dia 700mm	गोटा			८२२१०.००
	Dia 600mm	गोटा			६०२९०.००
	Dia 500mm	गोटा			३८९७०.००
	Dia 450mm	गोटा			३१६७०.००
	Dia400mm	गोटा			२४६६०.००
	Dia 350mm	गोटा			१८५७०.००
	Dia 300mm	गोटा			१४३१०.००
	Dia250mm	गोटा			१०४३०.००
	Dia200mm	गोटा			७३९०.००
	Dia150mm	गोटा			४७४०.००
	22.5 deg bend				
	Dia 1000mm	गोटा			१३८०५०.००
	Dia 900mm	गोटा			१०७८००.००
	Dia 700mm	गोटा			५९५४०.००
	Dia 600mm	गोटा			४०३७०.००
	Dia 500mm	गोटा			२९६३०.००
	Dia 450mm	गोटा			२३२४०.००
	Dia400mm	गोटा			१८०१०.००
	Dia 350mm	गोटा			१४५२०.००
	Dia 300mm	गोटा			११६२०.००

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]
Page 120

[Handwritten signature]

[Handwritten signature]


DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia250mm	गोटा			८७३०.००
	Dia200mm	गोटा			६३३०.००
	Dia150mm	गोटा			४९६०.००
	11.25 deg bend				
	Dia 1000mm	गोटा			९९७४७०.००
	Dia 900mm	गोटा			९२९६०.००
	Dia 800mm	गोटा			६९९९०.००
	Dia 700mm	गोटा			५३०६०.००
	Dia 600mm	गोटा			३४७५०.००
	Dia 300mm	गोटा			९०६४०.००
	Dia250mm	गोटा			८०९०.००
	Dia200mm	गोटा			५८४०.००
	Dia150mm	गोटा			४३६०.००
	DI double flanged bends				
	90 deg bend				
	Dia 900mm	गोटा			२९०२००.००
	Dia 600mm	गोटा			८९०९०.००
	Dia 300mm	गोटा			९८९२०.००
	Dia250mm	गोटा			९५००.००
	Dia200mm	गोटा			८४३०.००
	Dia150mm	गोटा			५५२०.००
	Dia100mm	गोटा			३२७०.००
	45 deg bend				
	Dia 900mm	गोटा			९६९५२०.००
	Dia 800mm	गोटा			९२५३४०.००
	Dia 600mm	गोटा			७४७००.००
	Dia 300mm	गोटा			२०६३०.००
	Dia250mm	गोटा			९५४७०.००
	Dia200mm	गोटा			९०३९०.००
	Dia150mm	गोटा			५९५०.००
	Dia100mm	गोटा			३९३०.००
	22.5 deg bend				
	Dia 900mm	गोटा			९६५६४०.००
	Dia 700mm	गोटा			९३०९०.००
	Dia 300mm	गोटा			२९०७०.००
	Dia200mm	गोटा			७७२०.००
	Dia150mm	गोटा			५२८०.००
	11.25 deg bend				



 Page 121

DI पाईप तथा फिटिङहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	नेपाल सरकार संरक्षण विभाग ललितपुर जिल्ला प्रशासन कार्यालय		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 900mm	गोटा			१६३८००.००
	Dia 600mm	गोटा			७४३७०.००
	Dia 500mm	गोटा			४९७१०.००
	Dia 300mm	गोटा			२११४०.००
	Dia 200mm	गोटा			७९००.००
	Dia 150mm	गोटा			५३६०.००
DI mechanical joint bends					
90 deg bend					
	Dia 600mm	गोटा			७९६४०.००
	Dia 400mm	गोटा			४००१०.००
	Dia 350mm	गोटा			३२०८०.००
	Dia 300mm	गोटा			२५१८०.००
	Dia 250mm	गोटा			१८०७०.००
	Dia 200mm	गोटा			१३५००.००
	Dia 150mm	गोटा			९८६०.००
	Dia 100mm	गोटा			६१५०.००
	Dia 80mm	गोटा			५२५०.००
DI Duck Foot 90 deg Bend					
	Dia 80mm	गोटा			३८००.००
	Dia 100mm	गोटा			४७५०.००
	Dia 150mm	गोटा			७०००.००
	Dia 200mm	गोटा			९९१०.००
	Dia 250mm	गोटा			१५१५५.००
	Dia 300mm	गोटा			२०४००.००
DI long radius bend					
	Dia 100mm	गोटा			४७५०.००
	Dia 150mm	गोटा			८०२०.००
	Dia 200mm	गोटा			१२०६०.००
	Dia 250mm	गोटा			१७७९०.००
DI double socket reducer					
	Dia 1000mmX900mm	गोटा			९७६५०.००
	Dia 900mmx800mm	गोटा			७८८३०.००
	Dia 800mmx700mm	गोटा			६१४९०.००
	Dia 300mmx200mm	गोटा			१०२८०.००
	Dia 200mmx150mm	गोटा			५५१०.००
DI double flanged reducer					
	Dia 900mmx700mm	गोटा			१०३८३०.००
	Dia 700mmx600mm	गोटा			६९०८०.००

Page 122


DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	Dia 700mmx400mm	गोटा			५९९९०.००
	Dia 600mmx500mm	गोटा			५५९४०.००
	Dia 600mmx400mm	गोटा			५११२०.००
	Dia 500mmx400mm	गोटा			३६५७०.००
	Dia 400x350mm	गोटा			१८६१०.००
	Dia 400mmx300mm	गोटा			२३८४०.००
	Dia 400mmx250mm	गोटा			२२६८०.००
	Dia 300mmx250mm	गोटा			११४८०.००
	Dia 300mmx200mm	गोटा			१४४१०.००
	Dia300mmx150mm	गोटा			१३६१०.००
	Dia250mmx200mm	गोटा			८५९०.००
	Dia250mmx150mm	गोटा			११०२०.००
	Dia 200mmx150mm	गोटा			६०४०.००
	Dia 200mmx100mm	गोटा			७४००.००
	Dia 150mmx100mm	गोटा			४२४०.००
	Dia150mmx80mm	गोटा			४३९०.००
	Dia150mmx65mm	गोटा			४४००.००
	DI Blank flange				
	Dia 1000mm	गोटा			११२४१०.००
	Dia 900mm	गोटा			८३८१०.००
	Dia 800mm	गोटा			६३२८०.००
	Dia 700mm	गोटा			४५८६०.००
	Dia 600mm	गोटा			३५३८०.००
	Dia 500mm	गोटा			२२५१०.००
	Dia 450mm	गोटा			१७६९०.००
	Dia400mm	गोटा			१३०७०.००
	Dia 350mm	गोटा			९६८०.००
	Dia 300mm	गोटा			६६४०.००
	Dia250mm	गोटा			४९८०.००
	Dia200mm	गोटा			३१६०.००
	Dia150mm	गोटा			२१४०.००
	Dia100mm	गोटा			१२७०.००
	Dia80mm	गोटा			११३०.००
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	गोटा			१०२७००.००
	Dia 800mmx600mm	गोटा			१६१०६०.००
	Dia 800mmx400mm	गोटा			१०७९२०.००
	Dia 700mmx150mm	गोटा			६५३३०.००



 Page 123


DI पाईप तथा फिटिङहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.स.स.बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 600mmx150mm	गोटा			४५३७०.००
	Dia 600mmx100mm	गोटा			४०२७०.००
	Dia 500mmx100mm	गोटा			३००३०.००
	Dia 400mmx150mm	गोटा			२७६९०.००
	Dia 300mmx100mm	गोटा			१४२९०.००
	Dia 300mmx80mm	गोटा			१४०५०.००
	Dia300mmx65mm	गोटा			१३९८०.००
	Dia250mmx250mm	गोटा			१७६४०.००
	Dia250mmx150mm	गोटा			१४७३०.००
	Dia 250mmx100mm	गोटा			११५९०.००
	Dia 250mmx80mm	गोटा			११३९०.००
	Dia 250mmx65mm	गोटा			११४४०.००
	Dia 200mmx150mm	गोटा			१०३६०.००
	Dia 200mmx100mm	गोटा			८८७०.००
	Dia 200mmx80mm	गोटा			८०००.००
	Dia 200mmx65mm	गोटा			८३४०.००
	Dia 150mmx150mm	गोटा			७८३०.००
	Dia150mmx100mm	गोटा			६४६०.००
	Dia150mmx80mm	गोटा			६०२०.००
	Dia150mmx65mm	गोटा			६०६०.००
	Mechanical joint Tee with flanged branch				
	Dia 600mmx600mm	गोटा			१०३२००.००
	Dia 500mmx500mm	गोटा			७३७००.००
	Dia 400mmx400mm	गोटा			४९५७०.००
	Dia 350mmx350mm	गोटा			३९६००.००
	Dia 300mmx300mm	गोटा			३०८८०.००
	Dia250mmx250mm	गोटा			२२६७०.००
	Dia200mmx200mm	गोटा			१६५२०.००
	Dia 150mmx150mm	गोटा			१२०२०.००
	Dia100mmx100mm	गोटा			७५६०.००
	Dia 80mmx80mm	गोटा			६५१०.००
	All Socket Tee				
	Dia 300mmx200mm	गोटा			१८४५०.००
	Dia 300mmx150mm	गोटा			१७५७०.००
	Dia 250mmx200mm	गोटा			१५३९०.००
	Dia 250mmx150mm	गोटा			१४१००.००
	Dia 200mmx200mm	गोटा			११९३०.००
	Dia 200mmx150mm	गोटा			९६९०.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 150mmx150mm	गोटा			७२८०.००
	All Flanged Tee				
	Dia 900mmx900mm	गोटा			२६१५३०.००
	Dia 700mmx300mm	गोटा			९९४७०.००
	Dia 600mmx500mm	गोटा			११६३२०.००
	Dia 600mmx400mm	गोटा			१०७३८०.००
	Dia 600mmx300mm	गोटा			१०३४९०.००
	Dia 500mmx300mm	गोटा			७२३२०.००
	Dia500mmx200mm	गोटा			६५४८०.००
	Dia450mmx150mm	गोटा			५११७०.००
	Dia400mmx400mm	गोटा			५२६५०.००
	Dia400mmx300mm	गोटा			४७५८०.००
	Dia 400mmx150mm	गोटा			४५३८०.००
	Dia 350mmx350mm	गोटा			४२६४०.००
	Dia 350mmx300mm	गोटा			४१७३०.००
	Dia 300mmx300mm	गोटा			३३५००.००
	Dia 300mmx250mm	गोटा			२९२००.००
	Dia 300mmx200mm	गोटा			२७०००.००
	Dia 300mmx150mm	गोटा			२६०००.००
	Dia 300mmx100mm	गोटा			२४५६०.००
	Dia 300mmx80mm	गोटा			२३९८०.००
	Dia250mmx250mm	गोटा			२२५४०.००
	Dia250mmx200mm	गोटा			२०६३०.००
	Dia250mmx150mm	गोटा			२००४०.००
	Dia250mmx100mm	गोटा			१८३७०.००
	Dia250mmx80mm	गोटा			१८०९०.००
	Dia250mmx65mm	गोटा			१५३३०.००
	Dia200mmx200mm	गोटा			१३४००.००
	Dia200mmx150mm	गोटा			१२३९०.००
	Dia200mmx100mm	गोटा			११४००.००
	Dia200mmx80mm	गोटा			११२३०.००
	Dia 150mmx150mm	गोटा			८९००.००
	Dia 150mmx100mm	गोटा			८०६०.००
	Dia 150mmx80mm	गोटा			७८८०.००
	Dia 150mmx65mm	गोटा			७७६०.००
	Dia 125mmx125mm	गोटा			८५५०.००
	Dia 125mmx100mm	गोटा			८०१०.००
	Dia 125mmx80mm	गोटा			७६८०.००



DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.क.पु.हा.के.को दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 125mmx65mm	गोटा			७३५०.००
	Dia 100mmx100mm	गोटा			६६००.००
	Dia 100mmx80mm	गोटा			६४५०.००
	Dia 100mmx65mm	गोटा			६२००.००
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा			१४४१८०.००
	Dia 900mmx150mm	गोटा			११८१२०.००
	Dia 700mmx150mm	गोटा			७३०२०.००
	Dia 600mmx100mm	गोटा			४२९७०.००
	Dia 500mmx100mm	गोटा			३३९७०.००
	Dia 400mmx80mm	गोटा			२४२५०.००
	Dia 300mmx80mm	गोटा			१५४५०.००
	Dia 250mm x 80mm	गोटा			१२२९०.००
	Dia 200mmx80mm	गोटा			९५७०.००
	Dia 150mmx80mm	गोटा			९५३०.००
	DI Flanged Socket (FS)				
	Dia 1400mm	गोटा			३४८३७०.००
	Dia 1200mm	गोटा			२५९०४०.००
	Dia 1100mm	गोटा			३२५३७०.००
	Dia 1000mm	गोटा			१६६९५०.००
	Dia 900mm	गोटा			१२९८६०.००
	Dia 800mm	गोटा			१०६०००.००
	Dia 700mm	गोटा			७९९९०.००
	Dia 600mm	गोटा			७७७९०.००
	Dia 500mm	गोटा			४७२२०.००
	Dia 400mm	गोटा			३३२५०.००
	Dia 350mm	गोटा			३०९८०.००
	Dia 300mm	गोटा			२९४८०.००
	Dia 250mm	गोटा			१६०९०.००
	Dia 200mm	गोटा			१०४३०.००
	Dia 150mm	गोटा			८७५०.००
	Dia 100mm	गोटा			६५४०.००
	DI Single Flanged Tail Piece (SFTP)				
	1400mmdia	गोटा			३५२७०.००
	1200mmdia	गोटा			३६२८२०.००
	1100mmdia	गोटा			३२९२८०.००

Page 126

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	1000mmdia	गोटा			१७८६६०.००
	900mmdia	गोटा			१४३८००.००
	800mmdia	गोटा			११८९१०.००
	700mmdia	गोटा			९०४८०.००
	600mmdia	गोटा			६८४५०.००
	500mmdia	गोटा			४७९९०.००
	450mmdia	गोटा			३९६८०.००
	400mmdia	गोटा			३००६०.००
	350mmdia	गोटा			२२४८०.००
	300mmdia	गोटा			१७९५०.००
	250mmdia	गोटा			१३०५०.००
	200mmdia	गोटा			९३५०.००
	150mmdia	गोटा			६६००.००
	100mmdia	गोटा			३९२०.००
	80mmdia	गोटा			३१७०.००
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mmdia	गोटा			४०६७१०.००
	1200mmdia	गोटा			२०७६९०.००
	1000mmdia	गोटा			१६२३३०.००
	900mmdia	गोटा			१३२५००.००
	800mmdia	गोटा			९९९९०.००
	700mmdia	गोटा			८९७४०.००
	600mmdia	गोटा			५९०३०.००
	500mmdia	गोटा			४१५६०.००
	400mmdia	गोटा			३७७३०.००
	300mmdia	गोटा			२६८५०.००
	250mmdia	गोटा			२००१०.००
	200mmdia	गोटा			१३०४०.००
	150mmdia	गोटा			१०९४०.००
	100mmdia	गोटा			८१८०.००
	80mmdia	गोटा			६८७०.००
	DI all Flanged cross				
	Dia 900mm	गोटा			२९४८५०.००
	Dia 800mm	गोटा			२३२७९०.००
	Dia 700mm	गोटा			१८४१४०.००
	Dia 600mm	गोटा			१५३३१०.००
	Dia 500mm	गोटा			१००५९०.००
	Dia 400mm	गोटा			६७४७०.००


(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)


DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुद्रक बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 300mm	गोटा			४०३४०.००
	Dia 250mm	गोटा			२९५१०.००
	Dia 200mm	गोटा			१७५३०.००
	Dia 150mm	गोटा			११७३०.००
	DI all socket cross				
	Dia 900mm	गोटा			३१८७८०.००
	Dia 800mm	गोटा			२३८७१०.००
	Dia 700mm	गोटा			१७७७२०.००
	Dia 600mm	गोटा			१०७१६०.००
	Dia 500mm	गोटा			७२३७०.००
	Dia 400mm	गोटा			४७०५०.००
	Dia 300mm	गोटा			२६९७०.००
	Dia 250mm	गोटा			१९४२०.००
	Dia 200mm	गोटा			१३८९०.००
	Dia 150mm	गोटा			९१००.००
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा			१०१५८०.००
	Dia 900mm	गोटा			८१५५०.००
	Dia 800mm	गोटा			६६४३०.००
	Dia 700mm	गोटा			५३९१०.००
	Dia 600mm	गोटा			४११८०.००
	Dia 500mm	गोटा			३१६३०.००
	Dia 450mm	गोटा			२५७००.००
	Dia 400mm	गोटा			२१४२०.००
	Dia 350mm	गोटा			१६९१०.००
	Dia 300mm	गोटा			१२५९०.००
	Dia 250mm	गोटा			१००४०.००
	Dia 200mm	गोटा			७३१०.००
	Dia 150mm	गोटा			५३६०.००
	Dia 100mm	गोटा			३३००.००
	Dia 80mm	गोटा			३०३०.००
	Dia 65mm	गोटा			२१००.००
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				

Page 128

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 1000mm	गोटा			२६१३५०.००
	Dia 900mm	गोटा			२०४३६०.००
	Dia 800mm	गोटा			१५९६१०.००
	Dia 700mm	गोटा			१३४४५०.००
	Dia 600mm	गोटा			१०६८९०.००
	Dia 500mm	गोटा			८३३७०.००
	Dia 450mm	गोटा			६४५००.००
	Dia 400mm	गोटा			५२४७०.००
	Dia 350mm	गोटा			४०१९०.००
	Dia 300mm	गोटा			३११८०.००
	Dia 250mm	गोटा			२३२००.००
	Dia 200mm	गोटा			१६७४०.००
	Dia 150mm	गोटा			१३१००.००
	Dia 100mm	गोटा			७७२०.००
	Dia 80mm	गोटा			६७००.००
	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा			४८६८०.००
	Dia 700mm	गोटा			३११८०.००
	Dia 600mm	गोटा			२०३३०.००
	Dia 500mm	गोटा			१६३३०.००
	Dia 450mm	गोटा			१४१४०.००
	Dia 400mm	गोटा			१३८२०.००
	Dia 350mm	गोटा			१०७९०.००
	Dia 300mm	गोटा			७६००.००
	Dia 250mm	गोटा			६१४०.००
	Dia 200mm	गोटा			४३६०.००
	Dia 150mm	गोटा			३४९०.००
	Dia 100mm	गोटा			२१६०.००
	Dia 80mm	गोटा			१९६०.००
	Dia 65mm	गोटा			१९६०.००
	DI basket type strainer (FE xFE) with all complete nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा			१६३७०.००
	Dia 350mm	गोटा			१२३६७०.००

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कि.पु.सा.हे.क.को दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Dia 300mm	गोटा			६७३३०.००
	Dia 250mm	गोटा			४५१२०.००
	Dia 200mm	गोटा			२८१२०.००
	Dia 150mm	गोटा			१६२३०.००
	Dia 100mm	गोटा			७९६०.००
	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा			७३२७०.००
	900 mm dia	गोटा			७१०९०.००
	800 mm dia	गोटा			५८७५०.००
	700 mm dia	गोटा			४६८१०.००
	600 mm dia	गोटा			३८३२०.००
	500 mm dia	गोटा			२८३१०.००
	450 mm dia	गोटा			२३७६०.००
	400 mm dia	गोटा			१९८१०.००
	350 mm dia	गोटा			१६४१०.००
	300 mm dia	गोटा			१२९५०.००
	250 mm dia	गोटा			१०२९०.००
	200 mm dia	गोटा			७६९०.००
	150 mm dia	गोटा			५७००.००
	100 mm dia	गोटा			४२००.००
	80 mm dia	गोटा			३६४०.००
	DI Flange Bell Mouth				
	Dia 700mm	गोटा			७३६२०.००
	Dia 600mm	गोटा			५३२८०.००
	Dia 500mm	गोटा			३७०७०.००
	Dia 450mm	गोटा			१६९७०.००
	Dia 400mm	गोटा			१६५८०.००
	Dia 350mm	गोटा			१२९५०.००
	Dia 300mm	गोटा			९१२०.००
	Dia 250mm	गोटा			७३७०.००
	Dia 200mm	गोटा			५२३०.००
	Dia 150mm	गोटा			४१९०.००
	Dia 100mm	गोटा			२५९०.००
	Dia 80mm	गोटा			२३५०.००
	Dia 65mm	गोटा			२३५०.००
	DI Strainer				

Page 130

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	1200 mm dia	गोटा			३६३४६०.००
	1100 mm dia	गोटा			२८६२८०.००
	1000 mm dia	गोटा			२०९०९०.००
	900 mm dia	गोटा			१५७०३०.००
	Supply of double flanged butterfly vaive PN16 as per specification all complete				
	Dia 1000mm	गोटा			७२७६००.००
	Dia 900mm	गोटा			५८०९५०.००
	Dia 800mm	गोटा			४९६३२०.००
	Dia 700mm	गोटा			३३७०४०.००
	Dia 600mm	गोटा			२२५६९०.००
	Dia 500mm	गोटा			१७०४२०.००
	Dia 450mm	गोटा			१२७५९०.००
	Dia 400mm	गोटा			१०९६८०.००
	Dia350mm	गोटा			७३९२०.००
	Dia 300mm	गोटा			६०६७०.००
	Dia 250mm	गोटा			४७७६०.००
	Dia 200mm	गोटा			३९२६०.००
	Dia 150mm	गोटा			१५४९०.००
	Supply of double flanged DI Sluice/ Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा			५९६७५०.००
	Dia 500mm	गोटा			२८५६७०.००
	Dia 450mm	गोटा			१९७८९०.००
	Dia 400mm	गोटा			१३९४४०.००
	Dia350mm	गोटा			१०२९८०.००
	Dia 300mm	गोटा			६२२२०.००
	Dia 250mm	गोटा			४६३४०.००
	Dia 350mm	गोटा			९२२७०.००
	Dia 300mm	गोटा			५६५६०.००
	Dia 250mm	गोटा			४३२७०.००
	Dia 200mm	गोटा			२५८२०.००
	Dia 150mm	गोटा			१९८५०.००
	Dia 125mm	गोटा			१६५००.००
	Dia 100mm	गोटा			१७८५०.००
	Dia 80mm	गोटा			१२८६६.००
	Dia 65mm	गोटा			९६७०.००
	Dia 50mm	गोटा			८६५२.००
	Fire Hydrant				

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब. ०७८।७९
	Dia 80mm	गोटा			११४७०.००
	Dia 100mm	गोटा			२३०४०.००
	160mm dia CI ROAD SURFACE BOX	गोटा			३१५०.००
	Ball Valve				
	15mm	गोटा			१८०.००
	25mm	गोटा			३२०.००
	32mm	गोटा			८५०.००
	40mm	गोटा			१३४०.००
	50mm	गोटा			२२००.००
	Check valve (Horizontal Flow)				
	15mm	गोटा			५२०.००
	20mm	गोटा			८२०.००
	25mm	गोटा			१४१०.००
	Check valve (vertical Flow)				
	15mm	गोटा			३२०.००
	20mm	गोटा			४१०.००
	25mm	गोटा			४५०.००
	Check valve				
	150mm	गोटा			१७९७०.००
	200mm	गोटा			२६९५०.००
	250mm	गोटा			४०४३०.००
	300mm	गोटा			६०६५०.००
	Pressure Gauge (Pressure up to) including Fitting & accessories				
	PN10	गोटा			२४५०.००
	PN15	गोटा			३२००.००
	PN30	गोटा			४६००.००
	PN45	गोटा			५५००.००
	Bulk Water Meter				
	300mm	गोटा			१५३६४०.००
	200mm	गोटा			१०२४३०.००
	150mm	गोटा			७५७४०.००
	100mm	गोटा			४३७००.००
	80mm	गोटा			२९१३०.००
	65mm	गोटा			१९४२०.००
	15mm	गोटा			१५००.००
	Supply of water meter volumetric type including fittings and accessories				

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	15mm	गोटा			१६१०.००
	20mm	गोटा			२२९०.००
	25mm	गोटा			५९४०.००
	Float Valve				
	15mm	गोटा			७३०.००
	20mm	गोटा			१४१०.००
	25mm	गोटा			२३२०.००
	GM Gate/ Globe Valve				
	15mm	गोटा			७७०.००
	20mm	गोटा			१०९०.००
	25mm	गोटा			१६८०.००
	32mm	गोटा			२२३०.००
	40mm	गोटा			२५८०.००
	50mm	गोटा			४२७५.००
	65mm	गोटा			८६९०.००
	80mm	गोटा			११६००.००
	100mm	गोटा			१६४००.००
	DI Sluice Valve				
	65mm(2-1/2")	गोटा			१२७३०.००
	80mm(3")	गोटा			१७७३०.००
	100mm(4")	गोटा			२५०००.००
	125mm(5")	गोटा			३०४५०.००
	150mm(6")	गोटा			३७५००.००

(Handwritten signatures and initials)



PE Electro Fusion Fittings and Combination Accessories

नेपाल सरकार
जिल्ला प्रशासन कार्यालय-
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा			९९.००
	25mm	गोटा			१२३.००
	32mm	गोटा			१३२.००
	40mm	गोटा			२५७.००
	50mm	गोटा			२४५.००
	63mm	गोटा			२५३.००
	75mm	गोटा			३९०.००
	90mm	गोटा			४५५.००
	110mm	गोटा			६१२.००
	125mm	गोटा			८२३.००
	140mm	गोटा			१२७३.००
	160mm	गोटा			१४३३.००
	180mm	गोटा			२१५०.००
	200mm	गोटा			२५४७.००
	225mm	गोटा			३५०३.००
	250mm	गोटा			५५७२.००
	280mm	गोटा			६६८६.००
	Electorfusion Reducer				
	50mm × 40mm	गोटा			२०९.००
	63mm × 50mm	गोटा			२४४.००
	75mm × 63mm	गोटा			४८५.००
	90mm × 75mm	गोटा			६०३.००
	90mm × 63mm	गोटा			६६१.००
	90mm × 50mm	गोटा			९०५.००
	110mm × 63mm	गोटा			७९६.००
	110mm × 75mm	गोटा			१४६३.००
	110mm × 90mm	गोटा			८६१.००
	125mm × 63mm	गोटा			१०२८.००
	125mm × 75mm	गोटा			१७१०.००
	125mm × 90mm	गोटा			११०७.००
	125mm × 110mm	गोटा			८६६.००
	140mm × 90mm	गोटा			३४२७.००
	140mm × 110mm	गोटा			४०१३.००
	140mm × 125mm	गोटा			४४६३.००
	160mm × 90mm	गोटा			४३६१.००
	160mm × 110mm	गोटा			४६२९.००



PE Electro Fusion Fittings and Combination Accessories

नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	160mm × 125mm	गोटा			५१५९.००
	160mm × 140mm	गोटा			५८४५.००
	180mm × 90mm	गोटा			६१८६.००
	180mm × 125mm	गोटा			६४५३.००
	180mm × 140mm	गोटा			७३२९.००
	180mm × 160mm	गोटा			८१२७.००
	200mm × 110mm	गोटा			६७३३.००
	200mm × 140mm	गोटा			८६६८.००
	200mm × 160mm	गोटा			९१०९.००
	200mm × 180mm	गोटा			१०६४०.००
	225mm × 90mm	गोटा			९७९६.००
	225mm × 110mm	गोटा			९५४७.००
	225mm × 225mm	गोटा			१५०१४.००
	225mm × 160mm	गोटा			११२८८.००
	225mm × 180mm	गोटा			१३०८२.००
	225mm × 200mm	गोटा			१४३८४.००
	250mm × 160mm	गोटा			१४४१५.००
	225mm × 180mm	गोटा			१६६६५.००
	225mm × 200mm	गोटा			१७५६६.००
	225mm × 225mm	गोटा			२०२७५.००
	280mm × 180mm	गोटा			१९८७९.००
	280mm × 200mm	गोटा			२१२२५.००
	280mm × 225mm	गोटा			२३२०३.००
	280mm × 250mm	गोटा			२८१०९.००
	Electrofusion Elbow 45°				
	50mm	गोटा			३०४.००
	63mm	गोटा			४४७.००
	75mm	गोटा			११७०.००
	90mm	गोटा			१००७.००
	110mm	गोटा			३०१३.००
	125mm	गोटा			४१६०.००
	140mm	गोटा			५६२३.००
	160mm	गोटा			७२४६.००
	180mm	गोटा			१०३९६.००
	200mm	गोटा			१३०८९.००
	225mm	गोटा			१७८७८.००

(Handwritten signatures and marks)



PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	250mm	गोटा			२५७४६.००
	280mm	गोटा			३३९९९.००
	90				
	50mm	गोटा			२५३.००
	63mm	गोटा			४०३.००
	75mm	गोटा			५३९.००
	90mm	गोटा			९०२५.००
	110mm	गोटा			९३७२.००
	125mm	गोटा			९७३९.००
	140mm	गोटा			६४५२.००
	160mm	गोटा			८९९५.००
	180mm	गोटा			९९९४७.००
	200mm	गोटा			९५९९९.००
	225mm	गोटा			२०४२२.००
	250mm	गोटा			३००९०.००
	280mm	गोटा			४२८३३.००
	Electrofusion End Cap				
	50mm	गोटा			३३६.००
	63mm	गोटा			४९७.००
	75mm	गोटा			५९४.००
	90mm	गोटा			७६२.००
	110mm	गोटा			९३६५.००
	125mm	गोटा			९९७५.००
	140mm	गोटा			२३९५.००
	160mm	गोटा			३४७०.००
	180mm	गोटा			४९७२.००
	200mm	गोटा			६५०८.००
	225mm	गोटा			८४३२.००
	250mm	गोटा			९९९७.००
	280mm	गोटा			९५४७७.००
	Electrofusion Equal Tee				
	50mm	गोटा			३३५.००
	63mm	गोटा			४८९.००
	75mm	गोटा			७५९.००
	90mm	गोटा			९९९८.००
	110mm	गोटा			९५४३.००
	125mm	गोटा			९९०९.००
	140mm	गोटा			७६२०.००
	160mm	गोटा			९०४७७.००



PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	180mm	गोटा			१४८२४.००
	200mm	गोटा			१८७४८.००
	225mm	गोटा			२५५१५.००
	250mm	गोटा			३६९६५.००
	280mm	गोटा			५२५५५.००
	Electrofusion Saddle Clamp				
	50mm×40mm	गोटा			७२८.००
	75-225mm×50mm	गोटा			९५२.००
	HDPE Adopter PN 16				
	50mm	गोटा			२७०.००
	63mm	गोटा			३४०.००
	75mm	गोटा			४८०.००
	90mm	गोटा			६२०.००
	110mm	गोटा			८६०.००
	125mm	गोटा			९५०.००
	140mm	गोटा			१३००.००
	160mm	गोटा			१८७०.००
	180mm	गोटा			२६८०.००
	200mm	गोटा			२९३०.००
	225mm	गोटा			३८००.००
	250mm	गोटा			५०४०.००
	280mm	गोटा			६९७०.००



PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	ललितपुर एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² . Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा			२१२८०.००
	DN 50	गोटा			२८७५०.००
	DN 65	गोटा			३४५००.००
	DN 80	गोटा			४०२५०.००
	DN 100	गोटा			४६०००.००
	DN 125	गोटा			५७५००.००
	DN 150	गोटा			७४७५०.००
	DN 200	गोटा			१०३५००.००
	DN 250	गोटा			१४९५००.००
	DN 300	गोटा			२०१२५०.००
	DN 350	गोटा			३१६२५०.००
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² . Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा			२३०००.००
	DN 50	गोटा			३०४८०.००
	DN 65	गोटा			३६२३०.००
	DN 80	गोटा			४१९८०.००
	DN 100	गोटा			४७७३०.००
	DN 125	गोटा			५९२३०.००
	DN 150	गोटा			७६४८०.००
	DN 200	गोटा			१०५२३०.००
	DN 250	गोटा			१५१२३०.००
	DN 300	गोटा			२०२९८०.००
	DN 350	गोटा			३१७९८०.००
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा			४००.००
	DN 50	गोटा			४३०.००
	DN 65	गोटा			५८०.००
	DN 80	गोटा			६३०.००
	DN 100	गोटा			६५०.००
	DN 150	गोटा			७५०.००
	DN 125	गोटा			८८०.००
	DN 200	गोटा			१४४०.००
	DN 250	गोटा			२१६०.००
	DN 300	गोटा			२५९०.००


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]




PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	DN 350	गोटा			३५७०.००
	MS Blind Flange, ISOD 16mm thick				
	DN 40	गोटा			५२०.००
	DN 50	गोटा			५६०.००
	DN 65	गोटा			७५०.००
	DN 80	गोटा			८२०.००
	DN 100	गोटा			८५०.००
	DN 125	गोटा			९७०.००
	DN 150	गोटा			११५०.००
	DN 200	गोटा			१८७०.००
	DN 250	गोटा			२८१०.००
	DN 300	गोटा			३३६०.००
	DN 350	गोटा			४६३०.००
	MS Flange, ISOD 22mm thick				
	DN 40	गोटा			९२०.००
	DN 50	गोटा			९९०.००
	DN 65	गोटा			१२७०.००
	DN 80	गोटा			१४४०.००
	DN 100	गोटा			१७३०.००
	DN 125	गोटा			२०७०.००
	DN 150	गोटा			२६५०.००
	DN 200	गोटा			४३३०.००
	DN 250	गोटा			५६५०.००
	DN 300	गोटा			८३२०.००
	DN 350	गोटा			९३२०.००
	MS Blind Flange, ISOD 32mm thick				
	DN 40	गोटा			१२००.००
	DN 50	गोटा			१२९०.००
	DN 65	गोटा			१६४०.००
	DN 80	गोटा			१८७०.००
	DN 100	गोटा			२२४०.००
	DN 125	गोटा			२६९०.००
	DN 150	गोटा			३४४०.००
	DN 200	गोटा			५६४०.००
	DN 250	गोटा			७३६०.००
	DN 300	गोटा			१०८१०.००
	DN 350	गोटा			१२९१०.००
	Seamless (90°-22°) CARBON STEEL BEND, size dia				

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	2"	गोटा			३३०.००
	2 1/2"	गोटा			५८०.००
	3"	गोटा			८३०.००
	4"	गोटा			१३८०.००
	5"	गोटा			२५३०.००
	6"	गोटा			३५१०.००
	8"	गोटा			६५६०.००
	10"	गोटा			१२८८०.००
	12"	गोटा			१७८३०.००
	14"	गोटा			२०१३०.००
	Seamless REDUCER ASTM-40, (size dia larger dia.)				
	2"	गोटा			२६०.००
	2 1/2"	गोटा			४६०.००
	3"	गोटा			६७०.००
	4"	गोटा			११००.००
	5"	गोटा			२०२०.००
	6"	गोटा			२८१०.००
	8"	गोटा			५२४०.००
	10"	गोटा			१०३००.००
	12"	गोटा			१४२६०.००
	14"	गोटा			१६१००.००
	Nut & Bolt (FORZED, Size, set/kg)	गोटा			३००.००
	3 mm thick Gasket liner	गोटा			२५६०.००





Electrical Accessories-Distribution Box (DB) & Connector Box

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 10/15 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 25A FP Change Over switch Incoming, 50A, 4 pole Conector, 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			२२०००.००
	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 60/70 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			५९३००.००
	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 30/40/50 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 75A FP Change Over switch Incoming, 150A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			६५५००.००
	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 60/70 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			९०२००.००

Electrical Accessories-Distribution Box (DB) & Connector Box

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	1300mm x 1100mm x 300mm Size Main Distribution Panel Board for upto 75/100 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 300A FP Change Over switch Incoming, 400A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			१२९०००.००
	1400mm x 1200mm x 400mm Size Main Distribution Panel Board for upto 150/180/250 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 600A FP Change Over switch Incoming, 800A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			१६४५१५.००

(Handwritten signatures and marks)



पोलिप्रोपिलिन रेण्डम (PPR) पाइप सिस्टम फिटिङहरू

नेपाल सरकार
सुनसरी जिल्ला प्रशासन कार्यालय
सुनसरी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
१	PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५१.३३	५१.३३	५१.३३
	25mm " 2.3 mm thick 0.164kg/m	र.मि	७८.७६	७८.७६	७८.७६
	32mm 2.9 mm thick 0.26kg/m	र.मि	१२४.७८	१२४.७८	१२४.७८
	40mm 3.7 mm thick 0.412kg/m	र.मि	१९७.३५	१९७.३५	१९७.३५
	50mm 4.6 mm thick 0.638kg/m	र.मि	३०६.१९	३०६.१९	३०६.१९
	63 mm 8.6 mm thick 0.638kg/m	र.मि	४८४.९६	४८४.९६	४८४.९६
	75 mm	र.मि	६७६.११	६७६.११	६७६.११
	90 mm	र.मि	९७३.४५	९७३.४५	९७३.४५
	110 mm	र.मि	१४४४.२५	१४४४.२५	१४४४.२५
२	PP-R Pipe (PN-16)				
	20mm 2.80 mm thick 0.148kg/m	र.मि	६९.०३	६९.०३	६९.०३
	25mm 3.50 mm thick 0.26kg/m	र.मि	१०७.९६	१०७.९६	१०७.९६
	32mm 3.7 mm thick 0.230kg/m	र.मि	१७१.६८	१७१.६८	१७१.६८
	40mm 5.50 mm thick 0.575kg/m	र.मि	२७६.११	२७६.११	२७६.११
	50mm 6.90 mm thick 0.896kg/m	र.मि	४३०.०९	४३०.०९	४३०.०९
	63 mm 4.6 mm thick 0.638kg/m	र.मि	६७६.११	६७६.११	६७६.११
	75 mm	र.मि	९६४.६०	९६४.६०	९६४.६०
	90 mm	र.मि	१३७६.९९	१३७६.९९	१३७६.९९
	110 mm	र.मि	२०६२.८३	२०६२.८३	२०६२.८३
३	PP-R Pipe (PN-20)				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	८२.३०	८२.३०	८२.३०
	25mm 4.20 mm thick 0.266kg/m	र.मि	१२७.४३	१२७.४३	१२७.४३
	32mm 5.40 mm thick 0.434kg/m	र.मि	२०७.९६	२०७.९६	२०७.९६
	40mm 6.70 mm thick 0.671kg/m	र.मि	३२२.१२	३२२.१२	३२२.१२
	50mm 8.30 mm thick 1.04kg/m	र.मि	४९९.१२	४९९.१२	४९९.१२
	63mm 8.6mm thick 1.04kg/m	र.मि	७९१.१५	७९१.१५	७९१.१५
	75 mm	र.मि	११२२.१२	११२२.१२	११२२.१२
	90 mm	र.मि	१६११.५०	१६११.५०	१६११.५०
	110 mm	र.मि	२४०३.५४	२४०३.५४	२४०३.५४
४	PP-R Pipe Accessories				
	Elbow (90 °)				
	20mm	गोटा	१०.६२	१०.६२	१०.६२
	25mm	गोटा	२०.३५	२०.३५	२०.३५
	32mm	गोटा	३५.४०	३५.४०	३५.४०
	40mm	गोटा	७३.४५	७३.४५	७३.४५
	50mm	गोटा	१२३.०१	१२३.०१	१२३.०१
	63 mm	गोटा	२१६.८१	२१६.८१	२१६.८१
	75 mm	गोटा	४०६.१९	४०६.१९	४०६.१९


Handwritten signatures and stamps at the bottom of the page.



पोलिप्रोपोलिन रेण्डम (PPR) पाइप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	90 mm	गोटा	६८५.८४	६८५.८४	६८५.८४
	110 mm	गोटा	९२७७.८८	९२७७.८८	९२७७.८८
५	Equal Tee				
	20mm	गोटा	९४.९६	९४.९६	९४.९६
	25mm	गोटा	२४.७८	२४.७८	२४.७८
	32mm	गोटा	४३.३६	४३.३६	४३.३६
	40mm	गोटा	८४.०७	८४.०७	८४.०७
	50mm	गोटा	९४३.३६	९४३.३६	९४३.३६
	63mm	गोटा	२६०.९८	२६०.९८	२६०.९८
	75 mm	गोटा	४५९.३३	४५९.३३	४५९.३३
	90 mm	गोटा	८२६.५५	८२६.५५	८२६.५५
	110 mm	गोटा	९४३५.४०	९४३५.४०	९४३५.४०
६	Coupler				
	20mm	गोटा	७.००	७.००	७.००
	25mm	गोटा	९.००	९.००	९.००
	32mm	गोटा	२०.३५	२०.३५	२०.३५
	40mm	गोटा	३९.८२	३९.८२	३९.८२
	50mm	गोटा	६६.३७	६६.३७	६६.३७
	63 mm	गोटा	९९६.८९	९९६.८९	९९६.८९
	75 mm	गोटा	२२५.६६	२२५.६६	२२५.६६
	90 mm	गोटा	३३३.६३	३३३.६३	३३३.६३
	110 mm	गोटा	६०९.७३	६०९.७३	६०९.७३
७	45 Degree Elbow				
	20 mm	गोटा	९४.९६	९४.९६	९४.९६
	25 mm	गोटा	२३.०९	२३.०९	२३.०९
	32 mm	गोटा	३५.४०	३५.४०	३५.४०
	40 mm	गोटा	६६.३७	६६.३७	६६.३७
	50 mm	गोटा	९९९.५०	९९९.५०	९९९.५०
	63 mm	गोटा	९८४.०७	९८४.०७	९८४.०७
	75 mm	गोटा	३६९.०६	३६९.०६	३६९.०६
	90 mm	गोटा	६०९.७३	६०९.७३	६०९.७३
	110 mm	गोटा	९०६४.६०	९०६४.६०	९०६४.६०
८	Union (Plastic)				
	20mm	गोटा	५३.९८	५३.९८	५३.९८
	25mm	गोटा	९२.०४	९२.०४	९२.०४
	32mm	गोटा	९४८.६७	९४८.६७	९४८.६७
	40mm	गोटा	२२४.७८	२२४.७८	२२४.७८
	50mm	गोटा	३५२.२९	३५२.२९	३५२.२९
	63mm	गोटा	४२०.३५	४२०.३५	४२०.३५
९	Reducing Coupler				


पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	25mm*20mm	गोटा	१५.०४	१५.०४	१५.०४
	32mm*20mm	गोटा	१८.५८	१८.५८	१८.५८
	32mm*25mm	गोटा	२०.००	२०.००	२०.००
	40mm*20mm	गोटा	३०.९७	३०.९७	३०.९७
	40mm*25mm	गोटा	३१.८६	३१.८६	३१.८६
	40mm*32mm	गोटा	४३.३६	४३.३६	४३.३६
	50mm*20mm	गोटा	५८.४१	५८.४१	५८.४१
	50mm*25mm	गोटा	५५.७५	५५.७५	५५.७५
	50mm*32mm	गोटा	६३.७२	६३.७२	६३.७२
	50mm*40mm	गोटा	६६.३७	६६.३७	६६.३७
	63mm*20mm		९१.१५	९१.१५	९१.१५
	63mm*25mm		११२.३९	११२.३९	११२.३९
	63mm*32mm	गोटा	९२.००	९२.००	९२.००
	63mm*40mm	गोटा	११३.२७	११३.२७	११३.२७
	63mm*50mm	गोटा	११३.२७	११३.२७	११३.२७
	75mm*40mm	गोटा	२२५.६६	२२५.६६	२२५.६६
	75mm*50mm	गोटा	२३०.०९	२३०.०९	२३०.०९
	75mm*63mm	गोटा	२३२.७४	२३२.७४	२३२.७४
	90mm*50mm	गोटा	४२९.२०	४२९.२०	४२९.२०
	90mm*63mm	गोटा	४६०.१८	४६०.१८	४६०.१८
	90mm*75mm	गोटा	५४१.५९	५४१.५९	५४१.५९
	110mm*75mm	गोटा	७५८.४१	७५८.४१	७५८.४१
	110mm*90mm	गोटा	८४४.२५	८४४.२५	८४४.२५
१०	Reducing Tee				
	25*20*25 mm	गोटा	२६.५५	२६.५५	२६.५५
	32*20*32 mm	गोटा	४०.७१	४०.७१	४०.७१
	32*25*32 mm	गोटा	४३.३६	४३.३६	४३.३६
	40*20*40 mm	गोटा	५८.४१	५८.४१	५८.४१
	40*25*40 mm	गोटा	६५.४९	६५.४९	६५.४९
	40*32*40 mm	गोटा	६९.९१	६९.९१	६९.९१
	50*20*50 mm	गोटा	१०२.००	१०२.००	१०२.००
	50*25*50 mm	गोटा	१०८.००	१०८.००	१०८.००
	50*32*50 mm	गोटा	१३०.९७	१३०.९७	१३०.९७
	50*40*50 mm	गोटा	१३५.४०	१३५.४०	१३५.४०
	63*20*63 mm		१७६.९९	१७६.९९	१७६.९९
	63*25*63 mm		१९६.४६	१९६.४६	१९६.४६
	63*32*63 mm	गोटा	२०३.५४	२०३.५४	२०३.५४
	63*40*63 mm	गोटा	२०७.०८	२०७.०८	२०७.०८
	63*50*63 mm	गोटा	२१४.१६	२१४.१६	२१४.१६
	75*50*75 mm	गोटा	५१९.४७	५१९.४७	५१९.४७
	75*63*75 mm	गोटा	५२१.२४	५२१.२४	५२१.२४
	90*63*90 mm	गोटा	८५७.५२	८५७.५२	८५७.५२
	90*75*90 mm	गोटा	९४७.७९	९४७.७९	९४७.७९
	110*75*110 mm	गोटा	१५३४.५१	१५३४.५१	१५३४.५१
	110*90*110 mm	गोटा	१५७९.६५	१५७९.६५	१५७९.६५


Page 145

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६।०७७	आ.व. ०७७।७८	आ.व.०७८।७९
११	Reducing Elbow				
	25mm*20mm	गोटा	२०.३५	२०.३५	२०.३५
	32mm*20mm	गोटा	३७.१७	३७.१७	३७.१७
	32mm*25mm	गोटा	४६.०२	४६.०२	४६.०२
१२	High Footed Pipe Clip				
	20mm	गोटा	११.००	११.००	११.००
	25mm	गोटा	१३.००	१३.००	१३.००
	32mm	गोटा	२०.३५	२०.३५	२०.३५
	40mm	गोटा	२३.०१	२३.०१	२३.०१
	50mm	गोटा	२४.७८	२४.७८	२४.७८
	63 mm	गोटा	३३.६३	३३.६३	३३.६३
१३	Low Footed Pipe Clip				
	20mm	गोटा	५.५०	५.५०	५.५०
	25mm	गोटा	७.००	७.००	७.००
	32mm	गोटा	१३.२०	१३.२०	१३.२०
	40mm	गोटा	१७.५०	१७.५०	१७.५०
	50mm	गोटा	२८.३२	२८.३२	२८.३२
	63 mm	गोटा	३६.२८	३६.२८	३६.२८
१४	"Y" type Pipe Clip				
	20mm	गोटा	१७.५०	१७.५०	१७.५०
	25mm	गोटा	२०.७५	२०.७५	२०.७५
	32mm	गोटा	२५.००	२५.००	२५.००
	40 mm	गोटा	५०.००	५०.००	५०.००
१५	End Plug (short)				
	20mm	गोटा	५.५०	५.५०	५.५०
	25mm	गोटा	८.७५	८.७५	८.७५
	32mm	गोटा	१२.००	१२.००	१२.००
१६	End Plug with Ring				
	20mm	गोटा	२०.३५	२०.३५	२०.३५
१७	End Plug (long)				
	20mm	गोटा	७.७०	७.७०	७.७०
१८	End Cap				
	20mm	गोटा	११.००	११.००	११.००
	25mm	गोटा	१७.५०	१७.५०	१७.५०
	32mm	गोटा	२७.४३	२७.४३	२७.४३
	40mm	गोटा	४०.७१	४०.७१	४०.७१
	50mm	गोटा	७१.६८	७१.६८	७१.६८
	63 mm	गोटा	१३८.०५	१३८.०५	१३८.०५
	75 mm	गोटा	२२१.२४	२२१.२४	२२१.२४


Handwritten signatures and initials at the bottom of the page.



पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।०७७	आ.ब. ०७७।७८	आ.ब.०७८।७९
१९	Cross Tee				
	20mm	गोटा	२३.८९	२३.८९	२३.८९
	25mm	गोटा	३५.४०	३५.४०	३५.४०
	32mm	गोटा	६९.९५	६९.९५	६९.९५
२०	Short Passover				
	20mm	गोटा	६९.०३	६९.०३	६९.०३
	25mm	गोटा	९९.९२	९९.९२	९९.९२
	32mm	गोटा	१५३.९८	१५३.९८	१५३.९८
२१	Long Bypass				
	20mm	गोटा	७८.७६	७८.७६	७८.७६
	25mm	गोटा	१३०.९७	१३०.९७	१३०.९७
	32mm	गोटा	१९२.०४	१९२.०४	१९२.०४
२२	Male Tee				
	20mmx1/2"	गोटा	१३०.९७	१३०.९७	१३०.९७
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६४.६०	१६४.६०	१६४.६०
	32mmx1/2"	गोटा	१४०.७१	१४०.७१	१४०.७१
	32mmx3/4"	गोटा	२०७.०८	२०७.०८	२०७.०८
	32mmx1"	गोटा	३६०.९८	३६०.९८	३६०.९८
२३	Female Tee				
	20mmx1/2"	गोटा	१०६.१९	१०६.१९	१०६.१९
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६०.९८	१६०.९८	१६०.९८
	32mmx1/2"	गोटा	१५७.५२	१५७.५२	१५७.५२
	32mmx3/4"	गोटा	१८४.९६	१८४.९६	१८४.९६
	32mmx1"	गोटा	३११.५०	३११.५०	३११.५०
२४	Male elbow				
	20mmx1/2"	गोटा	१२५.६६	१२५.६६	१२५.६६
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६९.०३	१६९.०३	१६९.०३
	32mmx1/2"	गोटा	२८४.०७	२८४.०७	२८४.०७
	32mmx3/4"	गोटा	२२५.६६	२२५.६६	२२५.६६
	32mmx1"	गोटा	३७४.३४	३७४.३४	३७४.३४
२५	Female elbow				
	20mmx1/2"	गोटा	१०३.५४	१०३.५४	१०३.५४
	25mmx1/2"	गोटा	१६८.१४	१६८.१४	१६८.१४
	25mmx3/4"	गोटा	१३८.०५	१३८.०५	१३८.०५
	32mmx1/2"	गोटा	१८४.०७	१८४.०७	१८४.०७
	32mmx3/4"	गोटा	२१६.८१	२१६.८१	२१६.८१
	32mmx1"	गोटा	३०३.५४	३०३.५४	३०३.५४

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/०७७	आ.व. ०७७/७८	आ.व.०७८/७९
२६	Male Coupling				
	20mmx1/2"	गोटा	१२२.१२	१२२.१२	१२२.१२
	20mmx3/4"	गोटा	१२९.२०	१२९.२०	१२९.२०
	25mmx1/2"	गोटा	१४८.६७	१४८.६७	१४८.६७
	25mmx3/4"	गोटा	१७०.८०	१७०.८०	१७०.८०
	32mmx1/2"	गोटा	१५३.९८	१५३.९८	१५३.९८
	32mmx3/4"	गोटा	१६४.६०	१६४.६०	१६४.६०
	32mmx1"	गोटा	३३०.०९	३३०.०९	३३०.०९
	40mmx1-1/4"	गोटा	५५८.४१	५५८.४१	५५८.४१
	50mmx1-1/2"	गोटा	८४९.५९	८४९.५९	८४९.५९
	63mmx2"	गोटा	१११०.६२	१११०.६२	१११०.६२
	75mmx2-1/2"	गोटा	२७६९.०६	२७६९.०६	२७६९.०६
२७	Female Coupling				
	20mmx1/2"	गोटा	९९.१२	९९.१२	९९.१२
	20mmx3/4"	गोटा	११६.८१	११६.८१	११६.८१
	25mmx1/2"	गोटा	१३०.९७	१३०.९७	१३०.९७
	25mmx3/4"	गोटा	१३२.७४	१३२.७४	१३२.७४
	32mmx1/2"	गोटा	११२.३९	११२.३९	११२.३९
	32mmx3/4"	गोटा	१२०.३५	१२०.३५	१२०.३५
	32mmx1"	गोटा	२८३.१९	२८३.१९	२८३.१९
	40mmx1-1/4"	गोटा	४९०.२७	४९०.२७	४९०.२७
	50mmx1-1/2"	गोटा	६३५.४०	६३५.४०	६३५.४०
	63mmx2"	गोटा	८५९.३३	८५९.३३	८५९.३३
	75mmx2-1/2"	गोटा	२५२६.५५	२५२६.५५	२५२६.५५
२८	Male Union				
	20mmx1/2"	गोटा	२७५.२२	२७५.२२	२७५.२२
	25mmx3/4"	गोटा	३९५.५८	३९५.५८	३९५.५८
	32mmx1"	गोटा	५८९.४२	५८९.४२	५८९.४२
	40mmx1 ^{1/4} "	गोटा	१०४६.९०	१०४६.९०	१०४६.९०
	50mmx1/2"	गोटा	१३९९.१२	१३९९.१२	१३९९.१२
	63mmx2"	गोटा	३६०९.७३	३६०९.७३	३६०९.७३
२९	Female Union				
	20mmx1/2"	गोटा	२६५.४९	२६५.४९	२६५.४९
	25mmx3/4"	गोटा	३४४.२५	३४४.२५	३४४.२५
	32mmx1"	गोटा	५५५.७५	५५५.७५	५५५.७५
	40mmx1 ^{1/4} "	गोटा	७६७.२६	७६७.२६	७६७.२६
	50mmx1/2"	गोटा	१३१०.६२	१३१०.६२	१३१०.६२
	63mmx2"	गोटा	२३९९.१५	२३९९.१५	२३९९.१५
३०	Stop Valve				
	a) 20 mm	गोटा	३१७.७०	३१७.७०	३१७.७०
	b) 25 mm	गोटा	४१८.५८	४१८.५८	४१८.५८

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	c) 32 mm	गोटा	५०५.३१	५०५.३१	५०५.३१
	d) 40mm	गोटा	५४१.५९	५४१.५९	५४१.५९
	e) 50 mm	गोटा	९०२.६५	९०२.६५	९०२.६५
	f) 63 mm	गोटा	१३५५.७५	१३५५.७५	१३५५.७५
३१	Male base elbow				
	20mm x 1/2"	गोटा	१४२.४८	१४२.४८	१४२.४८
	25mm x 1/2"	गोटा	१७६.११	१७६.११	१७६.११
	25mm x 3/4"	गोटा	१७६.११	१७६.११	१७६.११
३२	Female base elbow				
	20mm x 1/2"	गोटा	१३९.८२	१३९.८२	१३९.८२
	25mm x 1/2"	गोटा	१७१.६८	१७१.६८	१७१.६८
	25mm x 3/4"	गोटा	१६९.०३	१६९.०३	१६९.०३
३३	Metal Ball valve (double)				
	20mmx1/2"	गोटा	५८६.७३	५८६.७३	५८६.७३
	25mmx3/4"	गोटा	८५९.२९	८५९.२९	८५९.२९
	32mmx1"	गोटा	१०६१.०६	१०६१.०६	१०६१.०६
	40mmx1-1/4"	गोटा	३०२१.२४	३०२१.२४	३०२१.२४
	50mmx1-1/2"	गोटा	४१५१.३३	४१५१.३३	४१५१.३३
३४	Metal Ball valve (Single)				
	20mmx1/2"	गोटा	५४१.५९	५४१.५९	५४१.५९
	25mmx3/4"	गोटा	७०५.३१	७०५.३१	७०५.३१
	32mmx1"	गोटा	११९५.५८	११९५.५८	११९५.५८
३५	Conceal Valve (Lux)				
	20mm	गोटा	८७५.००	८७५.००	८७५.००
३६	Conceal Valve (Nor)				
	20mm	गोटा	८५२.२१	८५२.२१	८५२.२१
३७	Ball Valve (Plastic)				
	20mm	गोटा	८५.८४	८५.८४	८५.८४
	25mm	गोटा	११६.८१	११६.८१	११६.८१
	32mm	गोटा	१९९.१२	१९९.१२	१९९.१२
	40mm	गोटा	४३२.७४	४३२.७४	४३२.७४
	50mm	गोटा	६२७.४३	६२७.४३	६२७.४३
	63 mm	गोटा	१०६१.०६	१०६१.०६	१०६१.०६
३८	Ball Valve (Brass)				
	20mm	गोटा	३११.५०	३११.५०	३११.५०
	25mm	गोटा	३८४.०७	३८४.०७	३८४.०७
	32mm	गोटा	५२१.२४	५२१.२४	५२१.२४
	40mm	गोटा	८६१.९५	८६१.९५	८६१.९५

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. को रूपमा प्रयोग हुने सामग्रीको दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm ² Pressure				
	90 mm	र.मी	१४३.८५	१४३.८५	१४३.८५
	110 mm	र.मी	२१४.२०	२१४.२०	२१४.२०
	125 mm	र.मी	२७३.००	२७३.००	२७३.००
	140 mm	र.मी	३३७.०५	३३७.०५	३३७.०५
	160 mm	र.मी	४३९.९५	४३९.९५	४३९.९५
	180 mm	र.मी	५६३.८५	५६३.८५	५६३.८५
	200 mm	र.मी	६८९.८५	६८९.८५	६८९.८५
२	UPVC Pipe NS 206/046 - 4 kg /cm ² Pressure				
	63mm	र.मी	११४.४५	११४.४५	११४.४५
	75mm	र.मी	१५७.५०	१५७.५०	१५७.५०
	90 mm	र.मी	२२५.७५	२२५.७५	२२५.७५
	110 mm	र.मी	३०९.७५	३०९.७५	३०९.७५
	125 mm	र.मी	४२६.३०	४२६.३०	४२६.३०
	140 mm	र.मी	५४९.८०	५४९.८०	५४९.८०
	160 mm	र.मी	७००.३५	७००.३५	७००.३५
	180 mm	र.मी	९००.९०	९००.९०	९००.९०
	200 mm	र.मी	१०९३.०५	१०९३.०५	१०९३.०५
३	UPVC Pipe NS 206/046 - 6 kg /cm ² Pressure				
	40mm	र.मी	६७.२०	६७.२०	६७.२०
	50mm	र.मी	१०१.८५	१०१.८५	१०१.८५
	63mm	र.मी	१६३.८०	१६३.८०	१६३.८०
	75mm	र.मी	२२७.८५	२२७.८५	२२७.८५
	90 mm	र.मी	३२७.६०	३२७.६०	३२७.६०
	110 mm	र.मी	४७४.६०	४७४.६०	४७४.६०
	125 mm	र.मी	६३२.१०	६३२.१०	६३२.१०
	140 mm	र.मी	७८७.५०	७८७.५०	७८७.५०
	160 mm	र.मी	१००८.००	१००८.००	१००८.००
	180 mm	र.मी	१२८६.२५	१२८६.२५	१२८६.२५
	200 mm	र.मी	१५७५.००	१५७५.००	१५७५.००
४	UPVC Pipe NS 206/046 - 10 kg /cm ² Pressure				
	20 mm	र.मी	२६.२५	२६.२५	२६.२५
	25 mm	र.मी	४०.९५	४०.९५	४०.९५
	32mm	र.मी	६७.२०	६७.२०	६७.२०
	40mm	र.मी	१००.८०	१००.८०	१००.८०
	50mm	र.मी	१५८.५५	१५८.५५	१५८.५५
	63mm	र.मी	२५३.०५	२५३.०५	२५३.०५
	75mm	र.मी	३६०.१५	३६०.१५	३६०.१५
	90 mm	र.मी	५१३.४५	५१३.४५	५१३.४५
	110 mm	र.मी	७६२.३०	७६२.३०	७६२.३०
	125 mm	र.मी	९७५.४५	९७५.४५	९७५.४५

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको दररेट		
			आ.व. ०७६।०७७	आ.व. ०७७।०७८	आ.व. ०७८।०७९
	140 mm	र.मी	१२३१.६५	१२३१.६५	१२३१.६५
	160 mm	र.मी	१५८४.४५	१५८४.४५	१५८४.४५
	180 mm	र.मी	२०१९.१५	२०१९.१५	२०१९.१५
	200 mm	र.मी	२४९६.९०	२४९६.९०	२४९६.९०
B	UPVC fittings				
१	Coupler				
	50 mm	गोटा	३२.५५	३२.५५	३२.५५
	75 mm	गोटा	७८.७५	७८.७५	७८.७५
	110 mm	गोटा	१३४.४०	१३४.४०	१३४.४०
२	Bend 87.5 degree				
	50 mm	गोटा	४८.३०	४८.३०	४८.३०
	75 mm	गोटा	११३.४०	११३.४०	११३.४०
	110 mm	गोटा	२१०.००	२१०.००	२१०.००
३	Bend 45 degree		०.००	०.००	०.००
	50 mm	गोटा	४७.२५	४७.२५	४७.२५
	75 mm	गोटा	९२.४०	९२.४०	९२.४०
	110 mm	गोटा	१६५.९०	१६५.९०	१६५.९०
४	Single Tee				
	50 mm	गोटा	७१.४०	७१.४०	७१.४०
	75 mm	गोटा	१५४.३५	१५४.३५	१५४.३५
	110 mm	गोटा	२९२.९५	२९२.९५	२९२.९५
५	Pipe clip		०.००	०.००	०.००
	50 mm	गोटा	१४.७०	१४.७०	१४.७०
	75 mm	गोटा	२९.४०	२९.४०	२९.४०
	110 mm	गोटा	३८.८५	३८.८५	३८.८५
६	Bend 87.5 degree with door				
	75 mm	गोटा	१४५.९५	१४५.९५	१४५.९५
	110 mm	गोटा	२५४.१०	२५४.१०	२५४.१०
७	Single Tee with door				
	75 mm	गोटा	२०७.९०	२०७.९०	२०७.९०
	110 mm	गोटा	३८७.४५	३८७.४५	३८७.४५
८	Double Tee				
	75 mm	गोटा	३३८.१०	३३८.१०	३३८.१०
	110 mm	गोटा	५३५.५०	५३५.५०	५३५.५०
९	Double Tee with door				
	75 mm	गोटा	४४८.३५	४४८.३५	४४८.३५
	110 mm	गोटा	६९५.१०	६९५.१०	६९५.१०
१०	Vent cowl				
	75 mm	गोटा	५५.६५	५५.६५	५५.६५
	110 mm	गोटा	९१.३५	९१.३५	९१.३५
११	Socket plug				
	75 mm	गोटा	६९.३०	६९.३०	६९.३०

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कलेजाहिकेकाखोसय		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	110 mm	गोटा	११३.४०	११३.४०	११३.४०
१२	Single "Y"				
	75 mm	गोटा	१७६.४०	१७६.४०	१७६.४०
	110 mm	गोटा	३८१.१५	३८१.१५	३८१.१५
१३	Single "Y" with door				
	75 mm	गोटा	२४१.५०	२४१.५०	२४१.५०
	110 mm	गोटा	४५९.९०	४५९.९०	४५९.९०
१४	Double "Y"				
	75 mm	गोटा	२६५.६५	२६५.६५	२६५.६५
	110 mm	गोटा	५२३.९५	५२३.९५	५२३.९५
१५	Double "Y" with door				
	75 mm	गोटा	३४१.२५	३४१.२५	३४१.२५
	110 mm	गोटा	५४९.१५	५४९.१५	५४९.१५
१६	Cleaning pipe				
	75 mm	गोटा	१५४.३५	१५४.३५	१५४.३५
	110 mm	गोटा	२९८.२०	२९८.२०	२९८.२०
१७	Reducer				
	110x 75 mm	गोटा	१३७.५५	१३७.५५	१३७.५५
	75X50 mm	गोटा	७२.४५	७२.४५	७२.४५
१८	P -Trap				
	125mmx110mm	गोटा	५६५.९५	५६५.९५	५६५.९५
	110mmx110mm	गोटा	५३०.२५	५३०.२५	५३०.२५
	75mmx75mm	गोटा	२०२.६५	२०२.६५	२०२.६५
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	२९४.००	२९४.००	२९४.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२६७.७५	२६७.७५	२६७.७५
२२	W.C. Connector (bent type)	गोटा	२७४.०५	२७४.०५	२७४.०५
२३	Square tile with jali	गोटा	८८.२०	८८.२०	८८.२०
२४	Round jali	गोटा	३९.९०	३९.९०	३९.९०
२५	End cap 50mm	गोटा	२६.२५	२६.२५	२६.२५

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.ब.०७६।०७७	आ.ब. ०७७।७८	आ.ब.०७८।७९
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm² Pressure				
	90 mm	र.मी	१४३.८५	१४३.८५	१४३.८५
	110 mm	र.मी	२१४.२०	२१४.२०	२१४.२०
	125 mm	र.मी	२७३.००	२७३.००	२७३.००
	140 mm	र.मी	३३७.०५	३३७.०५	३३७.०५
	160 mm	र.मी	४३९.९५	४३९.९५	४३९.९५
	180 mm	र.मी	५६३.८५	५६३.८५	५६३.८५
	200 mm	र.मी	६८९.८५	६८९.८५	६८९.८५
२	UPVC Pipe NS 206/046 - 4 kg /cm² Pressure				
	63mm	र.मी	११४.४५	११४.४५	११४.४५
	75mm	र.मी	१५७.५०	१५७.५०	१५७.५०
	90 mm	र.मी	२२५.७५	२२५.७५	२२५.७५
	110 mm	र.मी	३०९.७५	३०९.७५	३०९.७५
	125 mm	र.मी	४२६.३०	४२६.३०	४२६.३०
	140 mm	र.मी	५४९.८०	५४९.८०	५४९.८०
	160 mm	र.मी	७००.३५	७००.३५	७००.३५
	180 mm	र.मी	९००.९०	९००.९०	९००.९०
	200 mm	र.मी	१०९३.०५	१०९३.०५	१०९३.०५
३	UPVC Pipe NS 206/046 - 6 kg /cm² Pressure				
	40mm	र.मी	६७.२०	६७.२०	६७.२०
	50mm	र.मी	१०९.८५	१०९.८५	१०९.८५
	63mm	र.मी	१६३.८०	१६३.८०	१६३.८०
	75mm	र.मी	२२७.८५	२२७.८५	२२७.८५
	90 mm	र.मी	३२७.६०	३२७.६०	३२७.६०
	110 mm	र.मी	४७४.६०	४७४.६०	४७४.६०
	125 mm	र.मी	६३२.९०	६३२.९०	६३२.९०
	140 mm	र.मी	७८७.५०	७८७.५०	७८७.५०
	160 mm	र.मी	१००८.००	१००८.००	१००८.००
	180 mm	र.मी	१२८६.२५	१२८६.२५	१२८६.२५
	200 mm	र.मी	१५७५.००	१५७५.००	१५७५.००
४	UPVC Pipe NS 206/046 - 10 kg /cm² Pressure				
	20 mm	र.मी	२६.२५	२६.२५	२६.२५
	25 mm	र.मी	४०.९५	४०.९५	४०.९५
	32mm	र.मी	६७.२०	६७.२०	६७.२०
	40mm	र.मी	१००.८०	१००.८०	१००.८०
	50mm	र.मी	१५८.५५	१५८.५५	१५८.५५
	63mm	र.मी	२५३.०५	२५३.०५	२५३.०५
	75mm	र.मी	३६०.९५	३६०.९५	३६०.९५
	90 mm	र.मी	५१३.४५	५१३.४५	५१३.४५
	110 mm	र.मी	७६२.३०	७६२.३०	७६२.३०
	125 mm	र.मी	९७५.४५	९७५.४५	९७५.४५


Page 150

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु. अंक बाहिर्को बिलेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	140 mm	र.मी	१२३१.६५	१२३१.६५	१२३१.६५
	160 mm	र.मी	१५८४.४५	१५८४.४५	१५८४.४५
	180 mm	र.मी	२०१९.१५	२०१९.१५	२०१९.१५
	200 mm	र.मी	२४९६.९०	२४९६.९०	२४९६.९०
B	UPVC fittings				
१	Coupler				
	50 mm	गोटा	३२.५५	३२.५५	३२.५५
	75 mm	गोटा	७८.७५	७८.७५	७८.७५
	110 mm	गोटा	१३४.४०	१३४.४०	१३४.४०
२	Bend 87.5 degree				
	50 mm	गोटा	४८.३०	४८.३०	४८.३०
	75 mm	गोटा	११३.४०	११३.४०	११३.४०
	110 mm	गोटा	२१०.००	२१०.००	२१०.००
३	Bend 45 degree		०.००	०.००	०.००
	50 mm	गोटा	४७.२५	४७.२५	४७.२५
	75 mm	गोटा	९२.४०	९२.४०	९२.४०
	110 mm	गोटा	१६५.९०	१६५.९०	१६५.९०
४	Single Tee				
	50 mm	गोटा	७१.४०	७१.४०	७१.४०
	75 mm	गोटा	१५४.३५	१५४.३५	१५४.३५
	110 mm	गोटा	२९२.९५	२९२.९५	२९२.९५
५	Pipe clip		०.००	०.००	०.००
	50 mm	गोटा	१४.७०	१४.७०	१४.७०
	75 mm	गोटा	२९.४०	२९.४०	२९.४०
	110 mm	गोटा	३८.८५	३८.८५	३८.८५
६	Bend 87.5 degree with door				
	75 mm	गोटा	१४५.९५	१४५.९५	१४५.९५
	110 mm	गोटा	२५४.१०	२५४.१०	२५४.१०
७	Single Tee with door				
	75 mm	गोटा	२०७.९०	२०७.९०	२०७.९०
	110 mm	गोटा	३८७.४५	३८७.४५	३८७.४५
८	Double Tee				
	75 mm	गोटा	३३८.१०	३३८.१०	३३८.१०
	110 mm	गोटा	५३५.५०	५३५.५०	५३५.५०
९	Double Tee with door				
	75 mm	गोटा	४४८.३५	४४८.३५	४४८.३५
	110 mm	गोटा	६९५.१०	६९५.१०	६९५.१०
१०	Vent cowl				
	75 mm	गोटा	५५.६५	५५.६५	५५.६५
	110 mm	गोटा	९१.३५	९१.३५	९१.३५
११	Socket plug				
	75 mm	गोटा	६९.३०	६९.३०	६९.३०


यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. व. क. विभागाधिकारी दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	110 mm	गोटा	११३.४०	११३.४०	११३.४०
१२	Single "Y"				
	75 mm	गोटा	१७६.४०	१७६.४०	१७६.४०
	110 mm	गोटा	३८१.१५	३८१.१५	३८१.१५
१३	Single "Y" with door				
	75 mm	गोटा	२४१.५०	२४१.५०	२४१.५०
	110 mm	गोटा	४५९.९०	४५९.९०	४५९.९०
१४	Double "Y"				
	75 mm	गोटा	२६५.६५	२६५.६५	२६५.६५
	110 mm	गोटा	५२३.९५	५२३.९५	५२३.९५
१५	Double "Y" with door				
	75 mm	गोटा	३४१.२५	३४१.२५	३४१.२५
	110 mm	गोटा	५४९.१५	५४९.१५	५४९.१५
१६	Cleaning pipe				
	75 mm	गोटा	१५४.३५	१५४.३५	१५४.३५
	110 mm	गोटा	२९८.२०	२९८.२०	२९८.२०
१७	Reducer				
	110x 75 mm	गोटा	१३७.५५	१३७.५५	१३७.५५
	75x50 mm	गोटा	७२.४५	७२.४५	७२.४५
१८	P-Trap				
	125mmx110mm	गोटा	५६५.९५	५६५.९५	५६५.९५
	110mmx110mm	गोटा	५३०.२५	५३०.२५	५३०.२५
	75mmx75mm	गोटा	२०२.६५	२०२.६५	२०२.६५
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	२९४.००	२९४.००	२९४.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२६७.७५	२६७.७५	२६७.७५
२२	W.C. Connector (bent type)	गोटा	२७४.०५	२७४.०५	२७४.०५
२३	Square tile with jali	गोटा	८८.२०	८८.२०	८८.२०
२४	Round jali	गोटा	३९.९०	३९.९०	३९.९०
२५	End cap 50mm	गोटा	२६.२५	२६.२५	२६.२५

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.


पि.भि.सि. पाईप तथा फिटिङ्गहरु




सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाकिपुरा दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm2)	र.मि	११४.००	११४.००	११४.००
	3/4" dia. (33.75 Kg/cm2)	र.मि	१४७.००	१४७.००	१४७.००
	1" dia. (31.64 Kg/cm2)	र.मि	२२६.००	२२६.००	२२६.००
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२७९.००	२७९.००	२७९.००
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३४२.००	३४२.००	३४२.००
	2" dia. (19.69 Kg/cm2)	र.मि	४८५.००	४८५.००	४८५.००
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	६७८.००	६७८.००	६७८.००
	3" dia. (18.28 Kg/cm2)	र.मि	८५६.००	८५६.००	८५६.००
	4" dia. (15.47 Kg/cm2)	र.मि	१२५६.००	१२५६.००	१२५६.००
	6" dia. (12.66 Kg/cm2)	र.मि	२६१६.००	२६१६.००	२६१६.००
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	३२.००	३२.००	३२.००
	3/4"	गोटा	४४.००	४४.००	४४.००
	1"	गोटा	६९.००	६९.००	६९.००
	1-1/4"	गोटा	१०९.००	१०९.००	१०९.००
	1-1/2"	गोटा	१४३.००	१४३.००	१४३.००
	2"	गोटा	२२१.००	२२१.००	२२१.००
	2-1/2"	गोटा	६३३.००	६३३.००	६३३.००
	3"	गोटा	८३१.००	८३१.००	८३१.००
	4"	गोटा	१५०३.००	१५०३.००	१५०३.००
	6"	गोटा	८३३६.००	८३३६.००	८३३६.००
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	६३.००	६३.००	६३.००
	1 x 1/2	गोटा	९७.००	९७.००	९७.००
	1 x 3/4	गोटा	९७.००	९७.००	९७.००
	1-1/2 X 1/2	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 3/4	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 1	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 1-1/4	गोटा	३२९.००	३२९.००	३२९.००
	2 X 1/2	गोटा	४०६.००	४०६.००	४०६.००
	2 X 3/4	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1-1/4	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1-1/2	गोटा	४०६.००	४०६.००	४०६.००
	2-1/2 X 1/2	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 3/4	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 1	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 1-1/4	गोटा	१०४३.००	१०४३.००	१०४३.००

Handwritten signatures and marks at the bottom of the page.

पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाह्रककुम्हे दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2 X 1-1/2	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 2	गोटा	१०४३.००	१०४३.००	१०४३.००
	3 X 1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 3/4	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1-1/4	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1-1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 2-1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	6 X 1-1/4	गोटा	८००७.००	८००७.००	८००७.००
	6 X 1-1/2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 2-1/2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 3	गोटा	८००७.००	८००७.००	८००७.००
	6 X 4	गोटा	८००७.००	८००७.००	८००७.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	१६१.००	१६१.००	१६१.००
	3/4"	गोटा	२९२.००	२९२.००	२९२.००
	3/4" X 1/2"	गोटा	२३७.००	२३७.००	२३७.००
	1" X 1/2"	गोटा	४२०.००	४२०.००	४२०.००
	PVC 90° Elbow - Soc				
	1/2"	गोटा	२६.००	२६.००	२६.००
	3/4"	गोटा	३०.००	३०.००	३०.००
	1"	गोटा	५३.००	५३.००	५३.००
	1-1/4"	गोटा	९३.००	९३.००	९३.००
	1-1/2"	गोटा	१०९.००	१०९.००	१०९.००
	2"	गोटा	१६७.००	१६७.००	१६७.००
	2-1/2"	गोटा	४९६.००	४९६.००	४९६.००
	3"	गोटा	५९४.००	५९४.००	५९४.००
	4"	गोटा	१२१६.००	१२१६.००	१२१६.००
	6"	गोटा	५१२१.००	५१२१.००	५१२१.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80				
	1/2"	गोटा	१७३.००	१७३.००	१७३.००
	3/4"	गोटा	२४२.००	२४२.००	२४२.००
	3/4" X 1/2"	गोटा	२५०.००	२५०.००	२५०.००
	PVC 45° Elbow - Soc				
	1/2"	गोटा	५५.००	५५.००	५५.००
	3/4"	गोटा	८६.००	८६.००	८६.००
	1"	गोटा	१०२.००	१०२.००	१०२.००



पि.भि.सि. पाईप तथा फिटिङहरू

सि. नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1-1/4"	गोटा	१४३.००	१४३.००	१४३.००
	1-1/2"	गोटा	१८०.००	१८०.००	१८०.००
	2"	गोटा	२३४.००	२३४.००	२३४.००
	2-1/2"	गोटा	६६९.००	६६९.००	६६९.००
	3"	गोटा	१०४०.००	१०४०.००	१०४०.००
	4"	गोटा	१८६६.००	१८६६.००	१८६६.००
	6"	गोटा	५१३५.००	५१३५.००	५१३५.००
	PVC Coupling - Soc				
	1/2"	गोटा	१७.००	१७.००	१७.००
	3/4"	गोटा	२६.००	२६.००	२६.००
	1"	गोटा	४१.००	४१.००	४१.००
	1-1/4"	गोटा	५६.००	५६.००	५६.००
	1-1/2"	गोटा	७६.००	७६.००	७६.००
	2"	गोटा	११७.००	११७.००	११७.००
	2-1/2"	गोटा	२४७.००	२४७.००	२४७.००
	3"	गोटा	३८६.००	३८६.००	३८६.००
	4"	गोटा	६०४.००	६०४.००	६०४.००
	6"	गोटा	२४२०.००	२४२०.००	२४२०.००
	PVC Reducer Coupling - Soc				
	3/4 X 1/2	गोटा	४२.००	४२.००	४२.००
	1 X 3/4	गोटा	७३.००	७३.००	७३.००
	1-1/2 X 1-1/4	गोटा	१३१.००	१३१.००	१३१.००
	2 X 1-1/2	गोटा	२०८.००	२०८.००	२०८.००
	4 X 2	गोटा	१३९२.००	१३९२.००	१३९२.००
	4 X 3	गोटा	१३९२.००	१३९२.००	१३९२.००
	6 X 4	गोटा	२८९५.००	२८९५.००	२८९५.००
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2	गोटा	३५.००	३५.००	३५.००
	1 X 1/2	गोटा	५०.००	५०.००	५०.००
	1 X 3/4	गोटा	५०.००	५०.००	५०.००
	1-1/4 X 1/2	गोटा	८६.००	८६.००	८६.००
	1-1/4 X 3/4	गोटा	८६.००	८६.००	८६.००
	1-1/4 X 1	गोटा	८६.००	८६.००	८६.००
	1-1/2 X 1/2	गोटा	९०.००	९०.००	९०.००
	1-1/2 X 3/4	गोटा	९०.००	९०.००	९०.००
	1-1/2 X 1	गोटा	९०.००	९०.००	९०.००
	1-1/2 X 1-1/4	गोटा	९०.००	९०.००	९०.००
	2 X 1/2	गोटा	१६५.००	१६५.००	१६५.००

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क. बिलिङको दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2 X 3/4	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1-1/4	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1-1/2	गोटा	१६५.००	१६५.००	१६५.००
	2-1/2 X 1-1/4	गोटा	२३२.००	२३२.००	२३२.००
	2-1/2 X 1-1/2	गोटा	२३२.००	२३२.००	२३२.००
	2-1/2 X 2	गोटा	२३२.००	२३२.००	२३२.००
	3 X 1-1/2	गोटा	३४४.००	३४४.००	३४४.००
	3 X 2	गोटा	३४४.००	३४४.००	३४४.००
	3 X 2-1/2	गोटा	३४४.००	३४४.००	३४४.००
	4 X 2	गोटा	६७६.००	६७६.००	६७६.००
	4 X 3	गोटा	६७६.००	६७६.००	६७६.००
	6 X 2	गोटा	२२७.००	२२७.००	२२७.००
	6 X 3	गोटा	२२७.००	२२७.००	२२७.००
	6 X 4	गोटा	२२७.००	२२७.००	२२७.००
	PVC Cap - Soc				
	1/2"	गोटा	२४.००	२४.००	२४.००
	3/4"	गोटा	३०.००	३०.००	३०.००
	1"	गोटा	४२.००	४२.००	४२.००
	1-1/4"	गोटा	६०.००	६०.००	६०.००
	1-1/2"	गोटा	६६.००	६६.००	६६.००
	2"	गोटा	७९.००	७९.००	७९.००
	2-1/2"	गोटा	२५४.००	२५४.००	२५४.००
	3"	गोटा	२७८.००	२७८.००	२७८.००
	4"	गोटा	६३३.००	६३३.००	६३३.००
	6"	गोटा	२४९८.००	२४९८.००	२४९८.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	२५४.००	२५४.००	२५४.००
	3/4"	गोटा	२९९.००	२९९.००	२९९.००
	1"	गोटा	२९८.००	२९८.००	२९८.००
	1-1/4"	गोटा	९६०.००	९६०.००	९६०.००
	1-1/2"	गोटा	१००९.००	१००९.००	१००९.००
	2"	गोटा	१३५०.००	१३५०.००	१३५०.००
	2-1/2"	गोटा	१८८९.००	१८८९.००	१८८९.००
	3"	गोटा	३०९८.००	३०९८.००	३०९८.००
	4"	गोटा	४९७८.००	४९७८.००	४९७८.००
	PVC Male Adaptor - Soc x MBSP				
	1/2"	गोटा	४६.००	४६.००	४६.००
	3/4"	गोटा	५४.००	५४.००	५४.००

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. व. २०७८/७९ को दररेट		
			आ. व. २०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1" गोटा	गोटा	७९.००	७९.००	७९.००
	1-1/4" गोटा	गोटा	८७.००	८७.००	८७.००
	1-1/2" गोटा	गोटा	१२९.००	१२९.००	१२९.००
	2" गोटा	गोटा	१५६.००	१५६.००	१५६.००
	2-1/2" गोटा	गोटा	५४५.००	५४५.००	५४५.००
	3" गोटा	गोटा	६४८.००	६४८.००	६४८.००
	4" गोटा	गोटा	१०२५.००	१०२५.००	१०२५.००
	6" गोटा	गोटा	२३५९.००	२३५९.००	२३५९.००
	PVC Brass Male Adapter - Soc x Mipt SCH 80				
	1/2" गोटा	गोटा	२६२.००	२६२.००	२६२.००
	3/4" गोटा	गोटा	३५०.००	३५०.००	३५०.००
	1" गोटा	गोटा	५२७.००	५२७.००	५२७.००
	PVC Female Adaptor - Soc x FBSP				
	1/2" गोटा	गोटा	५९.००	५९.००	५९.००
	3/4" गोटा	गोटा	६९.००	६९.००	६९.००
	1" गोटा	गोटा	६४.००	६४.००	६४.००
	1-1/4" गोटा	गोटा	१६७.००	१६७.००	१६७.००
	1-1/2" गोटा	गोटा	२४५.००	२४५.००	२४५.००
	2" गोटा	गोटा	२३८.००	२३८.००	२३८.००
	PVC Brass Female Adapter - Soc x Fipt SCH 80				
	1/2" गोटा	गोटा	२२०.००	२२०.००	२२०.००
	3/4" गोटा	गोटा	३११.००	३११.००	३११.००
	1" गोटा	गोटा	३९९.००	३९९.००	३९९.००
	PVC Ball Valve - Soc				
	1/2" गोटा	गोटा	८८९.००	८८९.००	८८९.००
	3/4" गोटा	गोटा	१०४८.००	१०४८.००	१०४८.००
	1" गोटा	गोटा	१४६६.००	१४६६.००	१४६६.००
	1-1/4" गोटा	गोटा	१९८५.००	१९८५.००	१९८५.००
	1-1/2" गोटा	गोटा	३०२७.००	३०२७.००	३०२७.००
	2" गोटा	गोटा	३८२८.००	३८२८.००	३८२८.००
	2-1/2" गोटा	गोटा	६३२३.००	६३२३.००	६३२३.००
	3" गोटा	गोटा	१००१८.००	१००१८.००	१००१८.००
	4" गोटा	गोटा	१६५५६.००	१६५५६.००	१६५५६.००
	6" गोटा	गोटा	३५९६९.००	३५९६९.००	३५९६९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML गोटा	गोटा	३०६.००	३०६.००	३०६.००
	237ML गोटा	गोटा	४३९.००	४३९.००	४३९.००
	473ML गोटा	गोटा	७९५.००	७९५.००	७९५.००
	946ML गोटा	गोटा	१३०८.००	१३०८.००	१३०८.००

Handwritten signatures and marks.

Handwritten signature and 'Page 157'.

Handwritten checkmark.

Handwritten mark.

पि.भि.सि. पाईप तथा फिटिङ्गहरू



नेपाल सरकार
महानगरपालिका
मु. अ. क. ललितपुर

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. अ. क. ललितपुर			
			आ. व. २०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९	
	"LEAD FREE" PVC PIPES as per ASTM D 1785					
	PVC Adhesive Solution (Heavy Bonded 717)					
		118ML	गोटा	४९२.००	४९२.००	४९२.००
		237ML	गोटा	६४९.००	६४९.००	६४९.००
		473ML	गोटा	९९३८.००	९९३८.००	९९३८.००
		946ML	गोटा	९९६९.००	९९६९.००	९९६९.००

(Handwritten signatures and marks)



पि.भि.सि.ओ. पाईप तथा फिटिङहरूको दररेट

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क. ललितपुर		
			आ.व. २०७६।०७७	आ.व. ०७।०७८	आ.व. ०७।०७९
1	Class 500 PVC-O pipes-PN 12.5				
	90 mm	र.मि		६५०.०३	६५०.०३
	110 mm	र.मि		९१७.३६	९१७.३६
	125 mm	र.मि		१२९८.७८	१२९८.७८
	140 mm	र.मि		१६३०.०५	१६३०.०५
	160 mm	र.मि		२१२६.५०	२१२६.५०
	200 mm	र.मि		३३१६.८८	३३१६.८८
	225 mm	र.मि		४००६.९५	४००६.९५
	250 mm	र.मि		४९३०.७५	४९३०.७५
	315 mm	र.मि		८२००.०३	८२००.०३
	355 mm	र.मि		९९३८.३८	९९३८.३८
	400 mm	र.मि		१२२६७.४१	१२२६७.४१
	450 mm	र.मि		१७०६९.३४	१७०६९.३४
	500 mm	र.मि		२१०४२.९८	२१०४२.९८
	630 mm	र.मि		३३२५२.७०	३३२५२.७०
	800 mm	र.मि		५३६०६.००	५३६०६.००
2	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि		७८५.५७	७८५.५७
	110 mm	र.मि		११६१.२४	११६१.२४
	125 mm	र.मि		१५०३.७६	१५०३.७६
	140 mm	र.मि		१८८१.८३	१८८१.८३
	160 mm	र.मि		२४६६.१२	२४६६.१२
	200 mm	र.मि		३८३९.८६	३८३९.८६
	225 mm	र.मि		४८५५.२२	४८५५.२२
	250 mm	र.मि		५९९०.३८	५९९०.३८
	315 mm	र.मि		९४९१.१९	९४९१.१९
	355 mm	र.मि		१२०४२.००	१२०४२.००
	400 mm	र.मि		१३४८६.३५	१३४८६.३५
	450 mm	र.मि		१७९२३.०२	१७९२३.०२
	500 mm	र.मि		२१८९३.७८	२१८९३.७८
	630 mm	र.मि		३४१९८.७४	३४१९८.७४
	800 mm	र.मि		५३३८२.१३	५३३८२.१३
3	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि		१६५०.००	१६५०.००
	110 mm	र.मि		२४५०.००	२४५०.००
	125 mm	र.मि		२५५०.००	२५५०.००
	140 mm	र.मि		२९००.००	२९००.००
	160 mm	र.मि		३५५०.००	३५५०.००
	200 mm	र.मि		४७६०.००	४७६०.००
	225 mm	र.मि		-----	-----
	250 mm	र.मि		६७८०.००	६७८०.००
	315 mm	र.मि		९७००.००	९७००.००
	355 mm	र.मि		१२५००.००	१२५००.००




पि.भि.सि.ओ. पाईप तथा फिटिङहरू

नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क्र. बाह्रकवि बारीकोलथ		
			आ.व. २०७६।०७७	आ.ब. ०७७।०७८	आ.ब. ०७८।०७९
	400 mm	र.मि		१७२९०.००	१७२९०.००
	450 mm	र.मि		२२८८५.९५	२२८८५.९५
	500 mm	र.मि		२७८२७.३५	२७८२७.३५
	630 mm	र.मि		४२८९४.५३	४२८९४.५३
	PVC-O Fittings				
	Elbow 11.25* (PN 16)				
	110	गोटा		६१४६.३४	६१४६.३४
	160	गोटा		१३३५१.८९	१३३५१.८९
	200	गोटा		२४५२३.९३	२४५२३.९३
	250	गोटा		३७३४२.५६	३७३४२.५६
	315	गोटा		७१५७९.३२	७१५७९.३२
	400	गोटा		१३३६१०.८९	१३३६१०.८९
	Elbow 22.5* (PN 16)				
	110	गोटा		६३९२.१९	६३९२.१९
	160	गोटा		१४०९३.९७	१४०९३.९७
	200	गोटा		२५५०४.८९	२५५०४.८९
	250	गोटा		३८८३६.२६	३८८३६.२६
	315	गोटा		७४४४२.४९	७४४४२.४९
	400	गोटा		१३८९५५.३३	१३८९५५.३३
	Elbow 45* (PN 16)				
	110	गोटा		७०७०.९४	७०७०.९४
	160	गोटा		१५४७५.४१	१५४७५.४१
	200	गोटा		२८०४८.१९	२८०४८.१९
	250	गोटा		४६००३.०३	४६००३.०३
	315	गोटा		८१६२५.२३	८१६२५.२३
	400	गोटा		१५८११९.९३	१५८११९.९३
	Elbow 90* (PN 16)				
	110	गोटा		१००४१.४५	१००४१.४५
	160	गोटा		२०११८.८४	२०११८.८४
	200	गोटा		३६१८१.१७	३६१८१.१७
	250	गोटा		६०२६४.६८	६०२६४.६८
	315	गोटा		९३८६६.६१	९३८६६.६१
	400	गोटा		१८८१६४.४३	१८८१६४.४३
	COUPLER (PN 16)				
	110	गोटा		६१३२.६७	६१३२.६७
	160	गोटा		१०९३५.८०	१०९३५.८०
	200	गोटा		१५८०६.८०	१५८०६.८०
	250	गोटा		२९५८५.३५	२९५८५.३५
	315	गोटा		५६०८०.४१	५६०८०.४१
	400	गोटा		१२४२९८.३३	१२४२९८.३३
	SLIDING COUPLER (PN 16)				
	110	गोटा		६१३२.६७	६१३२.६७
	160	गोटा		१०९३५.८०	१०९३५.८०

Handwritten signatures and marks at the bottom of the page.










पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. २०७६।०७७	आ.व. ०७७।०७८	आ.व. ०७८।०७९
200		गोटा		१५८०६.८०	१५८०६.८०
250		गोटा		२९५८५.३५	२९५८५.३५
315		गोटा		५६०८०.४१	५६०८०.४१
400		गोटा		१२४२९८.३३	१२४२९८.३३
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा		७६६१.८६	७६६१.८६
	160 to 110	गोटा		१२५७६.७७	१२५७६.७७
	200 to 160	गोटा		१२६१२.७०	१२६१२.७०
	250 to 200	गोटा		२१७५५.८१	२१७५५.८१
	315 to 250	गोटा		४८५९४.२४	४८५९४.२४
	400 to 315	गोटा		१००८६९.६८	१००८६९.६८

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क्र. बाईको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	११५.००	११५.००	११५.००
	3/4" dia	र.मि	१६०.००	१६०.००	१६०.००
	1" dia	र.मि	२१०.००	२१०.००	२१०.००
	1-1/4" dia	र.मि	२६१.००	२६१.००	२६१.००
	1-1/2" dia	र.मि	३६६.००	३६६.००	३६६.००
	2" dia	र.मि	५५९.००	५५९.००	५५९.००
	CPVC Pipe SDR 11 (28.1 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	१३३.००	१३३.००	१३१.००
	3/4" dia	र.मि	१७८.००	१७८.००	१७८.००
	1" dia	र.मि	२४८.००	२४८.००	२४८.००
	1-1/4" dia	र.मि	३००.००	३००.००	३००.००
	1-1/2" dia	र.मि	४१८.००	४१८.००	४१८.००
	2" dia	र.मि	६७७.००	६७७.००	६७७.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	३६५.००	३६५.००	२२१.००
	3/4"	र.मि	४८६.००	४८६.००	३४१.००
	1"	र.मि	५८८.००	५८८.००	५६०.००
	1-1/4"	र.मि	१३७१.००	१३७१.००	९९४.००
	1-1/2"	र.मि	१६४३.००	१६४३.००	१६४३.००
	2"	र.मि	२११७.००	२११७.००	२११७.००
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	१३८.००	१३८.००	१३८.००
	1" X 1/2"	गोटा	१८१.००	१८१.००	१८१.००
	CPVC Tee				
	1/2"	गोटा	३६.००	३६.००	३६.००
	3/4"	गोटा	७७.००	७७.००	७७.००
	1"	गोटा	११७.००	११७.००	११७.००
	1-1/4"	गोटा	२२०.००	२२०.००	२२०.००
	1-1/2"	गोटा	३२०.००	३२०.००	३२०.००
	2"	गोटा	६८७.००	६८७.००	६८७.००
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	७०.००	७०.००	७०.००
	3/4" x 3/4" x 1/2"	गोटा	१०७.००	१०७.००	१०७.००
	3/4" x 1/2" x 3/4"	गोटा	१३४.००	१३४.००	१३४.००
	3/4" x 1/2" x 1/2"	गोटा	१५३.००	१५३.००	१५३.००
	1" x 1" x 3/4"	गोटा	१६१.००	१६१.००	१६१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२५१.००	२५१.००	२५१.००

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बासिको दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब. ०७८।७९
	2" x 2" x 1"	गोटा	४३६.००	४३६.००	४३६.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१४२.००	१४२.००	१४२.००
	1-1/4" x 1-1/4" x 1"	गोटा	१५३.००	१५३.००	१५३.००
	2" x 2" x 1/2"	गोटा	४२८.००	४२८.००	४२८.००
	1" x 1" x 1/2"	गोटा	१००.००	१००.००	१००.००
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	१२०.००	१२०.००	१२०.००
	3/4" x 3/4" x 1/2"	गोटा	१२५.००	१२५.००	१२५.००
	1" x 1" x 1/2"	गोटा	१३९.००	१३९.००	१३९.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५०९.००	५०९.००	५०९.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२७२.००	२७२.००	२७२.००
	CPVC Elbow 90°				
	1/2"	गोटा	२५.००	२५.००	१७.००
	3/4"	गोटा	५२.००	५२.००	३९.००
	1"	गोटा	९५.००	९५.००	५८.००
	1-1/4"	गोटा	१७९.००	१७९.००	११७.००
	1-1/2"	गोटा	२६७.००	२६७.००	१६९.००
	2"	गोटा	५७२.००	५७२.००	३७२.००
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	५३.००	५३.००	५३.००
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	२२५.००	२२५.००	२२५.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२७०.००	२७०.००	२७०.००
	1" X 1/2"	गोटा	३९८.००	३९८.००	३९८.००
	1" X 1"	गोटा	४७९.००	४७९.००	४७९.००
	1-1/4" x 1-1/4"	गोटा	८६२.००	८६२.००	८६२.००
	CPVC Elbow 45°				
	1/2"	गोटा	३०.००	३०.००	३०.००
	3/4"	गोटा	५४.००	५४.००	५४.००
	1"	गोटा	७७.००	७७.००	७७.००
	1-1/4"	गोटा	१३६.००	१३६.००	१३६.००
	1-1/2"	गोटा	१९७.००	१९७.००	१९७.००
	2"	गोटा	४२७.००	४२७.००	४२७.००
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	२२.००	२२.००	२२.००
	3/4"	गोटा	३९.००	३९.००	३९.००
	1"	गोटा	५९.००	५९.००	५९.००

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials in the center and right.




सि.पि.भि.सि. पाईप तथा फिटिङहरूको

नेपाल सरकार
मूढ मन्त्रालय
प्रशासन कार्यालय
मु. अ. ब. लि. ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. ब. लि. ललितपुर		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	1-1/4"	गोटा	१०६.००	१०६.००	१०६.००
	1-1/2"	गोटा	१४९.००	१४९.००	१४९.००
	2"	गोटा	२९०.००	२९०.००	२९०.००
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2"	गोटा	४१.००	४१.००	४१.००
	CPVC Male Adapters (Brass Threads)	गोटा		०.००	
	1/2"	गोटा	२०६.००	२०६.००	२०६.००
	3/4"	गोटा	२६७.००	२६७.००	२६७.००
	1"	गोटा	४२१.००	४२१.००	४२१.००
	1-1/4"	गोटा	९२६.००	९२६.००	९२६.००
	1-1/2"	गोटा	१०८०.००	१०८०.००	१०८०.००
	2"	गोटा	२२२४.००	२२२४.००	२२२४.००
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	गोटा	२२९.००	२२९.००	२२९.००
	CPVC Female Adapter (CPVC Threads)			०.००	
	1/2"	गोटा	३१.००	३१.००	३१.००
	3/4"	गोटा	५१.००	५१.००	५१.००
	1"	गोटा	७७.००	७७.००	७७.००
	CPVC Female Adapters Brass Threads				
	1/2"	गोटा	१९८.००	१९८.००	१९८.००
	3/4"	गोटा	२६९.००	२६९.००	२६९.००
	1"	गोटा	३४९.००	३४९.००	३४९.००
	1-1/4"	गोटा	९१७.००	९१७.००	९१७.००
	1-1/2"	गोटा	१०२०.००	१०२०.००	१०२०.००
	2"	गोटा	१९९४.००	१९९४.००	१९९४.००
	CPVC Caps				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२५.००	२५.००	२५.००
	1"	गोटा	३७.००	३७.००	३७.००
	1-1/4"	गोटा	७२.००	७२.००	७२.००
	1-1/2"	गोटा	१०६.००	१०६.००	१०६.००
	2"	गोटा	२२५.००	२२५.००	२२५.००
	CPVC Union				
	1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3/4"	गोटा	३९८.००	३९८.००	३९८.००
	1"	गोटा	४७१.००	४७१.००	४७१.००
	1-1/4"	गोटा	८६२.००	८६२.००	८६२.००
	1-1/2"	गोटा	९४२.००	९४२.००	९४२.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
	2"	गोटा	१३५२.००	१३५२.००	१३५२.००
	CPVC Cross Tee				
	1/2"	गोटा	४९.००	४९.००	४९.००
	3/4"	गोटा	१०६.००	१०६.००	१०६.००
	CPVC Step Over Bend	गोटा			
	1/2"	गोटा	६३.००	६३.००	६३.००
	3/4"	गोटा	१०४.००	१०४.००	१०४.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	गोटा	६६१.००	६६१.००	६६१.००
	3/4"	गोटा	८०५.००	८०५.००	८०५.००
	1"	गोटा	९२१.००	९२१.००	९२१.००
	1-1/4"	गोटा	१८७९.००	१८७९.००	१८७९.००
	1-1/2"	गोटा	२३९१.००	२३९१.००	२३९१.००
	2"	गोटा	३०७५.००	३०७५.००	३०७५.००
	CPVC Solvent Cement				
	50ML	गोटा	१९९.००	१९९.००	१९९.००
	118ML	गोटा	३२९.००	३२९.००	३२९.००
	237ML	गोटा	५३३.००	५३३.००	५३३.००
	473ML	गोटा	८३८.००	८३८.००	८३८.००
	946ML	गोटा	१४७९.००	१४७९.००	१४७९.००
	Plastic Strap				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१८.००	१८.००	१८.००
	Metal Strap				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१६.००	१६.००	१६.००
	1"	गोटा	२१.००	२१.००	२१.००
	1-1/4"	गोटा	२५.००	२५.००	२५.००
	1-1/2"	गोटा	२७.००	२७.००	२७.००
	2"	गोटा	२९.००	२९.००	२९.००
	Tee Holder				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००




सि.पि.भि.सि. पाईप तथा फिटिङ्गहरूको दररेट

नेपाल सरकार
गृह मन्त्रालय
प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. को दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Elbow Holder				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	Snap Fix Repair Coupling				
	1/2"	गोटा	२२९.००	२२९.००	२२९.००
	3/4"	गोटा	२४८.००	२४८.००	२४८.००
	End plug threaded 1/2"	गोटा	९९.००	९९.००	९९.००


(Handwritten signatures and initials)

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	५०६४.००	५०६४.००	५०६४.००
	350 mm dia	मिटर	५८३३.००	५८३३.००	५८३३.००
	400 mm dia	मिटर	७८६८.००	७८६८.००	७८६८.००
	450 mm dia	मिटर	९३२७.००	९३२७.००	९३२७.००
	500 mm dia	मिटर	११४५३.००	११४५३.००	११४५३.००
	600 mm dia	मिटर	१३५३६.००	१३५३६.००	१३५३६.००
	700 mm dia	मिटर	१९६९५.००	१९६९५.००	१९६९५.००
	800 mm dia	मिटर	२५६७८.००	२५६७८.००	२५६७८.००
	900 mm dia	मिटर	२७३७१.००	२७३७१.००	२७३७१.००
	1000 mm dia	मिटर	३३०२३.००	३३०२३.००	३३०२३.००
	1100 mm dia	मिटर	४४६५४.००	४४६५४.००	४४६५४.००
	1200 mm dia	मिटर	५२४४६.००	५२४४६.००	५२४४६.००
	1300 mm dia	मिटर	६४३७६.००	६४३७६.००	६४३७६.००
	1400 mm dia	मिटर	६९२४७.००	६९२४७.००	६९२४७.००
	1500 mm dia	मिटर	७८७०२.००	७८७०२.००	७८७०२.००
	1600 mm dia	मिटर	८५४०३.००	८५४०३.००	८५४०३.००
	1700 mm dia	मिटर	९६२८४.००	९६२८४.००	९६२८४.००
	1800 mm dia	मिटर	१०७०५१.००	१०७०५१.००	१०७०५१.००
	1900 mm dia	मिटर	११७९३१.००	११७९३१.००	११७९३१.००
	2000 mm dia	मिटर	१२८८१२.००	१२८८१२.००	१२८८१२.००
	2100 mm dia	मिटर	१४३६६९.००	१४३६६९.००	१४३६६९.००
	2200 mm dia	मिटर	१५८५२५.००	१५८५२५.००	१५८५२५.००
	2300 mm dia	मिटर	१७३४४८.००	१७३४४८.००	१७३४४८.००
	2400 mm dia	मिटर	१८८३७०.००	१८८३७०.००	१८८३७०.००
B)	PN-6, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	५४४५.००	५४४५.००	५४४५.००
	350 mm dia	मिटर	६२७२.००	६२७२.००	६२७२.००
	400 mm dia	मिटर	८४६१.००	८४६१.००	८४६१.००
	450 mm dia	मिटर	१००२९.००	१००२९.००	१००२९.००
	500 mm dia	मिटर	१२३१५.००	१२३१५.००	१२३१५.००
	600 mm dia	मिटर	१४५५५.००	१४५५५.००	१४५५५.००
	700 mm dia	मिटर	२११७८.००	२११७८.००	२११७८.००
	800 mm dia	मिटर	२७६११.००	२७६११.००	२७६११.००
	900 mm dia	मिटर	२९४३२.००	२९४३२.००	२९४३२.००
	1000 mm dia	मिटर	३५५०९.००	३५५०९.००	३५५०९.००
	1100 mm dia	मिटर	४८०१५.००	४८०१५.००	४८०१५.००
	1200 mm dia	मिटर	५६३९४.००	५६३९४.००	५६३९४.००
	1300 mm dia	मिटर	६९२२१.००	६९२२१.००	६९२२१.००
	1400 mm dia	मिटर	७४४५९.००	७४४५९.००	७४४५९.००
	1500 mm dia	मिटर	८४६२६.००	८४६२६.००	८४६२६.००
	1600 mm dia	मिटर	९१८३२.००	९१८३२.००	९१८३२.००
	1700 mm dia	मिटर	१०३५३१.००	१०३५३१.००	१०३५३१.००


Page 167



GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
1. GRP PIPES AS PER IS:12709:1994					
	1800 mm dia	मिटर	११५१०८.००	११५१०८.००	११५१०८.००
	1900 mm dia	मिटर	१२६८०८.००	१२६८०८.००	१२६८०८.००
	2000 mm dia	मिटर	१३८५०७.००	१३८५०७.००	१३८५०७.००
	2100 mm dia	मिटर	१५४४८२.००	१५४४८२.००	१५४४८२.००
	2200 mm dia	मिटर	१७०४५७.००	१७०४५७.००	१७०४५७.००
	2300 mm dia	मिटर	१८६५०३.००	१८६५०३.००	१८६५०३.००
	2400 mm dia	मिटर	२०२५४९.००	२०२५४९.००	२०२५४९.००
	PN-9, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	५८८१.००	५८८१.००	५८८१.००
	350 mm dia	मिटर	६७७४.००	६७७४.००	६७७४.००
	400 mm dia	मिटर	९१३८.००	९१३८.००	९१३८.००
	450 mm dia	मिटर	१०८३१.००	१०८३१.००	१०८३१.००
	500 mm dia	मिटर	१३३००.००	१३३००.००	१३३००.००
	600 mm dia	मिटर	१५७९९.००	१५७९९.००	१५७९९.००
	700 mm dia	मिटर	२२८७२.००	२२८७२.००	२२८७२.००
	800 mm dia	मिटर	२९८२०.००	२९८२०.००	२९८२०.००
	900 mm dia	मिटर	३९७८६.००	३९७८६.००	३९७८६.००
	1000 mm dia	मिटर	३८३४९.००	३८३४९.००	३८३४९.००
	1100 mm dia	मिटर	५१८५६.००	५१८५६.००	५१८५६.००
	1200 mm dia	मिटर	६०९०५.००	६०९०५.००	६०९०५.००
	1300 mm dia	मिटर	७४७५९.००	७४७५९.००	७४७५९.००
	1400 mm dia	मिटर	८०४१६.००	८०४१६.००	८०४१६.००
	1500 mm dia	मिटर	९१३९६.००	९१३९६.००	९१३९६.००
	1600 mm dia	मिटर	९९१७८.००	९९१७८.००	९९१७८.००
	1700 mm dia	मिटर	१११८१३.००	१११८१३.००	१११८१३.००
	1800 mm dia	मिटर	१२४३१७.००	१२४३१७.००	१२४३१७.००
	1900 mm dia	मिटर	१३६९५२.००	१३६९५२.००	१३६९५२.००
	2000 mm dia	मिटर	१४९५८८.००	१४९५८८.००	१४९५८८.००
	2100 mm dia	मिटर	१६६८४१.००	१६६८४१.००	१६६८४१.००
	2200 mm dia	मिटर	१८४०९४.००	१८४०९४.००	१८४०९४.००
	2300 mm dia	मिटर	२०१४२३.००	२०१४२३.००	२०१४२३.००
	2400 mm dia	मिटर	२१८७५३.००	२१८७५३.००	२१८७५३.००
	D) PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	६४१०.००	६४१०.००	६४१०.००
	350 mm dia	मिटर	७३८४.००	७३८४.००	७३८४.००
	400 mm dia	मिटर	९९६०.००	९९६०.००	९९६०.००
	450 mm dia	मिटर	११८०६.००	११८०६.००	११८०६.००
	500 mm dia	मिटर	१४४९७.००	१४४९७.००	१४४९७.००
	600 mm dia	मिटर	१७९३४.००	१७९३४.००	१७९३४.००
	700 mm dia	मिटर	२४९३०.००	२४९३०.००	२४९३०.००
	800 mm dia	मिटर	३२५०३.००	३२५०३.००	३२५०३.००
	900 mm dia	मिटर	३४६४७.००	३४६४७.००	३४६४७.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बहिर्को दररेट		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
1. GRP PIPES AS PER IS:12709:1994					
	1000 mm dia	मिटर	४१८०१.००	४१८०१.००	४१८०१.००
	1100 mm dia	मिटर	५६५२४.००	५६५२४.००	५६५२४.००
	1200 mm dia	मिटर	६६३८७.००	६६३८७.००	६६३८७.००
	1300 mm dia	मिटर	८१४८८.००	८१४८८.००	८१४८८.००
	1400 mm dia	मिटर	८७६५३.००	८७६५३.००	८७६५३.००
	1500 mm dia	मिटर	९९६२२.००	९९६२२.००	९९६२२.००
	1600 mm dia	मिटर	१०८१०४.००	१०८१०४.००	१०८१०४.००
	1700 mm dia	मिटर	१२१८७७.००	१२१८७७.००	१२१८७७.००
	1800 mm dia	मिटर	१३५५०६.००	१३५५०६.००	१३५५०६.००
	1900 mm dia	मिटर	१४९२७८.००	१४९२७८.००	१४९२७८.००
	2000 mm dia	मिटर	१६३०५१.००	१६३०५१.००	१६३०५१.००
	2100 mm dia	मिटर	१८१८५७.००	१८१८५७.००	१८१८५७.००
	2200 mm dia	मिटर	२००६६२.००	२००६६२.००	२००६६२.००
	2300 mm dia	मिटर	२१९५५१.००	२१९५५१.००	२१९५५१.००
	2400 mm dia	मिटर	२३८४४०.००	२३८४४०.००	२३८४४०.००
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	७०५१.००	७०५१.००	७०५१.००
	350 mm dia	मिटर	८१२२.००	८१२२.००	८१२२.००
	400 mm dia	मिटर	१०९५६.००	१०९५६.००	१०९५६.००
	450 mm dia	मिटर	१२९८७.००	१२९८७.००	१२९८७.००
	500 mm dia	मिटर	१५९४७.००	१५९४७.००	१५९४७.००
	600 mm dia	मिटर	१८८४८.००	१८८४८.००	१८८४८.००
	700 mm dia	मिटर	२७४२३.००	२७४२३.००	२७४२३.००
	800 mm dia	मिटर	३५७५४.००	३५७५४.००	३५७५४.००
	900 mm dia	मिटर	३८११२.००	३८११२.००	३८११२.००
	1000 mm dia	मिटर	४५९८१.००	४५९८१.००	४५९८१.००
	1100 mm dia	मिटर	६२१७६.००	६२१७६.००	६२१७६.००
	1200 mm dia	मिटर	७३०२६.००	७३०२६.००	७३०२६.००
	1300 mm dia	मिटर	८९६३६.००	८९६३६.००	८९६३६.००
	1400 mm dia	मिटर	९६४१८.००	९६४१८.००	९६४१८.००
	1500 mm dia	मिटर	१०९५८४.००	१०९५८४.००	१०९५८४.००
	1600 mm dia	मिटर	११८९१५.००	११८९१५.००	११८९१५.००
	1700 mm dia	मिटर	१३४०६४.००	१३४०६४.००	१३४०६४.००
	1800 mm dia	मिटर	१४९०५६.००	१४९०५६.००	१४९०५६.००
	1900 mm dia	मिटर	१६४२०६.००	१६४२०६.००	१६४२०६.००
	2000 mm dia	मिटर	१७९३५६.००	१७९३५६.००	१७९३५६.००
	2100 mm dia	मिटर	२०००४२.००	२०००४२.००	२०००४२.००
	2200 mm dia	मिटर	२२०७२९.००	२२०७२९.००	२२०७२९.००
	2300 mm dia	मिटर	२४१५०७.००	२४१५०७.००	२४१५०७.००
	2400 mm dia	मिटर	२६२२८५.००	२६२२८५.००	२६२२८५.००
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	६५९३.००	६५९३.००	६५९३.००


Page 169




GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब.०७८।७९
1. GRP PIPES AS PER IS:12709:1994					
	350 mm dia	मिटर	७५९५.००	७५९५.००	७५९५.००
	400 mm dia	मिटर	१०२४५.००	१०२४५.००	१०२४५.००
	450 mm dia	मिटर	१२१४३.००	१२१४३.००	१२१४३.००
	500 mm dia	मिटर	१४९१२.००	१४९१२.००	१४९१२.००
	600 mm dia	मिटर	१७६२४.००	१७६२४.००	१७६२४.००
	700 mm dia	मिटर	२५६४३.००	२५६४३.००	२५६४३.००
	800 mm dia	मिटर	३३४३३.००	३३४३३.००	३३४३३.००
	900 mm dia	मिटर	३५६३८.००	३५६३८.००	३५६३८.००
	1000 mm dia	मिटर	४२९९६.००	४२९९६.००	४२९९६.००
	1100 mm dia	मिटर	५८१४०.००	५८१४०.००	५८१४०.००
	1200 mm dia	मिटर	६८२८५.००	६८२८५.००	६८२८५.००
	1300 mm dia	मिटर	८३८१८.००	८३८१८.००	८३८१८.००
	1400 mm dia	मिटर	९०१५९.००	९०१५९.००	९०१५९.००
	1500 mm dia	मिटर	१०२४७०.००	१०२४७०.००	१०२४७०.००
	1600 mm dia	मिटर	११११९५.००	११११९५.००	११११९५.००
	1700 mm dia	मिटर	१२५३६१.००	१२५३६१.००	१२५३६१.००
	1800 mm dia	मिटर	१३९३८०.००	१३९३८०.००	१३९३८०.००
	1900 mm dia	मिटर	१५३५४६.००	१५३५४६.००	१५३५४६.००
	2000 mm dia	मिटर	१६७७३३.००	१६७७३३.००	१६७७३३.००
	2100 mm dia	मिटर	१८७०५६.००	१८७०५६.००	१८७०५६.००
	2200 mm dia	मिटर	२०६४००.००	२०६४००.००	२०६४००.००
	2300 mm dia	मिटर	२२५८२९.००	२२५८२९.००	२२५८२९.००
	2400 mm dia	मिटर	२४५२५८.००	२४५२५८.००	२४५२५८.००
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	७६२३.००	७६२३.००	७६२३.००
	350 mm dia	मिटर	८७८१.००	८७८१.००	८७८१.००
	400 mm dia	मिटर	११८४५.००	११८४५.००	११८४५.००
	450 mm dia	मिटर	१४०४०.००	१४०४०.००	१४०४०.००
	500 mm dia	मिटर	१७२४१.००	१७२४१.००	१७२४१.००
	600 mm dia	मिटर	२०३७७.००	२०३७७.००	२०३७७.००
	700 mm dia	मिटर	२९६४९.००	२९६४९.००	२९६४९.००
	800 mm dia	मिटर	३८६५५.००	३८६५५.००	३८६५५.००
	900 mm dia	मिटर	४९२०४.००	४९२०४.००	४९२०४.००
	1000 mm dia	मिटर	४९७१२.००	४९७१२.००	४९७१२.००
	1100 mm dia	मिटर	६७२२१.००	६७२२१.००	६७२२१.००
	1200 mm dia	मिटर	७८९५१.००	७८९५१.००	७८९५१.००
	1300 mm dia	मिटर	९६९१०.००	९६९१०.००	९६९१०.००
	1400 mm dia	मिटर	१०४२४३.००	१०४२४३.००	१०४२४३.००
	1500 mm dia	मिटर	११८४७७.००	११८४७७.००	११८४७७.००
	1600 mm dia	मिटर	१२८५६४.००	१२८५६४.००	१२८५६४.००
	1700 mm dia	मिटर	१४४९४३.००	१४४९४३.००	१४४९४३.००
	1800 mm dia	मिटर	१६११५२.००	१६११५२.००	१६११५२.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. केन्द्रिय कार्यालय ललितपुर		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
1. GRP PIPES AS PER IS:12709:1994					
	1900 mm dia	मिटर	१७७५३१.००	१७७५३१.००	१७७५३१.००
	2000 mm dia	मिटर	१९३९१०.००	१९३९१०.००	१९३९१०.००
	2100 mm dia	मिटर	२१६२७५.००	२१६२७५.००	२१६२७५.००
	2200 mm dia	मिटर	२३८६४०.००	२३८६४०.००	२३८६४०.००
	2300 mm dia	मिटर	२६११०४.००	२६११०४.००	२६११०४.००
	2400 mm dia	मिटर	२८३५६८.००	२८३५६८.००	२८३५६८.००
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	८८९२.००	८८९२.००	८८९२.००
	350 mm dia	मिटर	१०२४२.००	१०२४२.००	१०२४२.००
	400 mm dia	मिटर	१३८१६.००	१३८१६.००	१३८१६.००
	450 mm dia	मिटर	१६३७७.००	१६३७७.००	१६३७७.००
	500 mm dia	मिटर	२०११०.००	२०११०.००	२०११०.००
	600 mm dia	मिटर	२३७६८.००	२३७६८.००	२३७६८.००
	700 mm dia	मिटर	३४५८२.००	३४५८२.००	३४५८२.००
	800 mm dia	मिटर	४५०८७.००	४५०८७.००	४५०८७.००
	900 mm dia	मिटर	४८०६१.००	४८०६१.००	४८०६१.००
	1000 mm dia	मिटर	५७९८४.००	५७९८४.००	५७९८४.००
	1100 mm dia	मिटर	७८४०७.००	७८४०७.००	७८४०७.००
	1200 mm dia	मिटर	९२०८९.००	९२०८९.००	९२०८९.००
	1300 mm dia	मिटर	११३०३६.००	११३०३६.००	११३०३६.००
	1400 mm dia	मिटर	१२१५८८.००	१२१५८८.००	१२१५८८.००
	1500 mm dia	मिटर	१३८१९१.००	१३८१९१.००	१३८१९१.००
	1600 mm dia	मिटर	१४९९५७.००	१४९९५७.००	१४९९५७.००
	1700 mm dia	मिटर	१६९०६२.००	१६९०६२.००	१६९०६२.००
	1800 mm dia	मिटर	१८७९६७.००	१८७९६७.००	१८७९६७.००
	1900 mm dia	मिटर	२०७०७२.००	२०७०७२.००	२०७०७२.००
	2000 mm dia	मिटर	२२६१७७.००	२२६१७७.००	२२६१७७.००
	2100 mm dia	मिटर	२५२२६३.००	२५२२६३.००	२५२२६३.००
	2200 mm dia	मिटर	२७८३५०.००	२७८३५०.००	२७८३५०.००
	2300 mm dia	मिटर	३०४५५२.००	३०४५५२.००	३०४५५२.००
	2400 mm dia	मिटर	३३०७५४.००	३३०७५४.००	३३०७५४.००
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	९६९२.००	९६९२.००	९६९२.००
	350 mm dia	मिटर	१११६४.००	१११६४.००	१११६४.००
	400 mm dia	मिटर	१५०५९.००	१५०५९.००	१५०५९.००
	450 mm dia	मिटर	१७८५१.००	१७८५१.००	१७८५१.००
	500 mm dia	मिटर	२१९२०.००	२१९२०.००	२१९२०.००
	600 mm dia	मिटर	२५९०७.००	२५९०७.००	२५९०७.००
	700 mm dia	मिटर	३७६९५.००	३७६९५.००	३७६९५.००
	800 mm dia	मिटर	४९१४५.००	४९१४५.००	४९१४५.००
	900 mm dia	मिटर	५२३८६.००	५२३८६.००	५२३८६.००
	1000 mm dia	मिटर	६३२०३.००	६३२०३.००	६३२०३.००



GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
1. GRP PIPES AS PER IS:12709:1994					
	1100 mm dia	मिटर	८५४६४.००	८५४६४.००	८५४६४.००
	1200 mm dia	मिटर	१००३७७.००	१००३७७.००	१००३७७.००
	1300 mm dia	मिटर	१२३२०९.००	१२३२०९.००	१२३२०९.००
	1400 mm dia	मिटर	१३२५३१.००	१३२५३१.००	१३२५३१.००
	1500 mm dia	मिटर	१५०६२८.००	१५०६२८.००	१५०६२८.००
	1600 mm dia	मिटर	१६३४५४.००	१६३४५४.००	१६३४५४.००
	1700 mm dia	मिटर	१८४२७७.००	१८४२७७.००	१८४२७७.००
	1800 mm dia	मिटर	२०४८८५.००	२०४८८५.००	२०४८८५.००
	1900 mm dia	मिटर	२२५७०८.००	२२५७०८.००	२२५७०८.००
	2000 mm dia	मिटर	२४६५३२.००	२४६५३२.००	२४६५३२.००
	2100 mm dia	मिटर	२७४९६७.००	२७४९६७.००	२७४९६७.००
	2200 mm dia	मिटर	३०३४०२.००	३०३४०२.००	३०३४०२.००
	2300 mm dia	मिटर	३३१९६२.००	३३१९६२.००	३३१९६२.००
	2400 mm dia	मिटर	३६०५२२.००	३६०५२२.००	३६०५२२.००
J) PN-15, SN-5000 (248 Kpa)					
	300 mm dia	मिटर	१०६६१.००	१०६६१.००	१०६६१.००
	350 mm dia	मिटर	१२२८१.००	१२२८१.००	१२२८१.००
	400 mm dia	मिटर	१६५६५.००	१६५६५.००	१६५६५.००
	450 mm dia	मिटर	१९६३६.००	१९६३६.००	१९६३६.००
	500 mm dia	मिटर	२४११२.००	२४११२.००	२४११२.००
	600 mm dia	मिटर	२८४९८.००	२८४९८.००	२८४९८.००
	700 mm dia	मिटर	४१४६४.००	४१४६४.००	४१४६४.००
	800 mm dia	मिटर	५४०६०.००	५४०६०.००	५४०६०.००
	900 mm dia	मिटर	५७६२५.००	५७६२५.००	५७६२५.००
	1000 mm dia	मिटर	६९५२३.००	६९५२३.००	६९५२३.००
	1100 mm dia	मिटर	९४०१०.००	९४०१०.००	९४०१०.००
	1200 mm dia	मिटर	११०४१५.००	११०४१५.००	११०४१५.००
	1300 mm dia	मिटर	१३५५३०.००	१३५५३०.००	१३५५३०.००
	1400 mm dia	मिटर	१४५७८५.००	१४५७८५.००	१४५७८५.००
	1500 mm dia	मिटर	१६५६९१.००	१६५६९१.००	१६५६९१.००
	1600 mm dia	मिटर	१७९७९९.००	१७९७९९.००	१७९७९९.००
	1700 mm dia	मिटर	२०२७०५.००	२०२७०५.००	२०२७०५.००
	1800 mm dia	मिटर	२२५३७३.००	२२५३७३.००	२२५३७३.००
	1900 mm dia	मिटर	२४८२७९.००	२४८२७९.००	२४८२७९.००
	2000 mm dia	मिटर	२७११८६.००	२७११८६.००	२७११८६.००
	2100 mm dia	मिटर	३०२४६४.००	३०२४६४.००	३०२४६४.००
	2200 mm dia	मिटर	३३३७४२.००	३३३७४२.००	३३३७४२.००
	2300 mm dia	मिटर	३६५१५८.००	३६५१५८.००	३६५१५८.००
	2400 mm dia	मिटर	३९६५७४.००	३९६५७४.००	३९६५७४.००
HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)					
	100mm dia.	मिटर	५००.००	५००.००	५००.००



GRP and HDPE/DWC Pipes

नेपाल सरकार
मु.अ.क बाहिरीको दररेट
ललितपुर जिल्लाको कार्यालय


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरीको दररेट		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
1. GRP PIPES AS PER IS:12709:1994					
	150mm dia.	मिटर	१०००.००	१०००.००	१०००.००
	200mm dia.	मिटर	१५००.००	१५००.००	१५००.००
	250mm dia.	मिटर	१९००.००	१९००.००	१९००.००
	300mm dia.	मिटर	३१६०.००	३१६०.००	३१६०.००
	400mm dia.	मिटर	४०७०.००	४०७०.००	४०७०.००
	500mm dia.	मिटर	४८६०.००	४८६०.००	४८६०.००
	600mm dia.	मिटर	८३७०.००	८३७०.००	८३७०.००
	800mm dia.	मिटर	१३८७५.००	१३३७५.००	१३३७५.००
	1000mm dia.	मिटर	२०९००.००	१९४००.००	१७२००.००



किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कि. बाह्रककोट दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब. ०७८।७९
	Porcelain Clay Sanitaryware				
१	White glazed porcelain pan				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२४००.००	२४००.००	२४००.००
	580 mm size orrisa Pan	सेट	२७००.००	२७००.००	२७००.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	Porcelain Clay Cistern				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	Commode				
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover Model (C2530300-1MA21+CL6104M-6D), Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. all complete set with testing and ready for operations. Make: (American Standard or Equivalent).	सेट			२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover Model (CCAS3105-4W20410A0 + CCASC105-0200410A0), Size: (365x560x352mm) with concealed cistern Model (FK303D01-AAS11) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd all complete set with testing and ready for operations. Make: (American Standard or Equivalent).	सेट			२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover Model(CCAS3207-3W20410F0 +CCASC128-0200410A0), Size: (368x540x400mm) made of sanitary ceramics with concealed cistern (FK303D01-AAS11) and Flush Plate (FA0325A0-CH) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			२६१५०.००
४	Bidet set				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	Urinal set				
	Porcelain clay white glaze large flat back urinal 61×41×38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp and the text "Page 174".



किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ. व. ०७६/७७		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size)	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००
	Supplying of white vitreous wall hanging urinal with back inlet, Model (CCAS6401-3100410F0), Size: (L355xP320xH615mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) , Model (FFAS8604-000500BF0) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent)	सेट			३१८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal (CCAS6605-3100420F0), Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) , Model (FFAS8604-000500BF0) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			६०५३०.००
५	Porcelain Clay Urinal Squatting Plate				
	white glaze squatting plate Small Size (45x35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९१५.००	९१५.००	९१५.००
६	Wash basin				
	Porcelain clay white glaze wash basin (500x400) cm size regular.	सेट	१०९५.००	१०९५.००	१०९५.००
	Porcelain clay white glaze wash basin (50x40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45x32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,(Duravit, Grohe, American Standard,Thai or eqv) complete.	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay 0-counter wash basin,(63x50)cm(Duravit, Grohe, American Standard,Thai or eqv)	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete		२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Model (CL221611-1MA00), Size: (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, Model (CL097911-1MA00), Size: (506x460x194mm) with full basin pedestal (CL900P11-1MA00) made of sanitary ceramics with with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			२०६७५.००

Handwritten signatures and initials at the bottom of the page.



किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	वित्तिको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate refushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology .flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट			१००००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate refushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly . providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट			१६०००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate refushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly . providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट			१८०००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt(Article Code-792688) Alpine White (Article Code-792695) and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट			२५००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt(Article Code-792701) Alpine White (Article Code-792718) and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट			२५००.००
१४	Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.				
	Stainless steel Deep sink 45*45*30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००


Page 17



किचन र बाथरूममा प्रयोग हुने सामानहरूको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.क.सं. ०७७/७७		
			आ.ब. ०७६/७७	आ.ब. ०७७/७७	आ.ब. ०७८/७९
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस	२५७६४.००	२५७६४.००	२५७६४.००
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)(HR Johnson Jaquare, Somany, Essel or equivalent)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet(HR Johnson, Jaquare, Somany, Essel or equivalent)	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve(HR Johnson,Jaquare, Somany, Essel or equivalent)	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"×16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture(Jaquar, Somany, HR Johnson,Essel or equivalent)	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet(HR Johnson,Jaquar, Somany, Essel or equivalent)	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture(HR Johnson, Jaquar, Somany, Essel or equivalent)	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe(connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin(HR Johnson,Jaquar, Somany, Essel or equivalent)	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३९.००	३३९.००	३३९.००
	110 mm dia	पिस	४४९.००	४४९.००	४४९.००
	160 mm dia	पिस	७७९.००	७७९.००	७७९.००
	Stainless steel telephonic shower(HR Johnson,Jaquare, Somany, Essel or equivalent)	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar(HR Johnson, Jaquare, Somany, Essel or equivalent)	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap (Viega, Schell, Jaquar or equivalent)	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००

Handwritten signatures and initials at the bottom of the page.




किचन र बाथरूममा प्रयोग हुने सामानहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. क. व. वि. के. म. दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९९९.००	२०९९९.००	२०९९९.००
	iv) 50 lit cap electric water heater	गोटा	२५०९९.००	२५०९९.००	२५०९९.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा			१५०००.००
१७	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००

(Handwritten signatures and initials)


CP Accessories



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	जिल्ला विकास बोर्डको दररेट		
			आ.व. ०७९/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Chrome plated Accessories				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	९००.००	९००.००	९००.००
३	Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P. 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	C.P. Angle Cock				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३७	C.P. Conceal Stop Cock				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००

Handwritten signatures and marks at the bottom of the page, including the text "Page 181".


CP Accessories



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मूल्य-विवरणको दररेट		
			आ. व. ०७९/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३८	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९९.००	३८९९.००	३८९९.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२९.००	२०२९.००	२०२९.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand ShowerWith 1.5 m. PVC Tube	गोटा	१७९९.००	१७९९.००	१७९९.००
	15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
३९	Deep Scrub Sink				
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५९५.००	१५९५.००	१५९५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२९.००	१६२२९.००	१६२२९.००
	Sensor valve for Urinal	गोटा	१०६५९.००	१०६५९.००	१०६५९.००
	Basin cock Sensor	गोटा	१४४९८.००	१४४९८.००	१४४९८.००
	15mm U shaped sink cock	गोटा	१७९२.००	१७९२.००	१७९२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२१७९.००	२१७९.००	२१७९.००
४०	European Pattern C.P. Grab Bar for disable				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६९३.००	५६९३.००	५६९३.००
	c) 60 cm long bend type	गोटा	७९८८.००	७९८८.००	७९८८.००

Handwritten signatures and initials at the bottom of the page, including names like 'Rajendra', 'Raj', 'Raj', 'Raj', 'Raj', 'Raj', and 'Raj'.

विभिन्न प्रकारका वाटर टैंक र पम्पहरु




सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. व. क. बाहिरको कान्छो दररेट		
			आ. व. ०७६/०७७	ला. वि. पु. ०७७/७८	आ. व. ०७८/७९
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	८०७५.००	८०७५.००	८०७५.००
	200 gls	गोटा	१२६८५.००	१२६८५.००	१२६८५.००
	300 gls	गोटा	१५९५५.००	१५९५५.००	१५९५५.००
	400 gls	गोटा	१९१५५.००	१९१५५.००	१९१५५.००
	500 gls	गोटा	२२३६५.००	२२३६५.००	२२३६५.००
2	Roof Top PVC Water Tank				
	200 lit – 5000 lit cap.	लीटर	१०.३०	१०.३०	१०.३०
	5000 lit – 10,000 lit cap	लीटर	१०.६०	१०.६०	१०.६०
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	१२६१०.००	१२६१०.००	१२६१०.००
	Capacity 1000 ltr	गोटा	१८५८०.००	१८५८०.००	१८५८०.००
	Capacity 1500 ltr	गोटा	२८५४०.००	२८५४०.००	२८५४०.००
	Capacity 2000 ltr	गोटा	३४५१०.००	३४५१०.००	३४५१०.००
	Capacity 3000 ltr	गोटा	५१७७०.००	५१७७०.००	५१७७०.००
	Capacity 4000 ltr	गोटा	६९०३०.००	६९०३०.००	६९०३०.००
	Capacity 5000 ltr	गोटा	९०७१०.००	९०७१०.००	९०७१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा			११३००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा			१४५००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा			२२०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा			३३५००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा			४१०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा			६७०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा			१०४०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा			२६०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा			३७५००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा			४६०००.००

Page 183

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा			७३०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा			११४०००.००
	Plastic Water Tank प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	गोटा			१२.५०
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा			१२५००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hilltake	गोटा			१८५००.००
11	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२३६०.००	१२३६०.००	१२३६०.००
	6 No. hand pump	गोटा	१५८२.००	१५८२.००	१५८२.००
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५.००	१०८८५.००	१०८८५.००
	ii) ½ H.P. Water Pump mono block type	सेट	६२५८.००	६२५८.००	६२५८.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४२५८.००	१४२५८.००	१४२५८.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९४६५.००	९४६५.००	९४६५.००
	v) 2.0 H.P. water pump	सेट	२२५८७.००	२२५८७.००	२२५८७.००
	vi) 2.0 H.P. 3 phase water pump	सेट	२३८४७.००	२३८४७.००	२३८४७.००
	vii) 5.0 HP 3 phase water pump	सेट	२८६५६.००	२८६५६.००	२८६५६.००



विभिन्न प्रकारका वाटर टैंक र पम्पहरु



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क.माहिकको दररेट		
			आ.व. ०७६/०७७	आ.क. ०७७/७८	आ.ब. ०७८/७९
	Jet Water Pump				
	i) 1.10 H.P.	सेट	२१६३०.००	२१६३०.००	२१६३०.००
	ii) Double Stage jet 1.10 H.P.	सेट	२५९५६.००	२५९५६.००	२५९५६.००
	ii) 1.5 H.P.	सेट	२९२०१.००	२९२०१.००	२९२०१.००
	Super Sunction				
	i) 0.50 H.P	सेट	८९२२.००	८९२२.००	८९२२.००
	ii) 0.75 H.P.	सेट	८३२८.००	८३२८.००	८३२८.००
	iii) 1.0 H.P.	सेट	१४२७६.००	१४२७६.००	१४२७६.००
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२.००	१८२०२.००	१८२०२.००
	2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	२९२३३.००	२९२३३.००	२९२३३.००
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	२६०८९.००	२६०८९.००	२६०८९.००
	ii) 2.0 H.P.	सेट	४८३९७.००	४८३९७.००	४८३९७.००
	Electric Water Pump (Chinese)				
	i) ½ H.P	सेट	१७०३.००	१७०३.००	१७०३.००
	ii) ¾ H.P.	सेट	२२१९.००	२२१९.००	२२१९.००
	iii) 1.0 H.P.	सेट	३२७०.००	३२७०.००	३२७०.००
	Submersible Pump Indian				
	i) ½ H.P open well type	सेट	१६६५५.००	१६६५५.००	१६६५५.००
	ii) 1.1 H.P open well type	सेट	२४३८८.००	२४३८८.००	२४३८८.००
	iii) 1.5 H.P open well type	सेट	२९७४१.००	२९७४१.००	२९७४१.००
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P	सेट	२७२५४.००	२७२५४.००	२७२५४.००
	iii) 1.5 H.P	सेट	३२९३२.००	३२९३२.००	३२९३२.००

Handwritten signatures and initials:
 1. Handwritten signature
 2. Handwritten signature
 3. Handwritten signature
 4. Handwritten signature
 5. Handwritten signature
 6. Handwritten signature
 7. Handwritten signature

साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
1	Adjustable spanner				
	10"	गोटा	२५५.००	२५५.००	२५५.००
	12"	गोटा	४८२.००	४८२.००	४८२.००
	15"	गोटा	१३८८.००	१३८८.००	१३८८.००
	18"	गोटा	१६४३.००	१६४३.००	१६४३.००
2	Blow Torch				
	1/2 pint	गोटा	१४३४.००	१४३४.००	१४३४.००
	1 pint	गोटा	१७६७.००	१७६७.००	१७६७.००
3	Building Trowel	गोटा	७९.००	७९.००	७९.००
4	Chain Pipe wrench				
	50mm	गोटा	१६४३.००	१६४३.००	१६४३.००
	75mm	गोटा	१९५५.००	१९५५.००	१९५५.००
	100mm	गोटा	२२९५.००	२२९५.००	२२९५.००
	150mm	गोटा	३२२९.००	३२२९.००	३२२९.००
	200mm	गोटा	५४९५.००	५४९५.००	५४९५.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१७५६२.००	१७५६२.००	१७५६२.००
	5 ton	गोटा	२९००५.००	२९००५.००	२९००५.००
6	Stone Chisel 1"x12"	गोटा	३६९.००	३६९.००	३६९.००
7	Die teeth oil with cane (250 ml size)	गोटा	२८३.००	२८३.००	२८३.००
8	Smooth steel file half round				
	8"	गोटा	५३९.००	५३९.००	५३९.००
	10"	गोटा	१०३९.००	१०३९.००	१०३९.००
	Flat file 10"	गोटा	५३९.००	५३९.००	५३९.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	१९३.००	१९३.००	१९३.००
11	Handle die set				
	25 mm	गोटा	३२०९.००	३२०९.००	३२०९.००
	50 mm	गोटा	३६२६.००	३६२६.००	३६२६.००
	60 mm	गोटा	९६३९.००	९६३९.००	९६३९.००
12	Heating Plate				
	80 mm	गोटा	९६३.००	९६३.००	९६३.००
	100 mm	गोटा	११०५.००	११०५.००	११०५.००
	125 mm	गोटा	१४१६.००	१४१६.००	१४१६.००
	150 mm	गोटा	१६८८.००	१६८८.००	१६८८.००
	200 mm	गोटा	२७३९.००	२७३९.००	२७३९.००
	250 mm	गोटा	३३०८.००	३३०८.००	३३०८.००
	300 mm	गोटा	३८६४.००	३८६४.००	३८६४.००
13	Iron Brush 12"	गोटा	७४.००	७४.००	७४.००
14	Iron Pan (madium)	गोटा	२६९.००	२६९.००	२६९.००
15	Pick Axe 1.7 Kg.	गोटा	४३९.००	४३९.००	४३९.००
16	Pipe Cutter				
	15-50 mm	गोटा	२०३९.००	२०३९.००	२०३९.००
	65-80 mm	गोटा	३१७२.००	३१७२.००	३१७२.००
	100 mm	गोटा	५०९९.००	५०९९.००	५०९९.००
	125 mm	गोटा	५६६५.००	५६६५.००	५६६५.००

साधारण हाते औजारहरु




सुदूरपश्चिम प्रदेश सरकार
ललितपुर जिल्लाको आ. व. २०७८/७९ को दररेट

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	आ. व. ०७६/७७		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	150 mm	गोटा	१००८४.००	१००८४.००	१००८४.००
17	Pipe Jack Machine (Heavy)	गोटा	३२२९१.००	३२२९१.००	३२२९१.००
18	Pipe Vice				
	2"	गोटा	२४९३.००	२४९३.००	२४९३.००
	3"	गोटा	३६२६.००	३६२६.००	३६२६.००
	4"	गोटा	५४६७.००	५४६७.००	५४६७.००
	5"	गोटा	१०१४०.००	१०१४०.००	१०१४०.००
19	Pipe Wrench				
	10"	गोटा	३१७.००	३१७.००	३१७.००
	12"	गोटा	५८९.००	५८९.००	५८९.००
	14"	गोटा	७०२.००	७०२.००	७०२.००
	18"	गोटा	१११७.००	१११७.००	१११७.००
	24"	गोटा	१५४१.००	१५४१.००	१५४१.००
	36"	गोटा	५४३८.००	५४३८.००	५४३८.००
	48"	गोटा	९६३१.००	९६३१.००	९६३१.००
20	Plumb Bob Line	गोटा	९१.००	९१.००	९१.००
21	Ratchet Die Set				
	1/2"-1"	गोटा	४३०५.००	४३०५.००	४३०५.००
	1 1/4" -2"	गोटा	८०४४.००	८०४४.००	८०४४.००
	2 1/2"-3"	गोटा	१७५६२.००	१७५६२.००	१७५६२.००
22	Round File 10"	गोटा	३६९.००	३६९.००	३६९.००
23	Screw Driver 12"	गोटा	२०४.००	२०४.००	२०४.००
24	Shovel 1.5 Kg	गोटा	३६९.००	३६९.००	३६९.००
25	Slide wrench				
	10"	गोटा	३६३.००	३६३.००	३६३.००
	12"	गोटा	४८७.००	४८७.००	४८७.००
	15"	गोटा	१४२२.००	१४२२.००	१४२२.००
26	Spade	गोटा	४४२.००	४४२.००	४४२.००
27	Spare Die Teeth				
	15 mm	गोटा	५८९.००	५८९.००	५८९.००
	20 mm	गोटा	५८९.००	५८९.००	५८९.००
	25 mm	गोटा	५८९.००	५८९.००	५८९.००
	32 mm	गोटा	९३५.००	९३५.००	९३५.००
	40 mm	गोटा	१५९८.००	१५९८.००	१५९८.००
	50 mm	गोटा	१६१५.००	१६१५.००	१६१५.००
	65 mm	गोटा	१८६९.००	१८६९.००	१८६९.००
	80 mm	गोटा	२०९६.००	२०९६.००	२०९६.००
28	Telflon Cover				
	5'x5'	गोटा	३१२.००	३१२.००	३१२.००
	7'x7'	गोटा	४२५.००	४२५.००	४२५.००
29	Telflon Cloth	र.मि	३४२८.००	३४२८.००	३४२८.००
30	Telflon Tape 10 mm	रेल	१८.००	१८.००	१८.००
31	Thermochrome Crayon				
	Indian	गोटा	७६५.००	७६५.००	७६५.००
32	Tool Box (14"x8"x22")	गोटा	२१०२.००	२१०२.००	२१०२.००


(Handwritten signatures and marks)

मेनहोल कभरहरूको



सि.नं.	सामग्रीहरूको विवरण	एकाई	क बाहेकको दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०
	C.I. Manhole Cover including frame.				
१	Square Frame Medium Duty				
	i) 10" x 10" (4 Kg.)	सेट	६२६	६२६	६२६
	ii) 12" x 12" (5 Kg.)	सेट	७७४	७७४	७७४
	iii) 14" x 14" (7 Kg.)	सेट	११५६	११५६	११५६
	v) 16" x 16" (10 Kg.)	सेट	१५४९	१५४९	१५४९
	vi) 18" x 18" (14 Kg.)	सेट	२४०८	२४०८	२४०८
	viii) 20" x 20" (16 Kg.)	सेट	२७९६	२७९६	२७९६
	ix) 22" x 22" (20 Kg.)	सेट	३१०८	३१०८	३१०८
	x) 24" x 24" (24 Kg.)	सेट	४३१८	४३१८	४३१८
	xi) 27" x 27" (31 Kg.)	सेट	५४४२	५४४२	५४४२
२	Square Frame Heavy Duty				
	iii) 14" x 14" (14 Kg.)	सेट	२३५५	२३५५	२३५५
	viii) 20" x 20" (16 Kg.)	सेट	३८४०	३८४०	३८४०
	ix) 22" x 22" (22 Kg.)	सेट	५२५१	५२५१	५२५१
	xi) 27" x 27" (45 Kg.)	सेट	७५११	७५११	७५११
३	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")	सेट	४१५९	४१५९	४१५९
	Round Manhole cover Heavy 450mm(22")	सेट	८२०१	८२०१	८२०१
	Round Manhole cover medium 500 mm(24")	सेट	६५४६	६५४६	६५४६
	Round Manhole cover Heavy 500 mm(24")	सेट	९७९२	९७९२	९७९२
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (60 Kg.)	सेट	९३१५	९३१५	९३१५
	ii) 20" dia. with square frame (70 Kg.)	„	१०८६४	१०८६४	१०८६४
	iii) 20" dia. with square frame (100 Kg.)	„	१५५२१	१५५२१	१५५२१
	iv) 22" dia. Medium class. (125 Kg.)	„	१९४९९	१९४९९	१९४९९
	v) 22" dia. Heavy class. (208Kg.)	„	३२३४७	३२३४७	३२३४७
	vi) 24" dia. Medium class. (70 Kg.)	„	१११७१	१११७१	१११७१
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	„	१३४८४	१३४८४	१३४८४
	viii) 24" with square frame (IS:1726) (70 Kg.)	„	१०९१७	१०९१७	१०९१७
	ix) 26" with square frame (IS:1726) (85 Kg.)	„	१३२६१	१३२६१	१३२६१
	xi) 28" with square frame (IS:1726) (116 Kg.)	„	१८३०१	१८३०१	१८३०१
	x) 30" with square frame (IS:1726) (100 Kg.)	„	१५५९५	१५५९५	१५५९५
	xi) 30" with square frame (IS:1726) (116 Kg.)	„	१८३०१	१८३०१	१८३०१
	xi) 32" with square frame (IS:1726) (208Kg.)	„	३२३४७	३२३४७	३२३४७
४	C.I. Tank Cover Locking Types- Round				
	18" (8 Kg.)	सेट	१७९३	१७९३	१७९३
	20" (12 Kg.)	„	२६३०	२६३०	२६३०


मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	आ. व. ०७८/०७९ को दररेट		
			आ. व. ०७८/०७९	आ. व. ०७८/०७९	आ. व. ०७८/०७९
	22" (14 Kg.)	..	२९८७	२९८७	२९८७
	24" (16 Kg.)	..	३५८५	३५८५	३५८५
	28" (24 Kg.)	..	५३७८	५३७८	५३७८
५	C.I. Tank Cover Locking Types- Rectangular				
	18" x 18" (13 Kg.)	सेट	२९८७	२९८७	२९८७
	24" x 24" (50 Kg.)	सेट	१०७५५	१०७५५	१०७५५
	18" x 24" (27 Kg.)	सेट	५९७६	५९७६	५९७६
६	C.I. Gully Gratings & Jali strip-Medium Duty				
	4"	सेट	१०७	१०७	१०७
	5"	सेट	१४३	१४३	१४३
	6"	सेट	१९१	१९१	१९१
	10"	सेट	६५७	६५७	६५७
७	C.I. Gully Gratings & Jali Strip- Medium Duty				
	4" x 4"	सेट	९५	९५	९५
	5" x 5"	सेट	१२०	१२०	१२०
	6" x 6"	सेट	१४३	१४३	१४३
	9" x 9"	सेट	४१८	४१८	४१८
	10" x 10"	सेट	५३८	५३८	५३८
	12" x 12"	सेट	७७७	७७७	७७७
८	C.I. Gully Gratings				
	i) 15"x18" Medium (18 Kg.)	सेट	३९४४	३९४४	३९४४
	ii) 15"x18" Heavy (25 Kg.)	सेट	५३७८	५३७८	५३७८
९	Grit Cover - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१७४	१७४	१७४
१०	Aluminum Grating 4" dia.	गोटा	४५	४५	४५
११	SMC Manhole Cover				
	Frame 880mm,cover 700mm,Round,50 Tons Frame 90 mm th.cover 60 mm th	गोटा			३२०५०
	Frame 725mm,cover 600mm,Round,40 Tons Frame 90 mm th.cover 60 mm th	गोटा			२३६५८
	Frame 725mm,cover 600mm,Round,10 Tons Frame 90 mm th.cover 60 mm th	गोटा			१८३००
	Frame 670mm,cover 570mm,Round,30 Tons Frame 45 mm th.cover 25 mm th	गोटा			१४१००
	Frame 670mm,cover 570mm,Square, Jali, 5 Tons Frame 45 mm th.cover 25 mm th	गोटा			१२२७०
	Frame 670mm,cover 625mm,Square,Overlapping 50 Tons Capacity	गोटा			२००००
	Frame 570mm,cover 475mm,Square, 5 Tons Capacity	गोटा			७८५०

Page 189

मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. ललितपुर		
			आ.ब.०७६/०७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	Frame 570mm,cover 475mm,Square, 2 Tons Capacity	गोटा			६७३०
	Frame 570mm,cover 475mm,Square, 15 Tons Capacity	गोटा			१२०००
	Frame 400mm,cover 300mm,Square,7.5 Tons Frame 60 mm th.cover 40 mm th	गोटा			७२८०
	Frame 400mm,cover 300mm,Square,5 Tons Frame 40 mm th.cover 20 mm th	गोटा			३५२०
	Frame 670mm,cover 625mm,Square,50 Tons Frame 45mm th.cover 40 mm th	गोटा			२००००
	Frame 670mm,cover 620mm,Square Net,5 Tons Frame 45mm th.cover 28 mm th	गोटा			१२२७०
	Frame 580mm,cover 460mm,Square,5 Tons Frame 40 mm th.cover 22 mm th	गोटा			७८५०

RCC Ring and Boring Work

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	RCC Ring for well and Toilets				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६१५.००
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	७६२.००	७६२.००	७६२.००
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	८८६.००	८८६.००	८८६.००
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	११७३.००	११७३.००	११७३.००
२	RCC cover				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१८५८.००	१८५८.००	१८५८.००
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२४६०.००	२४६०.००	२४६०.००
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२६९९.००	२६९९.००	२६९९.००
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	३२२४.००	३२२४.००	३२२४.००
४	Drilling of tube well by DTH Method				
	Drilling of holecin all formation (6 inch)	मी.	५६२३.००	५६२३.००	५६२३.००
	Drilling of holecin all formation (8 inch)	मी.	६५७८.००	६५७८.००	६५७८.००


Multilayer Composite Pipe



मु.सं.क्र. १९७/७९
 वा.सं.क्र. १९७/७९
 ललितपुर


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. ०७८/७९		
			आ. व. ०७८/७९	आ. व. ०७८/७९	आ. व. ०७८/७९
१	Cold Water Pipe (White)				
	12-16 mm ½"	र.मि	१०१.००	१०१.००	१०१.००
	14-18 mm ½"	र.मि	१११.००	१११.००	१११.००
	16-20 mm ½"	र.मि	११९.००	११९.००	११९.००
	20-25 mm ¾"	र.मि	१८०.००	१८०.००	१८०.००
	26-32 mm 1"	र.मि	२८१.००	२८१.००	२८१.००
	32-40 mm 1¼"	र.मि	४४६.००	४४६.००	४४६.००
	41-50 mm 1½"	र.मि	६५३.००	६५३.००	६५३.००
२	Hot Water Pipe (Orange)				
	12-16 mm ½"	र.मि	१११.००	१११.००	१११.००
	14-18 mm ½"	र.मि	१२३.००	१२३.००	१२३.००
	16-20 mm ½"	र.मि	१४१.००	१४१.००	१४१.००
	20-25 mm ¾"	र.मि	२०८.००	२०८.००	२०८.००
	26-32 mm 1"	र.मि	३०२.००	३०२.००	३०२.००
	32-40 mm 1¼"	र.मि	४६५.००	४६५.००	४६५.००
३	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	र.मि	८७.००	८७.००	८७.००
	14-18 mm ½"	र.मि	८७.००	८७.००	८७.००
४	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½" Ø (16mm Ø)	गोटा	१३३.००	१३३.००	१३३.००
	½" Ø (18mm Ø)	गोटा	१४०.००	१४०.००	१४०.००
	½" Ø (20mm Ø)	गोटा	१५४.००	१५४.००	१५४.००
	¾" Ø (25 mm Ø)	गोटा	२२५.००	२२५.००	२२५.००
	1" Ø (32 mm Ø)	गोटा	३५१.००	३५१.००	३५१.००
	1¼" Ø (40 mm Ø)	गोटा	१२९६.००	१२९६.००	१२९६.००
	1½" Ø (50 mm Ø)	गोटा	१९५८.००	१९५८.००	१९५८.००
	b. Unequal Straight Union				
	25 - 16 mm Ø	गोटा	२५२.००	२५२.००	२५२.००
	25 - 18 mm Ø	गोटा	२६१.००	२६१.००	२६१.००
	25 - 20 mm Ø	गोटा	२७५.००	२७५.००	२७५.००
	32 - 16 mm Ø	गोटा	३३८.००	३३८.००	३३८.००
	32 - 18 mm Ø	गोटा	३५६.००	३५६.००	३५६.००
	32 - 20 mm Ø	गोटा	३८३.००	३८३.००	३८३.००
	32 - 25 mm Ø	गोटा	४१०.००	४१०.००	४१०.००
	40 - 32 mm Ø	गोटा	११२१.००	११२१.००	११२१.००
	50 - 20 mm Ø	गोटा	१६३४.००	१६३४.००	१६३४.००
	50 - 32 mm Ø	गोटा	१९५८.००	१९५८.००	१९५८.००
	50 - 40 mm Ø	गोटा	१८४५.००	१८४५.००	१८४५.००
	c. Male Union				
	16mm x ½"M	गोटा	९५.००	९५.००	९५.००
	18mm x ½"M	गोटा	११०.००	११०.००	११०.००
	20mm x ½"M	गोटा	१२६.००	१२६.००	१२६.००
	25mm x ½"M	गोटा	१५३.००	१५३.००	१५३.००

Multilayer Composite Pipe




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहिरको न. के.यालय		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	25mm x ¾"M	गोटा	१९४.००	१९४.००	१९४.००
	25mm x 1"M	गोटा	२४८.००	२४८.००	२४८.००
	32mm x ¾"M	गोटा	२८४.००	२८४.००	२८४.००
	32mm x 1"M	गोटा	३११.००	३११.००	३११.००
	32mm x 1½"M	गोटा	३१५.००	३१५.००	३१५.००
	40mm x 1"M	गोटा	९९५.००	९९५.००	९९५.००
	40mm x 1½"M	गोटा	१०३०.००	१०३०.००	१०३०.००
	50mm x 1"M	गोटा	१५६३.००	१५६३.००	१५६३.००
	50mm x 1¼"M	गोटा	१५९०.००	१५९०.००	१५९०.००
	50mm x 1½"M	गोटा	२१६०.००	२१६०.००	२१६०.००
	50mm x 2"M	गोटा	१६२३.००	१६२३.००	१६२३.००
d. Female Straight Union					
	16mm x ½"F	गोटा	१०४.००	१०४.००	१०४.००
	18mm x ½"F	गोटा	११३.००	११३.००	११३.००
	20mm x ½"F	गोटा	१२२.००	१२२.००	१२२.००
	25mm x ½"F	गोटा	१६२.००	१६२.००	१६२.००
	25mm x ¾"F	गोटा	१९४.००	१९४.००	१९४.००
	25mm x 1"F	गोटा	१९८.००	१९८.००	१९८.००
	32mm x ½"F	गोटा	२०३.००	२०३.००	२०३.००
	32mm x ¾"F	गोटा	२०७.००	२०७.००	२०७.००
	32mm x 1"F	गोटा	२९३.००	२९३.००	२९३.००
	40mm x 1½"F	गोटा	११६८.००	११६८.००	११६८.००
	50mm x 1¼"F	गोटा	१५७५.००	१५७५.००	१५७५.००
	50mm x 1½"F	गोटा	२१६०.००	२१६०.००	२१६०.००
	50mm x 2"F	गोटा	१६३८.००	१६३८.००	१६३८.००
e. Equal Elbow					
	½"ø (16mm ø)	गोटा	१२६.००	१२६.००	१२६.००
	½"ø (18mm ø)	गोटा	१५३.००	१५३.००	१५३.००
	½"ø (20mm ø)	गोटा	२०७.००	२०७.००	२०७.००
	¾"ø (25 mm ø)	गोटा	३१५.००	३१५.००	३१५.००
	1"ø (32 mm ø)	गोटा	५०९.००	५०९.००	५०९.००
	1¼"ø (40 mm ø)	गोटा	१६५६.००	१६५६.००	१६५६.००
	1½"ø (50 mm ø)	गोटा	२५६५.००	२५६५.००	२५६५.००
f. Unequal Elbow					
	40 - 32 mm ø	गोटा	१८३६.००	१८३६.००	१८३६.००
	50 - 20 mm ø	गोटा	२११५.००	२११५.००	२११५.००
	50 - 40 mm ø	गोटा	२१५६.००	२१५६.००	२१५६.००
g. Female Elbow					
	16mm x ½"F	गोटा	१६७.००	१६७.००	१६७.००
	18mm x ½"F	गोटा	१८५.००	१८५.००	१८५.००
	20mm x ½"F	गोटा	२०३.००	२०३.००	२०३.००
	25mm x ½"F	गोटा	२२५.००	२२५.००	२२५.००
	25mm x ¾"F	गोटा	२७९.००	२७९.००	२७९.००
	25mm x 1"F	गोटा	३०६.००	३०६.००	३०६.००
	32mm x ¾"F	गोटा	३२९.००	३२९.००	३२९.००

Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहिरीको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	32mm x 1" F	गोटा	४१०.००	४१०.००	४१०.००
	50mm x 1 1/4" F	गोटा	२११५.००	२११५.००	२११५.००
h. Male Elbow					
	25mm x 3/4" M	गोटा	२२५.००	२२५.००	२२५.००
	25mm x 1" M	गोटा	२९३.००	२९३.००	२९३.००
	32mm x 3/4" M	गोटा	२२१.००	२२१.००	२२१.००
	32mm x 1" M	गोटा	३७४.००	३७४.००	३७४.००
	40mm x 1" M	गोटा	१२१५.००	१२१५.००	१२१५.००
	50mm x 1" M	गोटा	१७३२.००	१७३२.००	१७३२.००
i. Equal Tee					
	1/2" Ø (16mm Ø)	गोटा	२२५.००	२२५.००	२२५.००
	1/2" Ø (18mm Ø)	गोटा	२५२.००	२५२.००	२५२.००
	1/2" Ø (20mm Ø)	गोटा	३१५.००	३१५.००	३१५.००
	3/4" Ø (25 mm Ø)	गोटा	४५५.००	४५५.००	४५५.००
	1" Ø (32 mm Ø)	गोटा	७११.००	७११.००	७११.००
	1 1/4" Ø (40 mm Ø)	गोटा	२६५८.००	२६५८.००	२६५८.००
	1 1/2" Ø (50 mm Ø)	गोटा	३८८४.००	३८८४.००	३८८४.००
j. Unequal Tee					
	20 mm x 16 mm x 20 mm	गोटा	२०३.००	२०३.००	२०३.००
	20 mm x 18 mm x 20 mm	गोटा	२२५.००	२२५.००	२२५.००
	25 mm x 16 mm x 25 mm	गोटा	३३८.००	३३८.००	३३८.००
	25 mm x 18 mm x 25 mm	गोटा	३८३.००	३८३.००	३८३.००
	25 mm x 20 mm x 25 mm	गोटा	३९६.००	३९६.००	३९६.००
	32 mm x 16 mm x 32 mm	गोटा	६५३.००	६५३.००	६५३.००
	32 mm x 18 mm x 32 mm	गोटा	६७५.००	६७५.००	६७५.००
	32 mm x 20 mm x 32 mm	गोटा	७०२.००	७०२.००	७०२.००
	32 mm x 25 mm x 32 mm	गोटा	७२०.००	७२०.००	७२०.००
	40 mm x 32 mm x 32 mm	गोटा	१९६७.००	१९६७.००	१९६७.००
	40 mm x 32 mm x 40 mm	गोटा	२२७८.००	२२७८.००	२२७८.००
	50 mm x 20 mm x 50 mm	गोटा	३१०५.००	३१०५.००	३१०५.००
	50 mm x 32 mm x 32 mm	गोटा	२०४७.००	२०४७.००	२०४७.००
	50 mm x 32 mm x 50 mm	गोटा	३१३७.००	३१३७.००	३१३७.००
	50 mm x 40 mm x 40 mm	गोटा	३१४७.००	३१४७.००	३१४७.००
	50 mm x 40 mm x 50 mm	गोटा	३५९५.००	३५९५.००	३५९५.००
k. Female Tee					
	16mm x 1/2" F x 16mm	गोटा	२२५.००	२२५.००	२२५.००
	18mm x 1/2" F x 18mm	गोटा	२३४.००	२३४.००	२३४.००
	20mm x 1/2" F x 20mm	गोटा	२५२.००	२५२.००	२५२.००
	25mm x 1/2" F x 25mm	गोटा	२३७.००	२३७.००	२३७.००
	25mm x 3/4" F x 25mm	गोटा	२६१.००	२६१.००	२६१.००
	25mm x 1" F x 25mm	गोटा	३३८.००	३३८.००	३३८.००
	32mm x 1/2" F x 32mm	गोटा	३६५.००	३६५.००	३६५.००
	32mm x 3/4" F x 32mm	गोटा	३७४.००	३७४.००	३७४.००
	32mm x 1" F x 32mm	गोटा	५०७.००	५०७.००	५०७.००

Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बसिंको कार्यालय		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	40mm x 3/4" F x 32mm	गोटा	१४९६.००	१४९६.००	१४९६.००
	50mm x 3/4" F x 40mm	गोटा	२२१९.००	२२१९.००	२२१९.००
l. Equal Ball Valve Union					
	1/2" Ø (16mm Ø)	गोटा	२६२.००	२६२.००	२६२.००
	1/2" Ø (18mm Ø)	गोटा	२९१.००	२९१.००	२९१.००
	1/2" Ø (20mm Ø)	गोटा	३८३.००	३८३.००	३८३.००
	3/4" Ø (25 mm Ø)	गोटा	६३५.००	६३५.००	६३५.००
	1" Ø (32 mm Ø)	गोटा	८८२.००	८८२.००	८८२.००
	1 1/4" Ø (40 mm Ø)	गोटा	२८८२.००	२८८२.००	२८८२.००
	1 1/2" Ø (50 mm Ø)	गोटा	४१५९.००	४१५९.००	४१५९.००
m. Female Ball Valve Union					
	16mm x 1/2" F	गोटा	२४४.००	२४४.००	२४४.००
	18mm x 1/2" F	गोटा	२८०.००	२८०.००	२८०.००
	20mm x 1/2" F	गोटा	३१३.००	३१३.००	३१३.००
	20mm x 3/4" F	गोटा	३५१.००	३५१.००	३५१.००
	25mm x 3/4" F	गोटा	६५३.००	६५३.००	६५३.००
	25mm x 1" F	गोटा	६६६.००	६६६.००	६६६.००
	32mm x 1" F	गोटा	७०२.००	७०२.००	७०२.००
n. Plug					
	1 1/4" Ø (40 mm Ø)	गोटा	१४४०.००	१४४०.००	१४४०.००
	1 1/2" Ø (50 mm Ø)	गोटा	१९८०.००	१९८०.००	१९८०.००
p. Wall Plated Female Elbow					
	16mm x 1/2" F	गोटा	१८९.००	१८९.००	१८९.००
	18mm x 1/2" F	गोटा	२०७.००	२०७.००	२०७.००
	20mm x 1/2" F	गोटा	२२५.००	२२५.००	२२५.००
Nipple					
	N 1/2F*1/2F	गोटा	४९.००	४९.००	४९.००
	N 1/2M*1/2M	गोटा	४९.००	४९.००	४९.००
	N 3/4F*1/2F	गोटा	६८.००	६८.००	६८.००
	N 1F*1/2F	गोटा	७७.००	७७.००	७७.००
	N 1F*3/4F	गोटा	८७.००	८७.००	८७.००
	N 3/4M*1/2M	गोटा	६८.००	६८.००	६८.००
	N 1M*1/2M	गोटा	७७.००	७७.००	७७.००
	N 1M*3/4M	गोटा	८७.००	८७.००	८७.००
	N 1/2F*1/2M	गोटा	५९.००	५९.००	५९.००
	N 1/2F*3/4M	गोटा	६८.००	६८.००	६८.००
	N 1/2F*1M	गोटा	१०७.००	१०७.००	१०७.००
	N 1/2M*3/4F	गोटा	६८.००	६८.००	६८.००
	N 1/2M*1F	गोटा	११२.००	११२.००	११२.००
	N 3/4F*3/4M	गोटा	८७.००	८७.००	८७.००
	N 3/4F*1M	गोटा	९६.००	९६.००	९६.००
	N 3/4M*1F	गोटा	१२७.००	१२७.००	१२७.००

Handwritten signatures and initials in Nepali script, including names like 'श्री. रमेश', 'श्री. प्रकाश', 'श्री. अरुण', 'श्री. विक्रम', and 'श्री. सुभाष'.




Rainwater Collection System

नेपाल सरकार
गृह मन्त्रालय
ललितपुर
मु.आ.कनबन्धेसम्मको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
१	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	१५९.००	१५९.००	१५९.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२५७.००	२५७.००	२५७.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	३५२.००	३५२.००	३५२.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	४३२.००	४३२.००	४३२.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	४३२.००	४३२.००	४३२.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९५.००	९५.००	९५.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	३०५.००	३०५.००	३०५.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	७७.००	७७.००	७७.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	५०.००	५०.००	५०.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३२.००	३२.००	३२.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	७७.००	७७.००	७७.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३०.००	३०.००	३०.००
२	75 mm dia.			०.००	०.००
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६३.००	६३.००	६३.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	३८.००	३८.००	३८.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१२६.००	१२६.००	१२६.००
	180 mm dia.			०.००	०.००
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	३०२.००	३०२.००	३०२.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	३५८.००	३५८.००	३५८.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	५१८.००	५१८.००	५१८.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	५९२.००	५९२.००	५९२.००

Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.सं.सूचकको दररेट		
			आ.व.०७६/०७७	आ.व.०७७/७८	आ.व.०७८/७९
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	५९२.००	५९२.००	५९२.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	१४०.००	१४०.००	१४०.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	४२४.००	४२४.००	४२४.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	१०८.००	१०८.००	१०८.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	९९.००	९९.००	९९.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	५९.००	५९.००	५९.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	११०.००	११०.००	११०.००
	RUBBER GASKET To provide leak proof joints.	गोटा	४९.००	४९.००	४९.००
३	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६८.००	६८.००	६८.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	४४.००	४४.००	४४.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	२४३.००	२४३.००	२४३.००
४	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	५८५.००	५८५.००	५८५.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	६९४.००	६९४.००	६९४.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	९६५.००	९६५.००	९६५.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	१३८७.००	१३८७.००	१३८७.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	१३८७.००	१३८७.००	१३८७.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	३०२.००	३०२.००	३०२.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	८०२.००	८०२.००	८०२.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	३००.००	३००.००	३००.००



Rainwater Collection System

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.के.बहिर्को दररेट		
			आ.व.०७६/०७७	आ.व.०७७/७८	आ.व.०७८/७९
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१६४.००	१६४.००	१६४.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	१२२.००	१२२.००	१२२.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	३१८.००	३१८.००	३१८.००
	RUBBER GASKET To provide leak proof joints.	गोटा	१६६.००	१६६.००	१६६.००
५	160 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८२.००	८२.००	८२.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	१९१.००	१९१.००	१९१.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	४३७.००	४३७.००	४३७.००
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	२४७.००	२४७.००	२४७.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४३८.००	४३८.००	४३८.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	२६२.००	२६२.००	२६२.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४७०.००	४७०.००	४७०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४४७.००	४४७.००	४४७.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६७३.००	६७३.००	६७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४७३.००	४७३.००	४७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६९६.००	६९६.००	६९६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	९५९.००	९५९.००	९५९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	११९६.००	११९६.००	११९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०२२.००	१०२२.००	१०२२.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१३५०.००	१३५०.००	१३५०.००
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	१४०.००	१४०.००	१४०.००
	DWV Bend 87.5 Degree	गोटा	१७७.००	१७७.००	१७७.००
	DWV Bend 87.5 Degree with Door	गोटा	८१.००	८१.००	८१.००
	DWV Socket Plug	गोटा	१८९.००	१८९.००	१८९.००
	DWV Cleansing Pipe	गोटा	११४.००	११४.००	११४.००
	DWV Coupler	गोटा	२०२.००	२०२.००	२०२.००
	DWV Single Tee	गोटा	२२२.००	२२२.००	२२२.००
	DWV Single Tee with Door	गोटा	३४९.००	३४९.००	३४९.००
	DWV Cross Tee	गोटा	४९१.००	४९१.००	४९१.००
	DWV Cross Tee with Door	गोटा	३६१.००	३६१.००	३६१.००



Rainwater Collection System नेपाल सरकार


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	जिल्ला प्रशासन कार्यालय ललितपुर		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	DWV Double 'Y'	गोटा	४८१.००	४८१.००	४८१.००
	DWV Double 'Y' with Door	गोटा	२२६.००	२२६.००	२२६.००
	DWV Single 'Y'	गोटा	२८८.००	२८८.००	२८८.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२५.००	२५.००	२५.००
	DWV Vent Cowel	गोटा	२३०.००	२३०.००	२३०.००
	DWV Bend 45 Degree 110mm size	गोटा	२८२.००	२८२.००	२८२.००
	DWV Bend 87.5 Degree	गोटा	३२३.००	३२३.००	३२३.००
	DWV Bend 87.5 Degree with Door	गोटा	१०३.००	१०३.००	१०३.००
	DWV Socket Plug	गोटा	३७०.००	३७०.००	३७०.००
	DWV Cleansing Pipe	गोटा	२०६.००	२०६.००	२०६.००
	DWV Coupler	गोटा	६८४.००	६८४.००	६८४.००
	DWV Double 'Y'	गोटा	८०८.००	८०८.००	८०८.००
	DWV Double 'Y' with Door	गोटा	५६६.००	५६६.००	५६६.००
	DWV Cross Tee	गोटा	६४२.००	६४२.००	६४२.००
	DWV Cross Tee with Door	गोटा	३७०.००	३७०.००	३७०.००
	DWV Single Tee	गोटा	४३७.००	४३७.००	४३७.००
	DWV Single Tee with Door	गोटा	४५३.००	४५३.००	४५३.००
	DWV Single 'Y'	गोटा	४७५.००	४७५.००	४७५.००
	DWV Single 'Y' with Door	गोटा	४७.००	४७.००	४७.००
	DWV Vent Cowel	गोटा	१६९.००	१६९.००	१६९.००
	DWV Reducer 110*75 mm	गोटा	३६.००	३६.००	३६.००
	DWV Pipe Clip 110mm size	गोटा	४३६.००	४३६.००	४३६.००
	DWV W.C. Connectore (Straight type)	गोटा	३४८.००	३४८.००	३४८.००
	DWV W.C. Connectore (Bend type)	गोटा	१७४.००	१७४.००	१७४.००
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	२४.००	२४.००	२४.००
	DWV Nahani Trap Jali	गोटा	५३९.००	५३९.००	५३९.००
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	७७३.००	७७३.००	७७३.००
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	२३२.००	२३२.००	२३२.००
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	४७०.००	४७०.००	४७०.००
	DWV Reducer 60*110 mm	गोटा	४४९.००	४४९.००	४४९.००
	DWV Coupler 160mm size	गोटा	१०७७.००	१०७७.००	१०७७.००
	DWV Single Tee	गोटा	११५७.००	११५७.००	११५७.००
	DWV Single Tee with Door	गोटा	२०१६.००	२०१६.००	२०१६.००
	DWV Single 'Y'	गोटा	२११८.००	२११८.००	२११८.००
	DWV Single 'Y' with Door	गोटा	७४२.००	७४२.००	७४२.००
	DWV Bend 87.5 Degree	गोटा	९८८.००	९८८.००	९८८.००
	DWV Bend 87.5 Degree with Door	गोटा	८६४.००	८६४.००	८६४.००
६	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	५८४.००	५८४.००	५८४.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	६०६.००	६०६.००	६०६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	६३०.००	६३०.००	६३०.००

Page 199




Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.प्र.क.बी.ह.को दररेट ललितपुर		
			आ.व. ०७९/०७७	आ.व. ०७७/७७	आ.व. ०७७/७९
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	५९३.००	५९३.००	५९३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	६०४.००	६०४.००	६०४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	१०७८.००	१०७८.००	१०७८.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	११२०.००	११२०.००	११२०.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	११६३.००	११६३.००	११६३.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१०९६.००	१०९६.००	१०९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१११६.००	१११६.००	१११६.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	१६८८.००	१६८८.००	१६८८.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१७१८.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१७४६.००	१७४६.००	१७४६.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२८०१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२८४९.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	२८९९.००	२८९९.००	२८९९.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३७०९.००	३७०९.००	३७०९.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३७७३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	३८३८.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४५८३.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४६६३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४७४३.००
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	५८३.००	५८३.००	५८३.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	५९८.००	५९८.००	५९८.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	६१३.००	६१३.००	६१३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	५९४.००	५९४.००	५९४.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	६०५.००	६०५.००	६०५.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१०७७.००	१०७७.००	१०७७.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	११०९.००	११०९.००	११०९.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	११३९.००	११३९.००	११३९.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१०९७.००	१०९७.००	१०९७.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१११६.००	१११६.००	१११६.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१६८८.००	१६८८.००	१६८८.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१७१८.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१७४७.००	१७४७.००	१७४७.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२८०१.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२८४९.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	२८९८.००	२८९८.००	२८९८.००
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	३७०९.००	३७०९.००	३७०९.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३७७३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	३८३८.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४५८३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४६६३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४७४३.००
७	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				



Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कम बाहेकको दररेट		
			आ.ब.०७६/०७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	DWV Coupler SN-8 110mm	गोटा	२९४.००	२९४.००	२९४.००
	DWV Coupler SN-4 160 mm	गोटा	७०८.००	७०८.००	७०८.००
	DWV Coupler SN-4 200 mm	गोटा	१४४७.००	१४४७.००	१४४७.००
	DWV Coupler SN-4 250 mm	गोटा	२६९७.००	२६९७.००	२६९७.००
	DWV Coupler SN-2 315mm	गोटा	४३३८.००	४३३८.००	४३३८.००
	DWV Coupler SN-4 315 mm	गोटा	४७३६.००	४७३६.००	४७३६.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१००१.००	१००१.००	१००१.००
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	२७८७.००	२७८७.००	२७८७.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	५२०५.००	५२०५.००	५२०५.००
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	११६६८.००	११६६८.००	११६६८.००
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	२७७०५.००	२७७०५.००	२७७०५.००



सिचाई संबन्धि कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब. ०७८।७९
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५०.००	१५०.००	१५०.००
२	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३०.००	३०.००	३०.००
३	SPRINKLERS & ACCESSORIES				
	Unispray	गोटा	६६०.००	६६०.००	६६०.००
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8 5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२००.००	१२००.००	१२००.००
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२००.००	१२००.००	१२००.००
	Gear rotors 5004	गोटा	३१००.००	३१००.००	३१००.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	३९०.००	३९०.००	३९०.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	४८०.००	४८०.००	४८०.००
	Providing and fixing of HDPE service saddle of varying size		८५०.००	८५०.००	८५०.००
४	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३८००.००	३८००.००	३८००.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२१००.००	२१००.००	२१००.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७५००.००	७५००.००	७५००.००
	6"Round box.	गोटा	१२५०.००	१२५०.००	१२५०.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१३५००.००	१३५००.००	१३५००.००
	Key threads into top of QCV to provide water access 33DK	गोटा	९७५०.००	९७५०.००	९७५०.००


Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६।७७	आ.ब. ०७७।७८	आ.ब. ०७८।७९
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा			३०००.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा			४०००.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (परांघावाला लार्ज डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा			७०००.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (परांघावाला एक्स्ट्रा लार्ज डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा			८०००.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा			६०००.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा			८०००.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा			४०००.००
८	LLDPE ROAD-DIVIDER - SMALL (रोड डिभाइडर, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा			३०००.००

Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
९	LLDPE ROAD-DIVIDER - LARGE (रोड विभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा			१६५००.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा			५५००.००

(Handwritten signatures and initials)

Sewage Treatment Plant



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.के.बाहिर्को दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified	गोटा			१,२०,७३६.००
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified	गोटा			१,६१,३९२.००
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified	गोटा			२,१५,६००.००
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा			२,७२,२७२.००
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified	गोटा			३,२१,५५२.००
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified	गोटा			३,७५,७६०.००
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा			४,४९,६८०.००
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified	गोटा			४,८६,६४०.००


Fountain



नेपाल सरकार

सि.नं.	निर्माण सामग्रीहरूको विवरण	बाहेकको दररेट	
		आ.ब. ०७७।७८	आ.ब. ०७८।७९
१	AirFlo 1.5 kW with white Light: "AirFlo sets new standards in the field of lake aeration and decoration : The axial propeller technology ensures impressive and unequalled water flow rates of up to 295,000 l/h for an optimal supply of oxygen to the lake. Product characteristics at a glance . ""Floating aerator for oxygen supply through powerful water patterns for water surfaces up to 15,000 m2, Axial propeller technology for water flow rates up to 295,000 l/h, Maximum oxygen supply for the body of water ,Easy installation and maintenance through bayonet technology"" "	गोटा	१२७४९००.००
२	Pondjet Eco with White Light : Ready to connect complete aggregate , consisting of pump , float element , and pondjet nozzle with 1 " thread . Clearly structured fountain height and spray diameter of 3 m. Minimum water depth in clear water is 1 m: for a muddy pond floor the minimum depth is 1.5 m	गोटा	४८३१५३.००
३	Water Jet Lightning : Luminous , Coloured , Water arches for a special charm in the garden. Variations of jet lengths , jet height , and RGB Colours can be displayed using the pre- set programs , The programs can be selected via remote control from a distance up to 80 m , the water jet angle can be individually adjusted , Easily set your favourite colour for the water arch , High quality Stainless steel base , can be bolted onto different substrates , Maximum jet length 1.8 m , maximum jet height 0.9 m , can be connected to a timer , Plug ' n Spray ' principle enables easy installation , Low Maintenance and low energy included in the scope of delivery : 2 unit set water jet lightning , pump (1500l/h , 17 W), external control unit transformer and cable . Technical Data: Net Weight kg 12.10 . Light Colour RGB , Energy efficiency class light fixture A , Weighted energy consumption per light fixture kWh/1000h 3 ,Cable Length 12 V device (with power unit) m 1.50 (power unit)- 8.00 ,Parabolic height , Max m 0.90 , Energy efficiency class light fixture A ,Weighted energy consumption per light fixture kWh/1000h 3 ,Cable Length 12 V device (with power unit) m 1.50 (power unit)- 8.00 , Parabolic height , Max m 0.90 ,Parabolic Width , max. M 1.80 , Jet Dimensions control unit (L X W X H) mm 215 X 180 X 305 , Power consumption W 41 , Rated Voltage , Prim , (Control system) V 12 , Hand - Held transmitter / range max. M 80.00 , Dimension Transformer : (L X M X H) mm 160 X 100 X 100 , "Rated Voltage (primary , secondary) 230V / 50 Hz , 12 V / DC" , Item Number : 50191 , EAN : 4010052501918 , https://www.oase-livingwater.com/en_EN/water-garden/products/f/water-quintet-creative.1000170368.html	गोटा	२६११८०.००
४	The Water Quintet: It is a high quality water feature with five varying fountains, including LED lighting. User-friendly design allows for ease of connection, use, and maintenance. Using pre-programmed effects, this linear water feature creates varying fountain heights (12-55 in.) and light intensities. Effects can be conveniently selected via remote control from a distance of up to 250 ft. without obstruction. For greater convenience, the Water Quintet features memory settings and the ability to be connected to a timer. Setup on a wide variety of substrates promises flexibility and guaranteed fit with any aesthetic. The robust floor plate protects against damage, ensuring durability. Safe, energy-efficient 12V technology minimizes environmental impact. Compact and easy to conceal, the included external control system can be easily connected and includes a transformer and a ground stake. The individually controllable, illuminated nozzles each have 6 easily aligned LED lights. The nozzles of the Water Quintet are height adjustable, so that the water level can vary by 8 in. The ideal minimum diameter for a Water Quintet basin is at least 10 ft. The basin can be created with OASE• s EPDM pond liner. The Water Quintet is a great addition for ponds with or without fish. Cord management system keeps individually labeled power cords from getting tangled.	गोटा	२९९०९५.००

Fountain



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	आ.ब. ०७७७	आ.ब. ०७८१
५	<p>Water Starlet: Compact, floating fountain with 5 fountain nozzles Plug 'n Spray« principle enables easy installation Can be implemented as a floating unit or it can be set up on the ground. Protected LED rings provide constant illuminated water jets . Different water patterns can be displayed on a permanent loop .Safe, energy-efficient 12 V technology Can even be used in swim ponds Low maintenance</p> <p>Included in the scope of delivery: Fountain (incl. 5 pumps, 5 illuminated rings, each with 6 LEDs), transformer and cable. For Video links : https://youtu.be/5fNbwBFV0kw</p>	गोटा		८३८९०.००
६	<p>Water Quintet: It is a high quality water feature with five varying fountains, including LED lighting. User-friendly design allows for ease of connection, use, and maintenance. Using pre-programmed effects, this linear water feature creates varying fountain heights (12-55 in.) and light intensities.</p> <p>Effects can be conveniently selected via remote control from a distance of up to 250 ft. without obstruction. For greater convenience, the Water Quintet features memory settings and the ability to be connected to a timer. Setup on a wide variety of substrates promises flexibility and guaranteed fit with any aesthetic. The robust floor plate protects against damage, ensuring durability. Safe, energy-efficient 12V technology minimizes environmental impact. Compact and easy to conceal, the included external control system can be easily connected and includes a transformer and a ground stake. The individually controllable, illuminated nozzles each have 6 easily aligned LED lights. The nozzles of the Water Quintet are height adjustable, so that the water level can vary by 8 in.</p> <p>The ideal minimum diameter for a Water Quintet basin is at least 10 ft. The basin can be created with OASE• s EPDM pond liner. The Water Quintet is a great addition for ponds with or without fish. Cord management system keeps individually labeled power cords from getting tangled.</p>	गोटा		२२६९०५.००
७	<p>7 nozzle Varionaut 90 matrix fountain : 7 Varionaut 90 pumps with Comet 10-12 nozzle with sleeve pre installed , 7 ProfiPlane LED L RGB Spot/DMX/02 , Underwater power supplies, DMX cables , connection cable & accessories , Complete Control Panel consisting of WECS II 512 controller , dry running protection, all inlets and outlets, Pre wired and pre programmed. Programming of 3 sequence .</p> <p>https://youtu.be/shJa6kW4spc</p>	गोटा		६४६८०००.००



Water Storage Tank

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहिकको दररेट		
			आ.ब. ०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	<p>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Fire Hydrant System: Tank should be bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell should be original Zinalume® Steel manufactured, in multiple layers when required for structural strength.</p> <p>Capacity : Minimum 25,000 Ltrs. Size : Dia 3,884 mm x 2.2 M height, "</p> <p>It should contains :</p> <ul style="list-style-type: none"> - Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch. <ul style="list-style-type: none"> - Dust cum vernim proof tape between the roof and tank wall. - One 50 mm scour side drain assembly through floor of tank. - M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape. - Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759. <ul style="list-style-type: none"> - Mechanical Anchor Fasteners. - One common external/internal ladder - hot dipped galvanized. - Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified. <ul style="list-style-type: none"> - External float and board type level indicator. - Geosynthetic fabric on the base of the tank below the liner. - HDG Flanged Assembly 100 (E Table) : 1 No. - HDG Flanged Assembly 50 (E Table) : 1 No. - HDG Antivortex 100 mm (E Table) : 1 No." 	गोटा			१०७५,०००.००
२	<p>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength.</p> <p>Capacity : Minimum 104,250 Ltrs. Size : 7.7 M dia x 2.2 M height". " It contains :</p> <ul style="list-style-type: none"> - Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch. <ul style="list-style-type: none"> - Dust cum vernim proof tape between the roof and tank wall. - One 50 mm scour side drain assembly through floor of tank. - M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape. - Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759. <ul style="list-style-type: none"> - Mechanical Anchor Fasteners. - One common external/internal ladder - hot dipped galvanized. - Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified. <ul style="list-style-type: none"> - External float and board type level indicator. - Geosynthetic fabric on the base of the tank below the liner." 	गोटा			2,375,000.00

[Handwritten signatures and marks]



Water Storage Tank

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	जिल्ला स.अ.क. बुद्धको दररेट		
			आ.ब. ०७६।७७	ललितपुर आ.ब. ०७७।७८	आ.ब. ०७८।७९
३	<p>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:"Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 197097 Ltrs. Size : 10.681 M dia x 2.2 M height"."It contains :</p> <ul style="list-style-type: none"> - Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch. - Dust cum vernim proof tape between the roof and tank wall. - One 50 mm scour side drain assembly through floor of tank. - M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape. - Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759. <ul style="list-style-type: none"> - Mechanical Anchor Fasteners. - One common external/internal ladder - hot dipped galvanized. - Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified. - External float and board type level indicator. - Geosynthetic fabric on the base of the tank below the liner." 	गोटा			3,995,000.00
४	<p>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 79816lts Size : 6.797 M dia x 2.2 M height"." It contains :</p> <ul style="list-style-type: none"> - Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch. - Dust cum vernim proof tape between the roof and tank wall. - One 50 mm scour side drain assembly through floor of tank. - M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape. - Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759. <ul style="list-style-type: none"> - Mechanical Anchor Fasteners. - One common external/internal ladder - hot dipped galvanized. - Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified. - External float and board type level indicator. - Geosynthetic fabric on the base of the tank below the liner." 	गोटा			२९२५०००.००



Water Storage Tank

नेपाल सरकार
गृह मन्त्रालय
जिल्ला पञ्जीयन विभाग
मु.अ.क बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६।७७	आ.व.०७७।७८	आ.व.०७८।७९
५	<p>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:"Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 77299 Ltrs. Size :5.826 M dia x 2.9m height</p> <p>M height". ""It contains :</p> <ul style="list-style-type: none"> - Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch. - Dust cum vernim proof tape between the roof and tank wall. - One 50 mm scour side drain assembly through floor of tank. - M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape. - Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759. - Mechanical Anchor Fasteners. - One common external/internal ladder - hot dipped galvanized. - Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified. - External float and board type level indicator. - Geosynthetic fabric on the base of the tank below the liner." 	गोटा			२२७५०००.००

(Handwritten signatures and initials)



विद्युतिय सामग्रीहरु

 नेपाल सरकार
 गृह मन्त्रालय
 जिल्ला प्रशासन कार्यालय

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	ललितपुर मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	SWITCH SOCKET- Noreth West/ANCHOR / CPL /NG/Flux/Dyna/Platia/ABB/Nova/NG OR EQUIVALENT				
	One Gang one way switch	सेट	५८	५८	५८
	One Gang two way switch	सेट	६७	६७	६७
	One way bell switch	सेट	७०	७०	७०
	Two gang one way switch	सेट	९६	९६	९६
	Two gang one way switch with one bell push	सेट	१०५	१०५	१०५
	Two gang Full two way switch	सेट	१०५	१०५	१०५
	Three Gang one way switch	सेट	१२७	१२७	१२७
	Four gang one way switch	सेट	१५८	१५८	१५८
	Six gang one way switch (3x5)	सेट	२५३	२५३	२५३
	Eight gang one way switch	सेट	३०४	३०४	३०४
	Dimmer single 300 watt	सेट	२९६	२९६	२९६
	Dimmer single 750 watt	सेट	४४३	४४३	४४३
	5 Step humming free dimmer	सेट	४०७	४०७	४०७
	16Amp 3 Pin Plug Top	सेट	८९	८९	८९
	1 switch with dimmer	सेट	३६८	३६८	३६८
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१२७	१२७	१२७
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१२७	१२७	१२७
	20/25 A Single phase A.C motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१	३७१	३७१
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	१६१	१६१	१६१
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११	६११	६११
	Blanking plate single	सेट	४०	४०	४०
	Telephone socket single	सेट	११८	११८	११८
	Telephone socket Double	सेट	१६९	१६९	१६९
	Angle / bottom holder	सेट	३५	३५	३५
	Ceiling Rose	सेट	३५	३५	३५
	Buzzer	सेट	९७	९७	९७
	Musical bell	सेट	२२२	२२२	२२२
	T.V.antena single Socket	सेट	८०	८०	८०
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८	१२८	१२८
	RJ 45 Computer Socket for modem	सेट	१७८	१७८	१७८
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५	३५	३५
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३	६३	६३
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	९८	९८	९८
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE/NOVA/PLATIA/ABB, or Equivalent				
	10A 1gang 1way Switch	सेट	८३.००	८३	८३
	10A 2gang 1way Switch	सेट	१६३.००	१६३	१६३
	10A 3gang 1way Switch	सेट	२१६.००	२१६	२१६



विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

सि.नं	निर्माण सामाग्रीहरुको विवरण	मु.अ.क. बाहेकको दररेट		
		एकाई	आ.व. २०७६/७७	आ.व. २०७७/७८
	10A 4gang 1way Switch	सेट	३५०.००	३५०
	10A 5gang 1way Switch	सेट	३७९.००	३७९
	10A 6gang 1way Switch	सेट	६१७.००	६१७
	10A 1gang 2way Switch	सेट	१४४.००	१४४
	10A 2gang 2way Switch	सेट	२७८.००	२७८
	10A 3gang 2way Switch	सेट	४०७.००	४०७
	10A 4gang 2way Switch	सेट	६१३.००	६१३
	T V Socket outlet	सेट	२९९.००	२९९
	Telephone Socket	सेट	२६८.००	२६८
	13A Universal socket outlet	सेट	४६४.००	४६४
	13A Socket	सेट	२७३.००	२७३
	15A switched Socket outlet	सेट	४४३.००	४४३
	5A Socket	सेट	३४०.००	३४०
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४
	TV and Telephone Socket	सेट	५९२.००	५९२
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५
	Bell Press	सेट	२३७.००	२३७
	Blank Plate	सेट	९३.००	९३
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७
	5 Step Fan Controller	सेट	८९६.००	८९६
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३
	13A Twin Socket	सेट	६८०.००	६८०
	MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)			
	WHITE PLATE			
	1 MODULAR PLATE	सेट		१४८.००
	2 MODULAR PLATE	सेट		१४८.००
	3 MODULAR PLATE	सेट		१९२.००
	4 MODULAR PLATE	सेट		२२९.००
	6 MODULAR PLATE	सेट		३०९.००
	8 MODULAR PLATE	सेट		३५४.००
	12 MODULAR PLATE	सेट		४८२.००
	16 MODULAR PLATE	सेट		५६२.००
	18 MODULAR PLATE	सेट		५९३.००
	GREY PLATE			
	1 MODULAR PLATE	सेट		२६५.००
	2 MODULAR PLATE	सेट		२६५.००
	3 MODULAR PLATE	सेट		३४२.००
	4 MODULAR PLATE	सेट		३९४.००
	6 MODULAR PLATE	सेट		५३५.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	म.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	8 MODULAR PLATE	सेट			६२४.००
	12 MODULAR PLATE	सेट			८५४.००
	16 MODULAR PLATE	सेट			१०००.००
	18 MODULAR PLATE	सेट			१०५८.००
	SWITCHES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	WHITE				
	10A 1 WAY SWITCH	सेट			१३०.००
	10A 2 WAY SWITCH	सेट			२३९.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			२८३.००
	16A 1 WAY SWITCH	सेट			२५२.००
	20A DP SWITCH WITH INDICATOR	सेट			५४६.००
	32A DP SWITCH WITH INDICATOR	सेट			६५५.००
	10A BELL PUSH	सेट			२५२.००
	10A 2 MODULAR BELL PUSH	सेट			३७२.००
	25A MOTOR STATER	सेट			११६२.००
	400W 1 MODULAR DIMMER	सेट			६७३.००
	100W 2 MODULAR DIMMER	सेट			१३१३.००
	STEP REGULATOR 4 STEP DIMMER	सेट			६९०.००
	20A 2 WAY SWITCH 1M	सेट			३९६.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			४८०.००
	GREY				
	10A 1 WAY SWITCH	सेट			१५९.००
	10A 2 WAY SWITCH	सेट			३२३.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			४५६.००
	16A 1 WAY SWITCH	सेट			३७६.००
	20A DP SWITCH WITH INDICATOR	सेट			७३०.००
	32A DP SWITCH WITH INDICATOR	सेट			८७६.००
	10A BELL PUSH	सेट			३३६.००
	10A 2 MODULAR BELL PUSH	सेट			५००.००
	25A MOTOR STATER	सेट			१५५३.००
	400W 1 MODULAR DIMMER	सेट			१०९३.००
	100W 2 MODULAR DIMMER	सेट			१७५७.००
	STEP REGULATOR 4 STEP DIMMER	सेट			९८४.००
	20A 2 WAY SWITCH 1M	सेट			०.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			०.००
	SOCKETS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	WHITE				
	6A 2 PIN SOCKET	सेट			२१२.००
	13A UNIVERSAL SOCKET	सेट			२७९.००
	6/16A 3 PIN SOCKET	सेट			४२९.००
	RJ11 SOCKET	सेट			२८२.००
	TV SOCKET	सेट			२२६.००
	USB CHARGER	सेट			२१५५.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. (बौहिकको दररेट)		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	BUZZER OFF	सेट			५३६.००
	BLANK OFF	सेट			५०.००
	LED FOOT LIGHT 2M	सेट			१०८५.००
	LED PHASE INDICATOR	सेट			२८५.००
	RJ 45 SOCKET	सेट			८१९.००
	CALL BELL INDICATOR	सेट			२०३१.००
	MOVEMENT SENSOR	सेट			७२३०.००
	GREY				
	6A 2 PIN SOCKET	सेट			२९६.००
	13A UNIVERSAL SOCKET	सेट			५८४.००
	6/16A 3 PIN SOCKET	सेट			५९३.००
	RJ11 SOCKET	सेट			३४५.००
	TV SOCKET	सेट			३३२.००
	USB CHARGER	सेट			३०६६.००
	BUZZER OFF	सेट			८०१.००
	BLANK OFF	सेट			७१.००
	LED FOOT LIGHT 2M	सेट			१६१५.००
	LED PHASE INDICATOR	सेट			
	RJ 45 SOCKET	सेट			१२२१.००
	CALL BELL INDICATOR	सेट			२५४०.००
	MOVEMENT SENSOR	सेट			९०३५.००
	HOSPITALITY				
	WHITE				
	SAVER SOCKET 4M	सेट			६२९६.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१५००.००
	DND MMR INSIDE ROOM UNIT	सेट			१३०१.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२५.००
	GREY				
	SAVER SOCKET 4M	सेट			७८६७.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१९०३.००
	DND MMR INSIDE ROOM UNIT	सेट			१३१०.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२९.००
	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट			२७८.००
	2 GANG ONE WAY SWITCH	सेट			४०८.००
	3 GANG ONE WAY SWITCH	सेट			५८२.००
	4 GANG ONE WAY SWITCH	सेट			७४१.००
	6 GANG ONE WAY SWITCH	सेट			१०८१.००
	8 GANG ONE WAY SWITCH	सेट			१३९४.००
	12 GANG ONE WAY SWITCH	सेट			२०४२.००
	16 GANG ONE WAY SWITCH	सेट			२६४२.००
	18 GANG ONE WAY SWITCH	सेट			२९३३.००




नेपाल सरकार

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	जिल्ला प्रशासन कार्यालय ललितपुर	बाहेकको दररेट	
			२०७६/७७	२०७७/७८
	1 GANG TWO WAY SWITCH	सेट		३८७.००
	16A POWER SOCKET SET	सेट		८७३.००
	13A UNIVERSAL SOCKET SET	सेट		७२३.००
	400W DIMMER SET	सेट		८२१.००
	1000W DIMMER SET	सेट		१४६४.००
	RJ45 SOCKET SET	सेट		९९७.००
	RJ11 SOCKET SET	सेट		४३०.००
	BLANK PLATE	सेट		५०.००
	TV SOCKET SET	सेट		३७४.००
	BELL PUSH SET	सेट		४००.००
	20A DP SWITCH WITH INDICATOR SET	सेट		६९४.००
	32A D.P SWITCH WITH INDICATOR SET	सेट		८०३.००
	GI METAL BOX RATES			
	GI METAL BOX 1/2 MODULE 3*3	सेट		१०३.००
	GI METAL BOX 3 MODULE 3*4	सेट		१२८.००
	GI METAL BOX 4 MODULE 3*5	सेट		१४१.००
	GI METAL BOX 6 MODULE 3*8	सेट		२१०.००
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट		२६७.००
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट		२६७.००
	GI METAL BOX 12/16 MODULE 6*8	सेट		४०४.००
	GI METAL BOX 18 MODULE 8*8	सेट		४६२.००
	NON MODULAR SWITCHES LOCAL BRAND			
	16A MULTI POWER SOCKET	सेट		३२५.००
	16A POWER MULTI SOCKET + USB	सेट		८००.००
	16A DOUBLE MULTI POWER SOCKET	सेट		६६५.००
	2 GANG + SOCKET SWITCH	सेट		३२०.००
	4 GANG + SOCKET SWITCH	सेट		५२५.००
	6 GANG + SOCKET SWITCH	सेट		६४०.००
	1 GANG SWITCH	सेट		१३५.००
	2 GANG SWITCH	सेट		२००.००
	3 GANG SWITCH	सेट		२६७.००
	4 GANG SWITCH	सेट		३५०.००
	6 GANG SWITCH	सेट		५२५.००
	8 GANG SWITCH	सेट		६५५.००
	10 GANG SWITCH	सेट		८००.००
	DIMMER KNOB	सेट		४४५.००
	2 PIN SOCKET KNOB	सेट		१००.००
	2 WAY SWITCH KNOB	सेट		९४.००
	DOOR BELL KNOB	सेट		९४.००
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट		१७५.००
	20A D.P SWITCH	सेट		४४५.००
	45A D.P SWITCH	सेट		६६०.००
	TV SOCKET	सेट		२०६.००


215

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर म.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	TELEPHONE SOCKET	सेट			२०६.००
	RJ45 SOCKET KNOB	सेट			२९०.००
	TV+ TELEPHONE SOCKET	सेट			२७५.००
	1 GANG PLATE	सेट			९४.००
	2 GANG PLATE	सेट			९४.००
	3X3 WOODEN PLATE	सेट			१२५.००
	3X5 WOODEN PLATE	सेट			१६५.००
	LOCAL BRAND LIGHTS				
	3W CONCEAL PANEL LIGHT RD WHITE	गोटा			२८०.००
	3W CONCEAL PANEL LIGHT RD WW	गोटा			२८०.००
	6W CONCEAL PANEL LIGHT RD WHITE	गोटा			३७५.००
	6W CONCEAL PANEL LIGHT RD WW	गोटा			३७५.००
	12W CONCEAL PANEL LIGHT RD WHITE	गोटा			५५५.००
	9W CONCEAL PANEL LIGHT RD WHITE	गोटा			५३०.००
	6W CONCEAL PANEL LIGHT RD RGB+ WH	गोटा			७२०.००
	6W SURFACE PANEL LIGHT ROUND WHITE	गोटा			४५५.००
	12W SURFACE PANEL LIGHT ROUND WHITE	गोटा			६९०.००
	6+3W SURFACE PANEL LIGHT RD RGB+ WH	गोटा			८५५.००
	12W SURFACE PANEL LIGHT RD RGB+WH	गोटा			११४५.००
	48W 600*600 LED PANEL LIGHT	गोटा			४६३०.००
	5W COB SURFACE	गोटा			८९०.००
	LOCAL BRAND BULBS				
	3W B22 WHITE	गोटा			१२०.००
	3W B22 WARM	गोटा			१३०.००
	5W B22 WHITE	गोटा			१४०.००
	5W B22 WARM	गोटा			१५०.००
	7W B22 WHITE	गोटा			१७०.००
	7W B22 WARM	गोटा			१८०.००
	9W B22 WHITE	गोटा			२०५.००
	12W B22 WHITE	गोटा			२४०.००
	12W B22 WARM	गोटा			२५०.००
	15W B22 WHITE	गोटा			३२०.००
	3W E27 WHITE	गोटा			१२०.००
	3W E27 WARM	गोटा			१३०.००
	5W E27 WHITE	गोटा			१४०.००
	5W E27 WARM	गोटा			१५०.००
	7W E27 WHITE	गोटा			१७०.००
	7W E27 WARM	गोटा			१८०.००
	9W E27 WHITE	गोटा			२०५.००
	12W E27 WARM	गोटा			२४०.००
	12W E27 WHITE	गोटा			२५०.००
	15W E27 WHITE	गोटा			३२०.००
	18W B22 WHITE	गोटा			३६५.००

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	24W B22 WHITE	गोटा			८५०.००
	40 W B22 WHITE	गोटा			११०५.००
	18W E27 WHITE	गोटा			३६५.००
	24W E27 WHITE	गोटा			८५०.००
	40 W E27 WHITE	गोटा			११०५.००
	5W E14 WHITE	गोटा			१७५.००
	5W E14 WARM	गोटा			१८५.००
	24W B22 WARM	गोटा			८७०.००
	4W E14 TAIL WARM	गोटा			२५०.००
	4W E14 NON TAIL WARM	गोटा			२३०.००
	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट			२०१००.००
	25 LTRS ABS WATER HEATER	सेट			२२३००.००
	15 LTRS METAL WATER HEATER	सेट			१७९००.००
	25 LTRS METAL WATER HEATER	सेट			१९७००.००
	3 LTR ABS INSTANT	सेट			७५२५.००
	6 LTR GAS	सेट			११७२५.००
३	White Plate series modular type(polycarbonate) SWITCH SOCKET				
	One Gang one way switch	सेट	५९.००	५९	५९
	One Gang two way switch	सेट	६७.००	६७	६७
	One way bell switch	सेट	७०.००	७०	७०
	Two gang one way switch	सेट	१०१.००	१०१	१०१
	Two gang one way switch with one bell push	सेट	१०५.००	१०५	१०५
	Two gang Full two way switch	सेट	१०५.००	१०५	१०५
	Three Gang one way switch	सेट	१२९.००	१२९	१२९
	Four gang one way switch	सेट	१५८.००	१५८	१५८
	Six gang one way switch	सेट	२५९.००	२५९	२५९
	Eight gang one way switch	सेट	३१०.००	३१०	३१०
	Dimmer single 300 watt	सेट	२९६.००	२९६	२९६
	1 switch with dimmer	सेट	४१६.००	४१६	४१६
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१२७.००	१२७	१२७
	6/13 Amp , Power sockets with switch , indicator	सेट	१२७.००	१२७	१२७
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	१६९.००	१६९	१६९
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९९.००	३९९	३९९
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४७४	४७४
	Blanking plate single	सेट	४२.००	४२	४२
	Telephone socket single	सेट	११८.००	११८	११८
	Telephone socket Double	सेट	१६६.००	१६६	१६६
	T.V. antenna single Socket	सेट	८०.००	८०	८०
	RJ 45 Computer Socket for modem	सेट	१७८.००	१७८	१७८



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर
मु.अ.क. बाहेकको दररेट

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाइ	ललितपुर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	CAT-6 Computer Socket for modem	सेट	३२९.००	३२९	३२९
४	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER, ABB, Platia, Legrand or Equivalent				
	1P – 6A/10A 1 way switch	गोटा	१३९.००	१३९	१३९
	1P – 16A/20A 1 way switch	गोटा	२२३.००	२२३	२२३
	1P – 25A 1 way switch	गोटा	३२६.००	३२६	३२६
	1P – 6A/10A 2 way switch	गोटा	१६७.००	१६७	१६७
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५३	२५३
	1P – 6A push button	गोटा	१८४.००	१८४	१८४
	1 gang blanking module	गोटा	४३.००	४३	४३
	2 gang blanking module	गोटा	८६.००	८६	८६
५	FAN REGULATOR / DIMMER	गोटा			
	Step type fan regulator	गोटा	६३८.००	६३८	६३८
	60 – 500 W dimmer	गोटा	७९७.००	७९७	७९७
	1000 W dimmer	गोटा	१३९८.००	१३९८	१३९८
६	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	२०७.००	२०७	२०७
	6/16A twin socket 3 pin (flushed)	गोटा	२८२.००	२८२	२८२
	6/16A twin socket 3 pin (projected)	गोटा	२८२.००	२८२	२८२
	25A 3 pin socket	गोटा	३९५.००	३९५	३९५
	13A 3 pin socket	गोटा	२७०.००	२७०	२७०
	RJ 11 telephone jack	गोटा	१५०.००	१५०	१५०
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७	५५७
	TV socket	गोटा	१५०.००	१५०	१५०
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	१९६७.००	१९६७	१९६७
	Indicator (DO NOT DISTUURB)	गोटा	१८०.००	१८०	१८०
	LED yellow night lamp	गोटा	५६०.००	५६०	५६०
	LED Blue night lamp	गोटा	५६०.००	५६०	५६०
७	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	1 module front plate	गोटा	६५.००	६५	६५
	2 module front plate	गोटा	६५.००	६५	६५
	3 module front plate	गोटा	८४.००	८४	८४
	4 module front plate	गोटा	८९.००	८९	८९
	6 module front plate	गोटा	१२२.००	१२२	१२२
	8 module front plate(4+4)	गोटा	१३९.००	१३९	१३९
	8 module front plate (Horizontal)	गोटा	१३९.००	१३९	१३९
	12 module front plate	गोटा	१६९.००	१६९	१६९
	18 module front plate	गोटा	३५०.००	३५०	३५०
८	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or Equivalent				

218



विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन मुख्यालय

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			ललितपुर २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	गोटा	८७.००	८७	८७
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४४	१४४
	1P – 6A/10A 2 way switch	गोटा	१३४.००	१३४	१३४
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७५	१७५
	1P – 6A push button	गोटा	१३४.००	१३४	१३४
	1 gang blanking module	गोटा	४१.००	४१	४१
	2 gang blanking module	गोटा	७८.००	७८	७८
	Modular Switch, Sockets, Plates				
	6A SWITCH 1W 1 MODULE	गोटा			१५७.००
	6A SWITCH 2W 1 MODULE	गोटा			२७२.००
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा			२७८.००
	6A SWITCH 1W 1MODULE WITH LIGHT MARKING	गोटा			२६२.००
	6W SWITCH 1W 1 MODULE WITH FAN MARKING	गोटा			२६२.००
	10A SWITCH 1W 2 MODULE	गोटा			३३६.००
	10A SWITCH 2W 2 MODULE	गोटा			३९४.००
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा			२२२७.००
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			४३२.००
	16A SWITCH 1W 1 MODULE	गोटा			३०४.००
	16A SWITCH 2W 1 MODULE	गोटा			३८७.००
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा			४०३.००
	20A SWITCH 1W 1 MODULE	गोटा			४६४.००
	20A DP SWITCH 1W 2 MODULE	गोटा			६७५.००
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			६८५.००
	20A SWITCH 2W 2 MODULE	गोटा			७६८.००
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा			४८०.००
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा			९९८.००
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा			५०२.००
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा			५१८.००
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा			३९७.००
	6/16 A SOCKET 3 MODULE	गोटा			६१८.००
	6/16 A SOCKET 2 MODULE	गोटा			५२५.००
	6/16A EURO SOCKET 2 MODULE	गोटा			५३४.००
	25A SOCKET 2 MODULE	गोटा			५२५.००
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा			९२८.००
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा			११९४.००
	LED SKIRTING LIGHT 3 MODULE	गोटा			७७४.००
	BUZZER 230 V 1 MODULE	गोटा			१०२७.००
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा			५६१९.००
	REMOTE CONTROL HAND UNIT	गोटा			८७०.००
	16A KEY CARD SWITCH 2 MODULE	गोटा			४९७९.००
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा			५४४.००

219

(Handwritten signatures and initials)

विद्युतिय सामाग्रीहरु



नेपाल सरकार

गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

सि.नं	निर्माण सामाग्रीहरुको विवरण	जिल्ला प्रशासन कार्यालय, बाहेकको दररेट			
		एकाई	मि.आ.क्र २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	INTERNAL CONTROL UNIT FOR DND &MMR 1+1 MODULE	गोटा			४५१.००
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा			३७८६.००
	TV COAXIAL SOCKET 1 MODULE	गोटा			२७८.००
	RJ45 UTP CAT 5 TOOLES WITH SHUTTER 1 M GREY	गोटा			७३९.००
	RJ45 UTP CAT 6 TOOLES WITH SHUTTER 1 M GREY	गोटा			१०३४.००
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा			२११२.००
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा			२५८२.००
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा			२५८२.००
	VOLUME CONTROLLER 2 MODULE	गोटा			१६६४.००
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा			१४८५.००
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा			३८६६.००
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा			१८६२.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा			४४५८.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा			४९१२.००
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा			७३६०.००
	ROTARY LED DIMMER 50 W	गोटा			३७८६.००
	CABLE OUTLET 8 mm 1 MODULE	गोटा			२५९.००
	BLANKING PLATE 1 MODULE	गोटा			६१.००
	PLATE + FRAME 1M	गोटा			२१८.००
	PLATE + FRAME 2M	गोटा			२१८.००
	PLATE + FRAME 3M	गोटा			२९४.००
	PLATE + FRAME 4M	गोटा			३०७.००
	PLATE + FRAME 6M	गोटा			३९०.००
	PLATE + FRAME 8M(H)	गोटा			५२५.००
	PLATE + FRAME 2 X 4 M	गोटा			५२५.००
	PLATE + FRAME 12M	गोटा			७३६.००
	PLATE + FRAME 16M	गोटा			८४५.००
	PLATE + FRAME 18M	गोटा			११५८.००
१	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	७००.००	७००	
	60 - 500 W dimmer	गोटा	५९७.००	५९७	
	FAN STEP REGULATOR 100W 1 MODULE	गोटा			८५८.००
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा			१०५०.००
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा			१२००.००
	FAN STEP REGULATOR 70W 2 MODULE	गोटा			११५८.००
१०	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS	गोटा			
	6A - multi socket 5 pin	गोटा	१८५.००	१८५	१८५
	6/16A twin socket 3 pin (flushed)	गोटा	२८८.००	२८८	२८८
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२८८	२८८
	13A 3 pin socket	गोटा	१८५.००	१८५	१८५
	RJ 11 telephone jack	गोटा	१४४.००	१४४	१४४
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२३७	२३७

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	म.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा			२६६.००
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा			४५४.००
११	TV socket	गोटा	१४४.००	१४४	१४४
	1 module front plate	गोटा	६५.००	६५	६५
	2 module front plate	गोटा	६५.००	६५	६५
	3 module front plate	गोटा	८४.००	८४	८४
	4 module front plate	गोटा	९४.००	९४	९४
	6 module front plate	गोटा	१२२.००	१२२	१२२
	8 module front plate(4+4)	गोटा	१३१.००	१३१	१३१
	8 module front plate (Horizontal)	गोटा	१३१.००	१३१	१३१
	12 module front plate	गोटा	१६९.००	१६९	१६९
	18 module front plate	गोटा	४५३.००	४५३	४५३
१२	Flush mounting galvanized Metal box for modular type switch & socket-North west, Platia,ABB or equivalent				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२.००	५२	५२
	2 module " " = (78x78x45)mm	सेट	५२.००	५२	५२
	3 gang " " " =(78x100x45)mm	सेट	५६.००	५६	५६
	4 gang " " " =(78x140x50)mm	सेट	६८.००	६८	६८
	5 gang " " " =(78x205x50)mm	सेट	१३४.००	१३४	१३४
	6 gang " " " =(78x205x50)mm	सेट	१३६.००	१३६	१३६
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८१	१८१
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८१	१८१
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३१	२३१
	TV socket metal box	सेट	५२.००	५२	५२
	Telephone socket metal box	सेट	५२.००	५२	५२
१३	METAL Junction BOX				
	4"x4"	सेट	१००.००	१००	१००
	4"x6"	सेट	१५०.००	१५०	१५०
	6"x8"	सेट	२३७.००	२३७	२३७
	8"x10"	सेट	३४९.००	३४९	३४९
	8"x12"	सेट	३४९.००	३४९	३४९
१४	PVC Junction Box	सेट	३४.००	३४	३४
	4"x4"	सेट			
	4"x6"	सेट	३१.००	३१	३१
	6"x8"	सेट	४६.००	४६	४६
	8"x10"	सेट	६७.००	६७	६७
	8" x12"	सेट	१२९.००	१२९	१२९
	PVC Junction box cover	सेट	१४४.००	१४४	१४४
	Junction Box				

221

विद्युतिय सामाग्रीहरु



नेपाल सरकार
गृह मन्त्रालय

विद्युतिय सामाग्रीहरुको बाहेकको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	The Junction Box shall be insulated and made out of Polypropylene or polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are certified in accordance with the new international standard IEC 60670-22. Burning behavior: glow wire test in accordance with IEC 60695-2-11: 750 deg. Cent. Flame retardant and self-extinguishing. The JB should have rear side cable entry possibility, quarter turn polycarbonate screws for quick opening and closing, multi-level metric knockouts for cable glands in different sizes, external brackets for wall fixing. Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 07 (2 Joule).				
	Dimensions (mm)				
	93 x 93 x 62	सेट			९७४.४०
	104 x 104 x 70	सेट			१०९९.२०
	104 x 104 x 70	सेट			११०८.८०
	130 x 130 x 77	सेट			१८१४.४०
	130 x 130 x 77	सेट			२१९५.२०
	130 x 180 x 77	सेट			२५४२.४०
	130 x 180 x 77	सेट			२८६७.२०
	155 x 210 x 92	सेट			४४१२.८०
	155 x 210 x 92	सेट			५४८८.००
	205 x 255 x 112	सेट			२८७०५.६०
	225 x 295 x 122	सेट			२५५५८.४०
	255 x 355 x 122	सेट			८४६७.२०
	255 x 355 x 122	सेट			२९८८९.६०
	The Junction Box shall be insulated and made out of PC-GFS Polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66/IP67/IP69 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. The Polycarbonate enclosures shall be fire retardant & self-extinguishing in accordance with IEC 60695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 09(10Jule).				
	Dimensions(mm)				
	93 x 93 x 62	सेट			१३६६.४०
	104 x 104 x 70	सेट			१६९२.८०
	104 x 104 x 70	सेट			१६८०.००
	130 x 130 x 77	सेट			२१९५.२०
	130 x 130 x 77	सेट			३०५७.६०
	130 x 180 x 77	सेट			३५७२.८०
	130 x 180 x 77	सेट			३९२०.००
	155 x 210 x 92	सेट			४५५८.४०
	155 x 210 x 92	सेट			५१०७.२०
	205 x 255 x 112	सेट			२७४२८.८०
	225 x 295 x 122	सेट			२८८१७.६०
	255 x 355 x 122	सेट			८०१९.२०



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	प्रशासनिक कार्यालय बाहेकको दररेट		
			ललितपुर आ.व. २०७६/७७	मा.व. २०७७/७८	आ.व. २०७८/७९
	<p>IP 68 Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for outdoor installation and use in harsh environmental conditions with risk of condensation and ingress of water. The junction box shall also be suitable for installation in the ground (underground – buried applications) without traffic loads. The sealing of the cable junction boxes shall be made with a sealing compound which should prevent the ingress of water and formation of condensation completely There should be a provision to test/ measure continuity and power through the sealing compound via probes after removing the lid The sealing compound shall be insulated & made of resin which shall be suitable as per the volume of the junction box supplied. In case of re-installation or testing, the sealing compound shall be removed easily. The installation under water, if required, shall be upto a depth of 1 meter without chemical additives The sealing compound shall have a durability to processing of 12 months with a storage temperature of 35 deg C (max). The junction box shall fulfill the following standards:</p> <p>IEC 60670-22 : Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11 . Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. IEC 60529 : IP 68 degree of protection. DIN VDE V 0606 – 22 – 100 . Cable junction boxes for encapsulating</p>				
	Dimensions(mm)				
	93 x 93 x 62	सेट			९६४३.२०
	104 x 104 x 70	सेट			१११८०.८०
	104 x 104 x 70	सेट			११६९२.८०
	130 x 130 x 77	सेट			१५००८.००
	130 x 130 x 77	सेट			१५४५६.००
	130 x 180 x 77	सेट			१८३९०.४०
	130 x 180 x 77	सेट			१९६२२.४०
	<p>ISO-FILL BRW two components Gel, suitable for Low voltage. The Gel is halogen & silicon free, having self life of 2 years. Gel should be re-enterable cold curing 2-component non-urethane encapsulating type. The gel can also be used in telecommunication & sealing of electronic parts especially where no mechanical stress is allowed (even at very low temperature, i.e < -50°C). The Gel should have dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).</p>				
	Volume(ml)				
	350 ml	सेट			८७२४.८०
	500 ml	सेट			१०५०५.६०
	850 ml	सेट			१३९३२.८०
	1200 ml	सेट			१६०८३.२०
	2000 ml	सेट			१४४०३.२०
	5000 ml	सेट			३२५४७.२०
	10000 ml	सेट			६३६३८.४०
	<p>Supply, installation and testing of Dew Guard (Passive Solution for Condensation) for preventing condensation in panels and DB's. The Dew Guard shall be made from thin sheet made from synthetic rubber and a super absorbent polymer and covered by a non-woven fabric. The polymer shall absorbs excess moisture to ensure that the relative humidity inside and enclosure remains between 60-70%. The dew guard shall work between a large temperature range of -30 deg C to +90 deg C and shall be halogen silicon free. It shall be Environment friendly and can be disposed of in regular trash.</p>				
	Dimensions(mm)				
	50 x 75	सेट			५८२.४०
	75 x 100	सेट			१०७५.२०
	100 x 150	सेट			२०७२.००
	150 x 150	सेट			३०८०.००

Handwritten signatures and initials are present at the bottom of the page, including names like 'Rajendra', 'Rajendra', 'Rajendra', 'Rajendra', 'Rajendra', 'Rajendra', and 'Rajendra'.



विद्युतिय सामाग्रीहरु

नेपाल सरकार

मूले विद्यालय

मार्केट बाहेकको दररेट

एकाई

आ.व. २०७६/७७

आ.व. २०७७/७८

आ.व. २०७८/७९

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Combinable enclosure system for self-assembly of distribution boards for load upto 250 A,intended to be operated by ordinary persons according to IEC 61439-3 .Distribution board should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 (5 Joule) in accordance with IEC 62262. Highly adaptable and well suited to harsh conditions in industrial applications. DEGREE OF INGRESS PROTECTION IP 66 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane.The DB should passed glow wire test 960oC in accordance with 60695-2-11[flame retardant and self-extinguishing]				
	Dimensions(mm)				
	276 x 186 x 186	सेट			११३९०.४०
	276 x 366 x 186	सेट			१४८२८.८०
	276 x 546 x 186	सेट			१९६२२.४०
	366 x 546 x 186	सेट			२१७२८.००
	Thermoplastics PS Polystyrene MCB DB in accordance with IEC 60670-24, should be IP65 protected in accordance with IEC 60529, corrosion proof, suitable for 1-54 MCB modules with new FIXCONNECT plug-in terminal technology for PE/N ,captive lid screws made of stainless steel V2A, internally embedded polyurethane gasket for lid and enclosures, metric knockouts/elastic membranes for cable entry from top and bottom and possibility to attach similar DB on either side DB should be able to adapt any make of MCB or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing, Colour grey,RAL 7035. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 08(5Joule).				
	No. of Modules (1 Module= 1 SP MCB)				
	3 Modules	सेट			३७९६.८०
	4 Modules	सेट			४७९३.६०
	6 Modules	सेट			५४८८.००
	9 Modules	सेट			६८५४.४०
	12 Modules	सेट			११३५६.८०
	18 Modules	सेट			१३५६३.२०
	24 Modules	सेट			१६१२८.००
	2 row 36 Modules	सेट			२०८३२.००
	3 row 36 Modules	सेट			२०२३८.४०
	4 row 48 Modules	सेट			२६३४२.४०
	3 row 54 Modules	सेट			२९१९८.४०
	Thermoplastics polycarbonate hinged door meter box in accordance with IEC 60670-24, should be IP66 protected in accordance with IEC 60529, corrosion proof, suitable for single phase energy meter, internally embedded polyurethane gasket for lid , metric size knock outs for cable entry from top and bottom Meter box should be able to adapt any make of Meter or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11 flame retardant, self-extinguishing.Colour grey,RAL 7035.				
	Dimensions(mm)				
	136 x 253 x 115	सेट			४०३२.००
	168 x 253 x 115	सेट			४२३३.६०
	217 x 253 x 115	सेट			४५४७.२०
	300 x 150 x 170	सेट			५५७७.६०
	300 x 300 x 170	सेट			८८३६.८०
	300 x 450 x 170	सेट			१०४७२.००
	300 x 600 x 170	सेट			१२८५७.६०

विद्युतिय सामाग्रीहरु



नेपाल सरकार

सि.नं	निर्माण सामाग्रीहरुको विवरण	जिल्ला दररेट		
		एकाई	आ.व.- २०७६/७७	आ.व.- २०७७/७८
	The board/panel shall be made of modular POLYCARBONATE THERMOPLASTIC ENCLOSURES which should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 (5 Joule) in accordance with IEC 62262. The manufacturer of board/panel shall submit a copy of CPRI TEST REPORT OF DEGREE OF INGRESS PROTECTION IP 65/ IP54 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane The manufacturer of board / panel SHALL submit a copy of TYPE TEST REPORT of a board made out of Polycarbonate thermoplastic panel in accordance with IEC 60439-1. The CPRI report shall have			
	Dimensions(mm)			
	300 x 150 x 170	सेट		६६७५.२०
	300 x 300 x 170	सेट		९६३२.००
	300 x 450 x 170	सेट		१२६७८.४०
	300 x 600 x 170	सेट		१५७२४.८०
	450 x 600 x 170	सेट		२७५९६.८०
	600 x 600 x 170	सेट		३४८०९.६०
	300 x 300 x 214	सेट		१०३४८.८०
	300 x 450 x 214	सेट		१३७७६.००
	300 x 600 x 214	सेट		१७९२२.००
	300 x 300 x 180	सेट		१११७७.६०
	IP 68 Cable Glands Made from Polyamide Material			
	Metric Thread			
	M 12 x 1.5	सेट		७३.९२
	M 16 x 1.5	सेट		७६.१६
	M 20 x 1.5	सेट		१०३.०४
	M 25 x 1.5	सेट		१७९.२०
	M 32 x 1.5	सेट		२४४.१६
	M 40 x 1.5	सेट		५०८.४८
	M 50 x 1.5	सेट		७८८.४८
	M 63 x 1.5	सेट		१२३४.२४
	Locknuts for IP 68 Cable Glands Made from Polyamide Material			
	Metric Thread			
	M 12 x 1.5	सेट		१७.९२
	M 16 x 1.5	सेट		१७.९२
	M 20 x 1.5	सेट		२२.४०
	M 25 x 1.5	सेट		३५.८४
	M 32 x 1.5	सेट		४७.०४
	M 40 x 1.5	सेट		७८.४०
	M 50 x 1.5	सेट		१७६.९६
	M 63 x 1.5	सेट		२४४.१६
	IP67 CEE Type Insulated Plug & Socket, made of high quality Polyamide P-6 body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.			
	Amp and No.of Pin			
	16/20 Amp 3 Pin Socket	सेट		३६८४.८०

Handwritten signatures and marks at the bottom of the page.

विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालयजिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	क. बाहेकको दररेट		
		एकाई ललितपुर, व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	16/20 Amp 4 Pin Socket	सेट		४०४३.२०
	16/20 Amp 5 Pin Socket	सेट		४०४३.२०
	32 Amp 3 Pin Socket	सेट		४१८८.८०
	32 Amp 4 Pin Socket	सेट		४७०४.००
	32 Amp 5 Pin Socket	सेट		४७०४.००
	63 Amp 3 Pin Socket	सेट		१०७५२.००
	63 Amp 4 Pin Socket	सेट		९८००.००
	63 Amp 5 Pin Socket	सेट		९८००.००
	Amp and No.of Pin			
	16/20 Amp 3 Pin Plug	सेट		१८५९.२०
	16/20 Amp 4 Pin Plug	सेट		२५९८.४०
	16/20 Amp 5 Pin Plug	सेट		२१७२.८०
	32 Amp 3 Pin Plug	सेट		३२०३.२०
	32 Amp 4 Pin Plug	सेट		३२७०.४०
	32 Amp 5 Pin Plug	सेट		२६७६.८०
	63 Amp 3 Pin Plug	सेट		९६६५.६०
	63 Amp 4 Pin Plug	सेट		७७५०.४०
	63 Amp 5 Pin Plug	सेट		६७८७.२०
	IP 66 Degree of Protection, Waterproof Wall Sockets with Din Channels made of Thermoplastic Polycarbonate body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.			
	Amp and No.of Pin			
	16/20 Amp 3 Pin	सेट		६६१९.२०
	16/20 Amp 4 Pin	सेट		६९४४.००
	16/20 Amp 5 Pin	सेट		६८७६.८०
	32 Amp 3 Pin	सेट		७८४०.००
	32 Amp 4 Pin	सेट		७७२८.००
	32 Amp 5 Pin	सेट		७७२८.००
	IP 44 made of special hard synthetic rubber, UV & Chemical resistant, insulated & sock proof, suitable for cable assemblies upto 6 sqmm, suitable to accommodate upto 32A 5pin CEE Sockets and having sturdy and lightweight handle, handle for easy rotation, can be equipped with RCCB/MCBs and tined transparent cover easy access to breakers, trolley arrangement for easy transportation The cable drum shall be used for construction sites / shut down / maintenance and therefore shall be intended for use in both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out. The complete unit shall be portable / transportable (semi-fixed) or mobile assemblies with enclosure. The assembly shall conform to IEC 604139 - 4; while the sockets shall conform to IEC 60309 - 1 for general requirements & IEC 60309 -2 for requirements of Earth Pin Position. IEC 60309-2 connectors shall be so designed that a plug of one type can only be inserted into a socket of the same type.			
	Dimension (mm dia)			
	Empty Cable Drum 235 mm dia	सेट		१०६५१.२०
	Empty Cable Drum 310 mm dia	सेट		१६५२०.००

विद्युतिय सामाग्रीहरु




नेपाल बरकार
गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय, सलितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	वाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Empty Cable Drum 380 mm dia	सेट			३६७८०.८०
	Empty Cable Drum 450 mm dia	सेट			४२७९६.८०
१५	PVC Listy Double Lock { 6'length =1 no.(गोटा)}				
	½" breadth	सेट	३१.००	३१	३१
	¾"	सेट	४६.००	४६	४६
	1"	सेट	६७.००	६७	६७
	1½"	सेट	१२९.००	१२९	१२९
	2"	सेट	१४४.००	१४४	१४४
	PVC Conduit Pipe				
	1) ½" diameter	र.मी	३१.००	३१	३१
	2) ¾"	र.मी	४६.००	४६	४६
	3) 1"	र.मी	६७.००	६७	६७
	Listy Pipe Accessories				
	½"-2" size Saddle	र.मी	८.००	८	८
	Grips (Denmark)	गोटा	६.००	६	६
	Steel screws	गोटा	२.००	२	२
	PVC Tape	गोटा	१५.००	१५	१५
१६	Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager				
	4 way SPN DB Double Cover	सेट	१०८२.००	१०८२	१०८२
	6 way SPN DB " "	सेट	११३५.००	११३५	११३५
	8 way SPN DB " "	सेट	१४१६.००	१४१६	१४१६
	12 way SPN DB " "	सेट	१६७९.००	१६७९	१६७९
	16 way SPN DB " "	सेट	१७९५.००	१७९५	१७९५
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२६६८	२६६८
	6 way TPN " " "	सेट	२९९८.००	२९९८	२९९८
	8 way TPN " " " Vertical	सेट	५७९९.००	५७९९	५७९९
	12 way TPN " " " Vertical	सेट	७७२७.००	७७२७	७७२७
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५४४६	५४४६
	PVC Box for MCB				
	1-pole PVC box GPS	सेट	८१.००	८१	८१
	2- pole PVC " "	सेट	८१.००	८१	८१
	3 and 4-pole PVC " "	सेट	१३०.००	१३०	१३०
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३००२.००
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३७०६.००
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट			४४५४.००
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५६५१.००
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५७७९.००
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट			७०११.००

Handwritten signatures and initials at the bottom of the page, including a date stamp '227'.

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहिकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट			२२५६.००
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट			२७५२.००
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट			३२५४.००
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट			३९७४.००
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट			७३३४.००
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट			९९३३.००
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१०९५४.००
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१६४०६.००
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२०३३९.००
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२८४७४.००
	2 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			९३९८.००
	3 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			११२८६.००
	4 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			१२२९४.००
	3 ROW OF 14M FLEXY DB +MCCB (DOUBLE DOOR)	सेट			१२२९९.००
	4WAY DPX3 160+12 VTPN DB'S (DOUBLE DOOR)	सेट			२२००३.००
	6WAY DPX3 160+18 VTPN DB'S (DOUBLE DOOR)	सेट			२४९९८.००
	8WAY DPX3 160+24 VTPN DB'S (DOUBLE DOOR)	सेट			२७५९४.००
	12WAY DPX3 160+36 VTPN DB'S (DOUBLE DOOR)	सेट			३७५९०.००
	4WAY DPX3 160+12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			२६४९३.००
	4WAY DPX3 160+12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३०२३४.००
	4WAY DPX3 160+12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३४९५७.००
	4WAY DPX3 160+12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३९४२७.००
	DPX3 160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			६५२८.००
	DPX3 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			११५९४.००
	DRX100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			३४८८.००
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट			१९६२.००
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट			१९६२.००
१७	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , ABB, schnieder or equivalent				
	Single Pole				
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००	२०६.००
	40A SP 10 KA MCB	गोटा			७४९.००
	63A SP 10 KA MCB	गोटा			८९७.००
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०३०.००	१०२०.००
	40A DP 10 KA MCB	गोटा			१६००.००
	63A DP 10 KA MCB	गोटा			१८००.००
	Three Pole				
	6-32 amp MCB TP (Triple pole)	गोटा	१७९०.००	१७९०.००	१६७०.००
	40A TP 10 KA MCB	गोटा			२४५०.००



विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय ललितपुर
मु. अ. व. २०७८/७९ को दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	63A TP 10 KA MCB	गोटा			२५९०.००
	Four Pole				
	10-32 amp MCB FP (Four pole)	गोटा			२१४०.००
	40A FP 10 KA MCB	गोटा			३१३०.००
	63A FP 10 KA MCB	गोटा			३२००.००
१८	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent				
	0.5-5 amp MCB SP (single pole)	गोटा	२५८.००	२५८	२५८
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६५	१६५
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६१८	६१८
	6-32 amp MCB TP (Triple pole)	गोटा	११७७.००	११७७	११७७
	32 amp MCB TPN	गोटा	१४९४.००	१४९४	१४९४
	40-63 amp MCB DP	गोटा	९७९.००	९७९	९७९
	40-63 amp MCB TP	गोटा	१३९१.००	१३९१	१३९१
	40-63 amp MCB TPN	गोटा	१८५४.००	१८५४	१८५४
१९	Residual Current Circuit Breaker (RCCB) ABB, siemens, hager, legrend, north-west lawson or equivalent				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	२७५१.००	२७५१.००	२७५१.००
	25A 100mA 2 POLE RCCB	गोटा			३७२५.००
	25A 300mA DP RCCB	गोटा			३७२५.००
	40A30mA DP RCCB	गोटा			४०२५.००
	40A 100mA DP RCCB	गोटा			४२६०.००
	40A 300mA DP RCCB	गोटा			४२६०.००
	63A 30mA DP RCCB	गोटा			५०१५.००
	63A 300mA DP RCCB	गोटा			५१४०.००
	Four Pole				
	25A30mA Four Pole RCCB	गोटा			४७१०.००
	25A 100mAFour Pole RCCB	गोटा			४८८०.००
	25A 300mA Four Pole RCCB	गोटा			४८८०.००
	40A 30mA Four Pole RCCB	गोटा			४७३०.००
	40A 100mAFour Pole RCCB	गोटा			४९५५.००
	40A 300mA Four Pole RCCB	गोटा			४९५५.००
	63A 30mA Four Pole RCCB	गोटा			५४२५.००
	63A 100mAFour Pole RCCB	गोटा			५६९५.००
	63A 300mA Four Pole RCCB	गोटा			५६९५.००
	100A 300mA Four Pole RCCB	गोटा			९५५०.००
२०	Moulded Case Circuit Breaker ABB, siemens, hager, legrend, north-west lawson or equivalent				
	16A-63A 3P MCCB 10 KA FTFM	गोटा			३३८५.००

229



नेपाल सरकार

गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

विद्युतिय सामाग्रीहरु


सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट	
			ललितपुर २०७६/७७	आ. व. २०७७/७८
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा		५५८५.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा		१२२००.००
	20A-63A 3P MCCB 25 KA	गोटा		९२३०.००
	80A 3P MCCB 25 KA	गोटा		९६८०.००
	100A 3P MCCB 25 KA	गोटा		९६८०.००
	125A 3P MCCB 25 KA	गोटा		१३१४०.००
	160A 3P MCCB 25 KA	गोटा		२०२००.००
	200A 3P MCCB 25 KA	गोटा		२७५००.००
	250A 3P MCCB 25 KA	गोटा		२९३८०.००
	125A 3P MCCB 36 KA	गोटा		१८१६५.००
	160A 3P MCCB 36 KA	गोटा		२४१४५.००
	200A 3P MCCB 36 KA	गोटा		२८७०.००
	250A 3P MCCB 36 KA	गोटा		३२३१०.००
	320A 3P MCCB 36 KA	गोटा		३७४७५.००
	400A 3P MCCB 36 KA	गोटा		३७५०८.००
	500A 3P MCCB 36 KA	गोटा		४३३१०.००
	630A 3P MCCB 36 KA	गोटा		४९१००.००
	125A 3P MCCB 50 KA	गोटा		२३५७०.००
	160A 3P MCCB 50 KA	गोटा		२९६७५.००
	200A 3P MCCB 50 KA	गोटा		२७९३०.००
	250A 3P MCCB 50 KA	गोटा		३०७३२.००
	320A 3P MCCB 50 KA	गोटा		३५९६१.००
	400A 3P MCCB 50 KA	गोटा		३६०८०.००
	500A 3P MCCB 50 KA	गोटा		४२८६०.००
	630A 3P MCCB 50 KA	गोटा		५५५००.००
	800A 3P MCCB 50 KA	गोटा		८६१३०.००
	1000A 3P MCCB 50 KA	गोटा		१३६६३७.००
	1250A 3P MCCB 50 KA	गोटा		१६७१८५.००
	20A 4P MCCB 25 KA	गोटा		१२९०५.००
	25A 4P MCCB 25 KA	गोटा		१२९०५.००
	32A 4P MCCB 25 KA	गोटा		१२९०५.००
	40A 4P MCCB 25 KA	गोटा		१२९०५.००
	50A 4P MCCB 25 KA	गोटा		१५४३५.००
	80A 4P MCCB 25 KA	गोटा		१५४३५.००
	100A 4P MCCB 25 KA	गोटा		१५७३५.००
	125A 4P MCCB 25 KA	गोटा		१९५२०.००
	160A 4P MCCB 25 KA	गोटा		२५०५०.००
	200A 4P MCCB 25 KA	गोटा		३४९५०.००
	250A 4P MCCB 25 KA	गोटा		३६८४५.००
	125A 4P MCCB 36 KA	गोटा		२२५५५.००
	160A 4P MCCB 36 KA	गोटा		२८६८०.००
	200A 4P MCCB 36 KA	गोटा		३५३२०.००
	250A 4P MCCB 36 KA	गोटा		३९४७०.००

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुरक. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	320A 4P MCCB 36 KA	गोटा			४६८००.००
	400A 4P MCCB 36 KA	गोटा			४७५७५.००
	500A 4P MCCB 36 KA	गोटा			५९०१५.००
	630A 4P MCCB 36 KA	गोटा			६५४००.००
	125A 4P MCCB 50 KA	गोटा			२६४३०.००
	200A 4P MCCB 50 KA	गोटा			३४९१५.००
	250A 4P MCCB 50 KA	गोटा			३७७०४.००
	320A 4P MCCB 50 KA	गोटा			६४४४२.००
	400A 4P MCCB 50 KA	गोटा			४५०५७.००
	500A 4P MCCB 50 KA	गोटा			५४१२४.००
	600A 4P MCCB 50 KA	गोटा			५७६९८.००
	800A 4P MCCB 50 KA	गोटा			९८२००.००
	1000A 4P MCCB 50 KA	गोटा			१९०४१५.००
	1250A 4P MCCB 50 KA	गोटा			२४०५००.००
२१	Manual Change over Panel Type - (संबन्धित उत्पादक गण्डको गुणस्तर चिन्ह प्राप्त)				
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा			९६००.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा			१२६५५.००
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा			१९२४५.००
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा			२०८००.००
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा			२५२६०.००
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा			३७१६५.००
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा			३९१४०.००
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा			५७६९०.००
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा			६८०००.००
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा			९८५००.००
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा			१७६५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा			२३४५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा			२७७५००.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा			३७७९००.००
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा			१३९३५.००
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा			१७७७५.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा			२५९००.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा			२८९१०.००
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा			३३४३०.००
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा			४७२५५.००
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा			४९५३०.००
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा			७२१८०.००
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा			८६०००.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा			१२९९९०.००
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा			२२८५००.००
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा			२८५०.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा			२८५०.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा			१७५०.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा			१७५०.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा			२२००.००

विद्युतिय सामाग्रीहरु



नेपाल सरकार

सुनसरी जिल्लाको आ. व. २०७८/७९ को दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			ला.सं.सं. २०७६/७७	मा.व. २०७७/७८	आ.व. २०७८/७९
	30W DOOM LIGHT LIPER RD 6500K	गोटा			२२००.००
	20W BALLKIT 6500K	गोटा			१८५०.००
२२	Dome light Make Homedec, Decon, Fumagalli OR equivalent				
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८०.००
	6 " Brass base decorative dome light	सेट	७३६.००	७३६.००	७३६.००
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२२७.००
	8 " Brass base decorative dome light	सेट	८७६.००	८७६.००	८७६.००
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११०७.००
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५६७.००
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२१३.००
२३	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli or equivalent	सेट	२३२.००	२३२.००	२३२.००
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६१.००	३६१.००	३६१.००
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८२४.००
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set	सेट	९६८.००	९६८.००	९६८.००
	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set	सेट	१५१४.००	१५१४.००	१५१४.००
	Dining lamp.	सेट	१७००.००	१७००.००	१७००.००
	<u>Chandlers</u> 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५०९०.००
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	१०७६४.००
	Mirror Light Euro Light	सेट	४६४.००	४६४.००	४६४.००
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६७०.००
	Wall spot Light E27 60W Euro or eqv.	सेट	३६१.००	३६१.००	३६१.००
	Exit Light safety sign(8.24)W	सेट	८२४.००	८२४.००	८२४.००
२४	Post top Lanterns				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२५७५.००	२५७५.००	२५७५.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३०९०.००
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३४७६.००
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४१६.००
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२७०४.००
२५	Roadway light luminaires Wipro,Philips , Legerd or Equivalent				
	30W STREET LIGHT SENSOR	सेट			५५००.००
	50W STREET LIGHT SENSOR	सेट			६५००.००
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२६३७.००
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	३८६८.००
	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	सेट	१५४५.००	१५४५.००	१५४५.००
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	३०९०.००	३०९०.००	३०९०.००

Handwritten signatures and marks at the bottom of the page.

विद्युतिय सामाग्रीहरु




नेपाल सरकार

जिल्ला प्रशासन कार्यालय ललितपुर बाहेकको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९२७०.००
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.५०	१०८१.५०	१०८१.५०
	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३.००	५२५३.००	५२५३.००
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२२७१.००
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५११९.००
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५६८६.००	५६८६.००	५६८६.००
२६	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G Almonard or equivalent				
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२१६३.००
	42" size " "	गोटा	२२६६.००	२२६६.००	२२६६.००
	48" size " "	गोटा	२३१८.००	२३१८.००	२३१८.००
	56" size " "	गोटा	२५७५.००	२५७५.००	२५७५.००
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१४९४.००
	8" EXHAUST FAN PLASTIC WHITE	गोटा			१९००.००
	9" Exhaust Fan	गोटा	१८०३.००	१८०३	१८०३
	10" EXHAUST FAN PLASTIC WHITE	गोटा			२०६०.००
	16" size wall fan	गोटा	२८३३.००	२८३३	२८३३
	12" size exhaust fan	गोटा	२५७५.००	२५७५	२५७५
	16" TABLE FAN	गोटा			२६३०.००
	18" TABLE FAN GOLD	गोटा			२८८५.००
	16" WALL FAN	गोटा			२२३५.००
	18" STAND FAN GOLD	गोटा			३३००.००
	16" STAND FAN	गोटा			२६६०.००
	16" STAND FAN 3 BLADES	गोटा			२२७५.००
	18" WALL FAN REMOTE	गोटा			३१६०.००
	Decorative Fans				
	48" Ceiling Fan - Zypher	गोटा			५२००.००
	48" Ceiling Fan - Clover	गोटा			४२५०.००
	48" Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48" Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48" Ceiling Fan - Max Air Deco -Metallic	गोटा			३७५०.००
	48" Ceiling Fan - Eirwen	गोटा			३९००.००
	48" Underlight Ceiling Fan -Arty	गोटा			७३५०.००
	48" Decorative Fan - Airfuri	गोटा			५३७५.००
	48" Decorative Fan - Cool Whizz	गोटा			४७५०.००
	48" Decorative Fan - Wind Stellar	गोटा			४९००.००
	48" Decorative Fan - Apus	गोटा			४२२५.००
	48" Decorative Fan - Ruppel	गोटा			५१००.००
	48" Decorative Fan - Voyage	गोटा			४०००.००


Handwritten signatures and initials at the bottom of the page.

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			विद्युतिय प्रशासन २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	48" Decorative Fan - Skyward	गोटा			५४२५.००
	48" Decorative Fan -Aviah	गोटा			४२७५.००
	48" Decorative Fan -Wind Acer	गोटा			५४००.००
	48" Decorative Fan -Aeon	गोटा			५१५०.००
	48" Decorative Fan -Aeon Prime	गोटा			५१५०.००
	48" Decorative Fan -Dasher	गोटा			५०७५.००
	48" Decorative Fan -Fiesta	गोटा			४९००.००
	48" BLDC Fan - Vyana	गोटा			७४५०.००
	56" Ceiling Fan - Max Air Deco	गोटा			३९७५.००
	Economy Plain Fans				
	56" Ceiling Fan - Max Air	गोटा			३७००.००
	48" Power Saver Ceiling Fan -Eco -50 W	गोटा			३८००.००
	48" Power Saver Ceiling Fan -Fisaga- 50W	गोटा			४४००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air-Antidust	गोटा			२७५०.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan - Halito	गोटा			२६००.००
	36" Ceiling Fan - Max Air	गोटा			२९००.००
	24" Ceiling Fan - Max Air (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	Table / Pedestal / Wall Fans				
	16" Farata Fan - Whirlmax	गोटा			५८००.००
	18" Farata Fan - Whirlmax Plus	गोटा			६९००.००
	20"Farata Fan -Whirl Max Pro	गोटा			७४८०.००
	16" High Speed Pedestal Fan -Impello Supreme	गोटा			५५००.००
	16" Pedestal Fan -Impello	गोटा			५१५०.००
	16" High Speed Table Fan- Brisa Max	गोटा			४५००.००
	16" Table Fan-Brisa	गोटा			४०००.००
	16" High Speed Wall Fan-Kaizen Plus	गोटा			४५००.००
	16" Wall Fan -Kaizen	गोटा			४२००.००
	16" Pedestal Fan -Ordain	गोटा			५६००.००
	16" High Speed Pedestal Fan -Ordain Supreme	गोटा			५८००.००
	16" Table Fan-Twirl Pro	गोटा			३९००.००
	16" High Speed Table Fan- Swift Pro	गोटा			४५००.००
	16" Wall Fan -Aerodome	गोटा			४२००.००
	16" High Speed Wall Fan-Aerodome +	गोटा			४७००.००
	Ventilation / Exhaust Fans				
	6" Ventilation Exhaust Fan-Aerospin	गोटा			२०००.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	आ. व. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	8" Ventilation Exhaust Fan-Aerobrisk	गोटा			२०९०.००
	10" Ventilation Exhaust Fan-Aerocrisp	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerospin	गोटा			२२००.००
	6" Moduler Ventilation Exhaust - Aerospin	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerofresh	गोटा			२५२५.००
	6" Moduler Ventilation Exhaust - Aerofresh	गोटा			२९५०.००
	9"Open Metal Exhaust - Aeroplus	गोटा			२९७५.००
	12"Open Metal Exhaust - Aeromax	गोटा			३४७५.००
	Exclusive & Underlight Fans				
	ESC-304	गोटा			२७०००.००
	ESC-305	गोटा			२००००.००
	ESC-314YY - Umber	गोटा			३०५००.००
	ESC-C193 - Breeze	गोटा			२८४००.००
	ESC-322-Y - Sparkle	गोटा			२७२००.००
	ESC-339	गोटा			४६४००.००
	ESC-001-D -Allure	गोटा			२९६००.००
	ESC-001-E -Aerial	गोटा			२२७००.००
	ESC-400	गोटा			२५८००.००
	ESC-402YY - Tiara	गोटा			२२६००.००
२७	BELL INDICATOR				
	4 way bell indicator with plate	सेट	१२५५.००	१२५५	१२५५
	6 way " " " "	सेट	२०४९.००	२०४९	२०४९
	8 way " " " "	सेट	२८५९.००	२८५९	२८५९
	12 way " " " "	सेट	४३९५.००	४३९५	४३९५
	6A PUSH BUTTON SP 1 MODULE	सेट			२२९.००
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट			३९४.००
	6A BELL PUSH 1 MODULE	सेट			२८५.००
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट			३४२.००
	6A BELL PUSH 2 MODULE	सेट			३८४.००
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट			५७०.००
	BELL CALL INDICATOR 240V 1 MODULE	सेट			१५३०.००
२८	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m ³)				
	Copper plate	के.जी	९९७.००	९९७.००	९९७.००
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	१०८२.००
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२७३०.००
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१४४.००
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२५२.००
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६९८.००	६९८.००

Handwritten signatures and initials.

विद्युतिय सामग्रीहरु




नेपाल सरकार

गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई ललितपुर, अ.क. बाहेकको दररेट			
		एकाई	आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	१९६.००
	Funnel with wire mesh	गोटा	३६१.००	३६१.००	३६१.००
	Charcoal	ब्याग	३०९.००	३०९.००	३०९.००
	Salt	के.जी	१२.००	१२.००	१२.००
२९	STEEL TUBELAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	गोटा	१२०५७.००	१२०५७.००	१२०५७.००
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	गोटा	१२९७८.००	१२९७८.००	१२९७८.००
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	गोटा	१२४८४.००	१२४८४.००	१२४८४.००
	7 mtr length Wooden Pole	गोटा	४९९६.००	४९९६.००	४९९६.००
	9 mtr.length Wooden Pole	गोटा	६७९८.००	६७९८.००	६७९८.००
	Smart Poles With Luminaries:				
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३९४४०००.००
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३४०००००.००
	7 Meter Smart Poles with Decorative Lights and Smart Sensors	गोटा			२८५६०००.००
	Gobo Projector	गोटा			१९९६४८०.००
	Decorative Poles With Luminaries:				
	16 Arm Smart Decorative Butterfly Poles	गोटा			२४३४४००.००
	12 Arm Smart Decorative Butterfly Poles	गोटा			२०५३६००.००
	Smart Automation and Control System:				
	Smart PIR Sensor Ceiling Mount Type	गोटा			२०४००.००
	Smart PIR Sensor Surface Mount Type	गोटा			२१४८८.००
	Smart PIR Sensors Recessed Mount Type	गोटा			४२९६.००
	6 Button Keypad	गोटा			६१२००.००
	4 Button Keypad	गोटा			५०३२०.००
	3 Channel Relay Dali Controller	गोटा			१७५९८६.००
	4 Channel Relay Controller	गोटा			८१०५६.००
	15 V DC 1.5 Amps regulated power supply	गोटा			५९८४०.००
	TCP/IP Protocol network gateway	गोटा			१२९२००.००
	PDTS Networked Touch Screen intelligent control	गोटा			५३६६५६.००


विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥ 2.7 GHz, 4-8 cores, Xeon ≥ 2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा			१७५,६४००.००
३०	Fluorescent Tube light (FTL) set including Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERD or equivalent				
	1x20 watt FTL (Patti fittings)	सेट	६६४.००	४६४	४६४
	1x40 watt FTL, Energy saving electronic stnplate with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७७५	७७५
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८७६	८७६
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०.००	१०२०	१०२०
	1x40 watt FTL box fittings	सेट	११५९.००	११५९	११५९
	2x40 watt FTL box fittings	सेट	१७५९.००	१७५९	१७५९
	1x40 watt FTL Industrial channel	सेट	१७८२.००	१७८२	१७८२
	2x40 watt FTL Industrial channel	सेट	२२८७.००	२२८७	२२८७
	1x40 watt FTL, opalite with opal Arcylic dissuser	सेट	१८५४.००	१८५४	१८५४
	2x40 watt FTL, opalite with opal Arcylic dissuser	सेट	३०९०.००	३०९०	३०९०
	4x20 watt FTL, oplite	सेट	५४९०.००	५४९०	५४९०
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting	सेट	५४९०.००	५४९०	५४९०
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३५५४.००	३५५४	३५५४
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke	सेट	४३२६.००	४३२६	४३२६
	4 x 14 watt FTL T5 with electronic ballast direct / inirect, surface / recessed with paralite P5 louver Complete set	सेट	९३८३.००	९३८३	९३८३
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८२४५.००	८२४५	८२४५
	LED WEATHER PROOF INDUSTRIAL BATTEN				
	18W/36W @150lm/watt IP65 AC90-300v, 50/60Hz Thermo-plastic+Polycarbonate cover 3000k-6500k LED weatherproof batten	गोटा			५०००.००
	LED UFO HIGH-BAY LIGHT				
	100W/150W @150lm/watt IP66 with 60°/90°/120° beam angle, Pressure Die-cast Aluminium/Bracket/Pendant Mount, suspended s-hook PMMA spiral lens Highbay light	गोटा			३२०००.००
	200W/240W @150lm/watt IP66 with 60°/90°/120° beam angle, Pressure Die-cast Aluminium/Bracket/Pendant Mount, suspended s-hook PMMA spiral lens Highbay light	गोटा			४५०००.००
	HIGHBAY LIGHT				

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left.


विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	जिल्ला प्रशासन कार्यलयको दररेट		
			बलितपुर २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	GreenPerform Prime: GreenPerform Prime is a new age highbay range that offers an industry leading efficacy of 150lm/W specially designed to deliver unmatched performance in adverse industrial environments with its robust housing design and cater to diverse applications with multiple options of beam angles.CCT Options of 5700K and 4000K at the same MRP. Beam Angles Available: NB 60° - 10000 lm, 15000 lm,20000 lm & 25000 lm WB 110° - 10000 lm & 15000 lm ENB 30° - 25000 lm				
	100W	गोटा			२०८००.००
	150w	गोटा			२४०००.००
	200w	गोटा			२७२००.००
	250w	गोटा			३५२००.००
	DuraLED Highbay: IP66 & IK08 protected LED Highbay solution with PDC housing, toughened & shattered proof glass available in both Narrow & Wide beam optics.				
	100W	गोटा			१९२००.००
	130W	गोटा			२३२००.००
	160w	गोटा			२७२००.००
	195w	गोटा			३५२००.००
	COB				
	3W, >240lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			१३००.००
	6W, >420lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			१६००.००
	9W, >720lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			२१६०.००
	12W, >960lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			२६७०.००
	16W, >1280lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			३०७०.००
	24W, >1920lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			४०७०.००
	30W, >2400lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			६०००.००
	Astraspot COB,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	2W LED RGB/WW/CDL/NW	गोटा			७२५.००
	3W	गोटा			१६७०.००

Handwritten signatures and marks at the bottom of the page.

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	7W	गोटा			२२८५.००
	12W	गोटा			२९६०.००
	18W	गोटा			५३६५.००
	20W	गोटा			६३४५.००
३१	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA (LEGERD or ISI equivalent) .				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८.००	२६७८	२६७८
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१८३३.००	१८३३	१८३३
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२२६६.००	२२६६	२२६६
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	६०६७.००	६०६७	६०६७
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	६८२४.००	६८२४	६८२४
	Recess mounting Direct Indirect LED luninare	सेट	१०८१५.००	१०८१५	१०८१५
	Recess mounting Direct Indirect LED luninare	सेट	१४०६०.००	१४०६०	१४०६०
	Recess Surface mounted LED luminate	सेट	१३३३९.००	१३३३९	१३३३९
	Hight efficiency circular LED Down Lighter	सेट	३२४५.००	३२४५	३२४५
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	१४६००.००	१४६००	१४६००
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	१०८२.००	१०८२	१०८२
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३२४५.००	३२४५	३२४५
	Square LED Wall/Dome light suitable for true ceiling	सेट	३२४५.००	३२४५	३२४५
	Recess mounted indirect and direct luminaires	सेट	६१२९.००	६१२९	६१२९
	2x36 Watt CFL Surface Mirror Optic	सेट	६१२९.००	६१२९	६१२९
३२.०	Down Light Fiam Make				
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१२९८	१२९८
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१२९८	१२९८
	FDL004 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८५७	१८५७
	FDL004 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८५७	१८५७
	FDL004 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८२८	२८२८
	FDL004 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८२८	२८२८
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९१.००	५०९१	५०९१
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९१.००	५०९१	५०९१
	FDL012 COB5W-WWH (90MM)	सेट	१३०१.००	१३०१	१३०१
	FDL012 COB5W-CW	सेट	१३०१.००	१३०१	१३०१
	FDL012 COB10W-WWH (120MM)	सेट	१९७९.००	१९७९	१९७९
	FDL012 COB10W-CW	सेट	१९७९.००	१९७९	१९७९
	FDL012 COB15W-WWH Taiwan chip (140MM)	सेट	५०९१.००	५०९१	५०९१
	FDL012 COB15W-CW Taiwan chip	सेट	५०९१.००	५०९१	५०९१
	FDL012 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६७८७	६७८७
	FDL012 COB25W-CW Taiwan chip	सेट	६७८७.००	६७८७	६७८७
	FDL012 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८४८३	८४८३
	FDL012 COB30W-CW Taiwan chip	सेट	८४८३.००	८४८३	८४८३




विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४.००	४१८४	४१८४
	FDLOO7 SMD12W-CW Ta wan chip	सेट	४१८४.००	४१८४	४१८४
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८.००	६१०८	६१०८
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८.००	६१०८	६१०८
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७६३५	७६३५
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५.००	७६३५	७६३५
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७.००	३१६७	३१६७
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७.००	३१६७	३१६७
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७.००	३१६७	३१६७
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७.००	३१६७	३१६७
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१.००	१३०१	१३०१
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१.००	१३०१	१३०१
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१६९६	१६९६
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६.००	१६९६	१६९६
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११.००	३१११	३१११
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११.००	३१११	३१११
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७.००	६७८७	६७८७
	FM3161 HP 18W-CW Cree Led	सेट	६७८७.००	६७८७	६७८७
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४.००	२०९४	२०९४
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२०९४	२०९४
	HD-5010-14-WWH Osram chip (115*105)	सेट	३१६७.००	३१६७	३१६७
	HD-5010-14-CW Osram chip	सेट	३१६७.००	३१६७	३१६७
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	३९५९	३९५९
	HD-5010-14-CW Osram chip	सेट	३९५९.००	३९५९	३९५९
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	७८६०	७८६०
	HD-5010-18-CW Osram chip	सेट	७८६०.००	७८६०	७८६०
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१.००	२४५१	२४५१
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१.००	२४५१	२४५१
	LUCIA WHITE OPAL	सेट	१८०३.००	१८०३	१८०३
	LUCIA BLACK OPAL	सेट	१८०३.००	१८०३	१८०३
	LUCIA-GD WHITE OPAL	सेट	१८०३.००	१८०३	१८०३
	LUCIA-GD BLACK OPAL	सेट	१८०३.००	१८०३	१८०३
	REMI/LUCIA WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/LUCIA BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३	१८०३
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३	१८०३
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५२४	२५२४
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३	१८०३

240

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर जिल्लाको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३	१८०३
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३	१८०३
	REMI/MADDI WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/MADDI BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३.००	२१६३	२१६३
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३.००	२१६३	२१६३
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०.००	७२१०	७२१०
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६४८९	६४८९
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६४८९	६४८९
	GELMI WHITE OPAL E27	सेट	२८८४.००	२८८४	२८८४
	GELMI BLACK OPAL E27	सेट	२८८४.००	२८८४	२८८४
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२८८४	२८८४
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२८८४	२८८४
	DANZI WHITE OPAL E27	सेट	२८८४.००	२८८४	२८८४
	DANZI BLACK OPAL E27	सेट	२८८४.००	२८८४	२८८४
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३२४५	३२४५
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३२४५	३२४५
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३२४५	३२४५
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३२४५	३२४५
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६०५	३६०५
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६०५	३६०५
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३२४५	३२४५
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७२१०	७२१०
	Deep Recessed Downlight Luminaires:				
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED6S-6500 PSU WH Wide / Medium Angle Beam	गेटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED10S-6500 PSU WH Wide / Medium Angle Beam	गेटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED15S-6500 PSU WH-Wide / Medium Angle Beam	गेटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED20S-6500 PSU WH-Wide / Medium Angle Beam	गेटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED6S-6500 PSD WH Wide / Medium Angle Beam	गेटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED10S-6500 PSD WH Wide / Medium Angle Beam	गेटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED15S-6500 PSD WH-Wide / Medium Angle Beam	गेटा			२०४००.००



विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED20S-6500 PSD WH-Wide / Medium Angle Beam	गोटा			२०४००.००
	Cylindrical Downlight Luminaires:				
	Cylindrical Downlight Luminaires. SP320P LED6S-6500 PSU	गोटा			१११५२.००
	Cylindrical Downlight Luminaires: SP320P LED10S-6500 PSU	गोटा			११६९६.००
	Cylindrical Downlight Luminaires: SP320P LED15S-6500 PSU	गोटा			१२५१२.००
	Cylindrical Downlight Luminaires. SP320P LED20S-6500 PSU	गोटा			१३०५६.००
	Smart Light:				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा			२६६५६०.००
	Exterior Rated RGB Linear Lights - 2Ft	गोटा			१७५४४०.००
	DMX Controller	सेट			६८००००.००
	DMX Amplifier	सेट			२०६०००.००
	Testing and commissioning of ultra-compact commissioning	सेट			१२२४०००.००
	prime plus recessed downlight with 100lm/watt. Long Life LED light source up to 25000 hours. Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV. Even and uniform light. No dark spots. Slim construction for easy installation. Round/Square with CCT 3000k/4000k/6500k				
	3W	गोटा			९२५.००
	5W	गोटा			१०३५.००
	10W	गोटा			१४२०.००
	15W	गोटा			१७२०.००
	22W	गोटा			३८७०.००
	star surface downlight with long life LED light source up to 25000 hours, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV. Even and uniform light. No dark spots. Slim construction for easy installation. Round/Square with CCT 3000k/4000k/6500k				
	7W	गोटा			१८५५.००
	12W	गोटा			२२९५.००
	18W	गोटा			३३६०.००
	22W	गोटा			५९१५.००
	Smart Light:				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा			२६६५६०.००
	Exterior Rated RGB Linear Lights 2Ft	गोटा			१७५४४०.००
	DMX Controller	सेट			६८००००.००
	DMX Amplifier	सेट			२०६०००.००
	Testing and commissioning of ultra-compact commissioning	सेट			१२२४०००.००
	Outdoor Street Luminaries:				
	Outdoor Street Luminaries 10-12 Watt	गोटा			६२५६.००

242

विद्युतिय सामाग्रीहरु



नेपाल सरकार

 जिल्ला प्रशासन कार्यालय
 ललितपुर

आ. व. बाहेकको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	गोटा	आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Outdoor Street Luminaries 23-25 Watt	गोटा			१२२४०.००
	Outdoor Street Luminaries 28-30 Watt	गोटा			१३६००.००
	Outdoor Street Luminaries 36 Watt	गोटा			१४४९६.००
	Outdoor Street Luminaries 40 Watt	गोटा			१४९६०.००
	Outdoor Street Luminaries 45 Watt	गोटा			१५३६८.००
	Outdoor Street Luminaries 48 Watt	गोटा			१५७७६.००
	Outdoor Street Luminaries 60 Watt	गोटा			१६३२०.००
	Outdoor Street Luminaries 70 Watt	गोटा			२१७६०.००
	Outdoor Street Luminaries 90 Watt	गोटा			२५५६८.००
	Outdoor Street Luminaries 105 Watt	गोटा			२७७४४.००
	Outdoor Street Luminaries 120 Watt	गोटा			३००८०.००
	Outdoor Street Luminaries 140 Watt	गोटा			४३५२०.००
	Outdoor Street Luminaries 160 Watt	गोटा			४८९६०.००
	Batten Lights -				
	Almunium Excruded 4 Feet Linear Batten	गोटा			२३१२.००
	Almunium Excruded 4 Feet Linear Batten	गोटा			४०७७.२८
	Almunium Excruded 2 Feet Linear Batten	गोटा			१५५०.४०
	up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	1Feet size batten	गोटा			६४५.००
	2 feet size batten	गोटा			८९५.००
	4 feet size batten	गोटा			११७५.००
	Batten Lights - Industrial Application:				
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			२३१२.००
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			१०३३६.००
	Batten 4 ftLED luminaire- 18 Watt	गोटा			५३०४.००
	Batten 4 ftLED luminaire-34 Watt	गोटा			८७०४.००
	Batten 4 ftLED luminaire-47Watt	गोटा			११९६८.००
	Batten 4 ftLED luminaire- 18 Watt with PIR Sensors	गोटा			८०२४.००
	Batten 4 ftLED luminaire-34 Watt with PIR Sensors	गोटा			११४२४.००
	Batten 4 ftLED luminaire-47Watt with PIR Sensors	गोटा			१४६८८.००
	INDUSTRIAL T-LED BOX TYPE PATTI				
	1X4 box type patti T-Led 1x20w	गोटा			१७२०.००
	1X4 box type patti T-Led 2x20w	गोटा			१८८०.००
	Industrial Reflector	गोटा			२१५०.००
	20W T-Led Stellar bright 4Ft	गोटा			८८०.००

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Linear Suspended Luminaries:				
	Suspended 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Suspended -4 Feet Linear Luminaires- Non Dimmable	गोटा			१७६८०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Surface- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Suspended- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१८४७१.५२
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७६८७.०४
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७६८७.०४
	Suspended- 2 Feet Continous Linear Luminaires- Non Dimmable	गोटा			१२३७३.२८
	2 * 2 Square Luminaires:				
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED36S-6500-PSU	गोटा			१३०५६.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSU	गोटा			१०८८०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSU	गोटा			१४१६६.००
	Recessed 2x2 Dimmable Luminaires: RC380B LED36S-6500-PSD	गोटा			२८५६०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSD	गोटा			२७२००.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSD	गोटा			३२६४०.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED36S-6500-PSU	गोटा			८७०४.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED30S-6500-PSU	गोटा			८१६०.००
	2 X 2 Luminaires - Indirect Lights:	गोटा			
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 30S 6500 PSU	गोटा			१६३२०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSU	गोटा			१७६८०.००
	Indirect Lighting Recessed 2x2 Dimmable Luminaires: RC 420B M LED 30S 6500 PSD	गोटा			१९०६०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSD	गोटा			२०४००.००
		गोटा			
	2 X 2 Luminaries - Smart Decorative Lights (Suspended, Recessed):	गोटा			
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED30S-PSU	गोटा			३६७२०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED25S-PSU	गोटा			३९४४०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED36S-PSU	गोटा			४२९६०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED25S-PSD	गोटा			५१६८०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED30S-PSD	गोटा			५४४००.००

विद्युतिय सामाग्रीहरु



नेपाल सरकार

 मूह मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 ललितपुर

क. बाहेकको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED36S-PSD				५५२०.००
३३	System Sensor Product (Honeywell)				
	Photo Electric Smoke Detector	सेट	१८७५.००	१८७५	१८७५.००
	Rate of Rise Heat Detector	सेट	१८७५.००	१८७५	१८७५.००
	Fixed temperature Detector	सेट	२२८७.००	२२८७	२२८७.००
	Base	सेट	३७९.००	३७९	३७९.००
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३.००	१४८३	१४८३.००
	Wall mount Horn+Strobe	सेट	४९२०.००	४९२०	४९२०.००
	Ceiling mount Horn+Strobe	सेट	४९२०.००	४९२०	४९२०.००
३४	Exit Light Samcon make				
	MODEL SLM 18	सेट	१२३६०.००	१२३६०	१२३६०.००
	MODEL ELS 28	सेट	१२३६०.००	१२३६०	१२३६०.००
	MODEL ETL 210H-4LA	सेट	१२३६०.००	१२३६०	१२३६०.००
३५	LUMINARIES Accessories-(PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Equivalent.)				
	500 watt halogen rod	गोटा	२३२.००	२३२	२३२.००
	1000 watt halogen rod	गोटा	२७८.००	२७८	२७८.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८३४	८३४.००
	150 watt sodium vapour bulb	गोटा	१२९८.००	१२९८	१२९८.००
	250 watt sodium vapour bulb	गोटा	१७००.००	१७००	१७००.००
	20-40 watt FTL rod	गोटा	८०.००	८०	८०.००
	20-40 watt FTL Copper chowk	गोटा	२५८.००	२५८	२५८.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४९२.००	४९२	४९२.००
	Acryle cover for 4x20 FTL	गोटा	९८९.००	९८९	९८९.००
	FTL starter	गोटा	९९.००	९९	९९.००
	8 W to 11W, C.F.L Direct fit	गोटा	२३२.००	२३२	२३२.००
	13 to 22W, C F L Direct fit	गोटा	२९९.००	२९९	२९९.००
	15-100 watt bulb.(ISI)	गोटा	२६.००	२६	२६.००
	PL-S 9W/86 (CFL)	गोटा	१६५.००	१६५	१६५.००
	PL-S 11W/86 (CFL)	गोटा	१७५.००	१७५	१७५.००
	PL-L 36W/86 (CFL)	गोटा	४९७.००	४९७	४९७.००
	125W HPL-N (Mercury Vapour)	गोटा	३७९.००	३७९	३७९.००
	250W HPL-N	गोटा	८७६.००	८७६	८७६.००
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	३६९.००	३६९	३६९.००
	12V/3W LED bulb	गोटा	४९२.००	४९२	४९२.००
	12V/4W LED bulb	गोटा	४६४.००	४६४	४६४.००
३६	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked				
	1/18 size p v.c insulated copper wire/ cable	क्वायल	९४८.००	९४८	९४८.००

विद्युतिय सामाग्रीहरु



नेपाल सरकार

जिल्ला प्रशासन कार्यालय ललितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. दररेट		
			२०७६/७७	२०७७/७८	२०७८/७९
	3/22 " "	"	क्वायल ११३३.००	११३३	११३३.००
	3/20 " "	"	क्वायल १८०३.००	१८०३	१८०३.००
	7/22 " "	"	क्वायल २५२४.००	२५२४	२५२४.००
	7/20 " "	"	क्वायल ४१२०.००	४१२०	४१२०.००
	7/18 " "	"	क्वायल ६४८९.००	६४८९	६४८९.००
	7/16 " "	"	क्वायल १३३९०.००	१३३९०	१३३९०.००
	19/18 " "	"	क्वायल १८०२५.००	१८०२५	१८०२५.००
	19/16 " "	"	क्वायल ३६०५०.००	३६०५०	३६०५०.००
	2/20 " "	"	क्वायल १३७०.००	१३७०	१३७०.००
	2/22 " "	"	क्वायल ९२७.००	९२७	९२७.००
३७	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०.००	१०३०	१०३०.००
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१६४८	१६४८.००
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१.००	२४२१	२४२१.००
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४.००	३९१४	३९१४.००
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०.००	६१८०	६१८०.००
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	१०३००	१०३००.००
३८	Concentric cable NS marked Eqv.				
	4mm size concentric cable	र.मी	२३.००	२३	२३.००
	6mm size " "	र.मी	२६.००	२६	२६.००
	10mm size concentric cable	र.मी	३९.००	३९	३९.००
	16mm size " "	र.मी	६७.००	६७	६७.००
	25mm size " "	र.मी	८९.००	८९	८९.००
	RG6 Coaxial cable	र.मी	२३.००	२३	२३.००
	RG59 Coaxial cable	र.मी	२६.००	२६	२६.००
	UTP cat -5 networking cable	र.मी	२६.००	२६	२६.००
३९	Telephone Drop wire/pair cable NS marked Eqv.				
	³ / ₂₀ Telephone drop wire	क्वायल	९८९.००	९८९	९८९.००
	² / ₂₂ " "	क्वायल	६७०.००	६७०	६७०.००
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४	१४.००
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०	२०.००
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२.००	३२	३२.००
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२.००	६२	६२.००
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१.००	९१	९१.००
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९.००	११९	११९.००
	1mm drop wire	र.मी	१०.००	१०	१०.००
४०	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv	सेट	७६४८.००	७६४८	७६४८.००
	2-6 Line EPABX	सेट	१८४११.००	१८४११	१८४११.००
	3-8 Line EPABX	सेट	२०५३८.००	२०५३८	२०५३८.००
	4-12 Line EPABX	सेट	३६८२३.००	३६८२३	३६८२३.००

ललितपुर जिल्लाको
प्रशासनिक कार्यालय

अ.व. २०७८/७९


२०७८/७९

२०७८/७९

२०७८/७९

२०७८/७९

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुरक. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	6-16 Line EPABX	सेट	४९५६९.००	६९५६९.	४९५६९.००
	8-24 Line EPABX	सेट	८४९७५.००	८४९७५	८४९७५.००
	8-48 Line EPABX	सेट	९०९२३.००	९०९२३	९०९२३.००
	8-72 Line EPABX	सेट	९७२८८.००	९७२८८	९७२८८.००
४१	Other Accessories				
	6" size Dome light glass	गोटा	६५.००	६५	६५.००
	8" size " " "	गोटा	७६.००	७६	७६.००
	wall bracket glass	गोटा	६५.००	६५	६५.००
	Fan regulator	गोटा	२७१.००	२७१	२७१.००
४२	Panel board-double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB & measuring instrument				
	60/75/100 AMP, 9"×36"×48" size	सेट	२१४१४.००	२१४१४	२१४१४.००
	60/75/100 AMP "12×36"×48" size	सेट	२५४९३.००	२५४९३	२५४९३.००
	60/75/100 AMP 9"×48"×60" size	सेट	३५६९०.००	३५६९०	३५६९०.००
	60/75/100 AMP 12"×49"×60" size	सेट	४२४८८.००	४२४८८	४२४८८.००
	150/200 AMP 9"×38"×52" size	सेट	२३७९३.००	२३७९३	२३७९३.००
	150/200 AMP 12"×38"×52" size	सेट	२३७९३.००	२३७९३	२३७९३.००
	150/200 AMP 9"×42"×56" size	सेट	२६४९६.००	२६४९६	२६४९६.००
	150/200 AMP 12"×42"×56" size	सेट	२८१७९.००	२८१७९	२८१७९.००
	250/300AMP 12"×48"×60" size	सेट	३४५०५.००	३४५०५	३४५०५.००
	250/300AMP 12"×52"×62" size	सेट	३८६२६.००	३८६२६	३८६२६.००
	400 AMP 12"×52"×66" size	सेट	४९९९८.००	४९९९८	४९९९८.००
४३	Panel Board measurement instrument				
	0-500 volt meter	पिस	१०२३.००	१०२३	१०२३.००
	60/100 Amp meter .	पिस	९७९.००	९७९	९७९.००
	Panel Indicator	पिस	२३७.००	२३७	२३७.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३४	१३४.००
	AMP meter selector switch	पिस	६४९.००	६४९	६४९.००
	volt meter selector switch	पिस	७९१.००	७९१	७९१.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४३२	१४३२.००
	150-200AMP C T coil. 3 PC / Set	गोटा	१७८२.००	१७८२	१७८२.००
	250-300 AMP	गोटा	२४२९.००	२४२९	२४२९.००
	400/500/600AMP	गोटा	३५५४.००	३५५४	३५५४.००
	Kilo watt hour energy meter single phase	पिस	२२७१.००	२२७१	२२७१.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०२२८	१०२२८.००
४४	Trailing Protected Industrial Plug IP44			०	०.००

विद्युतिय सामाग्रीहरु



नेपाल सरकार

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	जिल्ला प्रशासकीय कार्यालय ललितपुरको दररेट		
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०
	16A 3P+E 400V Industrial plug	सेट	५४१.००	५४१	५४१.००
	32 A 3p +N+E " Plug	सेट	८०३.००	८०३	८०३.००
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५४५	१५४५.००
४५	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२०६००	२०६००.००
४६	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१३९०५	१३९०५.००
४७	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	६४.००	६४	६४.००
	25 sq.mm " "	गोटा	८३.००	८३	८३.००
	35 sq.mm " "	गोटा	६४.००	६४	६४.००
	50 sq.mm " "	गोटा	७५.००	७५	७५.००
	70 sq.mm " "	गोटा	९२.००	९२	९२.००
	95 sq.mm " "	गोटा	१४३.००	१४३	१४३.००
	150 sq mm " "	गोटा	२१५.००	२१५	२१५.००
	195 sq mm " "	गोटा	३०५.००	३०५	३०५.००
	250 sq.mm " "	गोटा	४८५.००	४८५	४८५.००
४८	Copper Conductor Armoured Power Cables NS marked or equivalent				
	a) 2 Core				
	1.5 mm2	र.मी	१०३.००	१०३	१०३.००
	2.5 mm2	र.मी	१३९.००	१३९	१३९.००
	4.0 mm2	र.मी	१९१.००	१९१	१९१.००
	6.0 mm2	र.मी	२४७.००	२४७	२४७.००
	10.0 mm2	र.मी	३७१.००	३७१	३७१.००
	16.0 mm2	र.मी	४९४.००	४९४	४९४.००
	25.0 mm2	र.मी	७२१.००	७२१	७२१.००
	35.0 mm2	र.मी	९५८.००	९५८	९५८.००
	50.0 mm2	र.मी	१३३९.००	१३३९	१३३९.००
	b) 3 Core				
	1.5 mm2	र.मी	१२९.००	१२९	१२९.००
	2.5 mm2	र.मी	१८०.००	१८०	१८०.००
	4.0 mm2	र.मी	२५८.००	२५८	२५८.००
	6.0 mm2	र.मी	३३०.००	३३०	३३०.००
	10.0 mm2	र.मी	४९४.००	४९४	४९४.००
	16.0 mm2	र.मी	६९०.००	६९०	६९०.००
	25.0 mm2	र.मी	१०५१.००	१०५१	१०५१.००
	35.0 mm2	र.मी	१३९१.००	१३९१	१३९१.००
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६.००	१९०६	१९०६.००

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	70 0 mm ²	र मी	२६७८.००	२६७८	२६७८.००
	95.0 mm ²	र मी	३६०५.००	३६०५	३६०५.००
	120 0 mm ²	र मी	४५३२.००	४५३२	४५३२.००
	150 0 mm ²	र मी	५५६२.००	५५६२	५५६२.००
c) 3.5 Core					
	25 0 mm ²	र मी	१२५७.००	१२५७	१२५७.००
	35.0 mm ²	र मी	१५९७.००	१५९७	१५९७.००
	50.0 mm ²	र मी	२२४५.००	२२४५	२२४५.००
	70 0 mm ²	र मी	३०९.० ००	३०९.०	३०९.० ००
	95.0 mm ²	र मी	६१२०.००	६१२०	६१२०.००
	120.0 mm ²	र मी	५४०८.००	५४०८	५४०८.००
	150 0 mm ²	र मी	६३८६.००	६३८६	६३८६.००
	185.0 mm ²	र मी	७९३१.००	७९३१	७९३१.००
	240.0 mm ²	र मी	१०४०३.००	१०४०३	१०४०३.००
	300.0 mm ²	र मी	१३१८६.००	१३१८६	१३१८६.००
	400 0 mm ²	र मी	१७३०४.००	१७३०४	१७३०४.००
d) 4 Core					
	1.5 mm ²	र मी	१५५.००	१५५	१५५.००
	2.5 mm ²	र मी	२२१.००	२२१	२२१.००
	4.0 mm ²	र मी	३१९.००	३१९	३१९.००
	6.0 mm ²	र मी	६१२.००	६१२	६१२.००
	10.0 mm ²	र मी	६१८.००	६१८	६१८.००
	16.0 mm ²	र मी	९०१.००	९०१	९०१.००
	25.0 mm ²	र मी	१३३९.००	१३३९	१३३९.००
	35.0 mm ²	र मी	१८०३.००	१८०३	१८०३.००
	50.0 mm ²	र मी	२५७५.००	२५७५	२५७५.००
	70 0 mm ²	र मी	३५०२.००	३५०२	३५०२.००
	95.0 mm ² Copper Conductor Armoured	र मी	४७३८.००	४७३८	४७३८.००
	120 0 mm ²	र मी	५९७४.००	५९७४	५९७४.००
	150 0 mm ²	र मी	७४९६.००	७४९६	७४९६.००
	185.0 mm ²	र मी	९०६६.००	९०६६	९०६६.००
	240.0 mm ²	र मी	१२३६०.००	१२३६०	१२३६०.००
	300.0 mm ²	र मी	१४८३२.००	१४८३२	१४८३२.००
	400 0 mm ²	र मी	२००८५.००	२००८५	२००८५.००
४९	Copper Conductor Unarmoured Power Cables NS marked or equivalent				
a) 1-core					
	10 sq. mm.	र मी	४३.००	४३	४३.००
	16 sq mm	र मी	६५.००	६५	६५.००
	25 sq mm	र मी	७६.००	७६	७६.००
	35 sq mm.	र मी	९१.००	९१	९१.००


249

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	50 sq mm.	१ मी	१२१.००	१२१	१२१.००
	70 sq mm	१ मी	१५८.००	१५८	१५८.००
	95 sq mm.	१ मी	२१४.००	२१४	२१४.००
	120 sq mm.	१ मी	२६०.००	२६०	२६०.००
	150 sq. mm	१ मी	३०८.००	३०८	३०८.००
b) 2- core					
	1.5 sq.mm Copper Conductor Unarmoured	१ मी	७२.००	७२	७२.००
	2.5 sq mm	१ मी	१०३.००	१०३	१०३.००
	4 sq mm	१ मी	१४४.००	१४४	१४४.००
	6 sq.mm	१ मी	१९६.००	१९६	१९६.००
	10 sq.mm	१ मी	३०९.००	३०९	३०९.००
	16 sq.mm	१ मी	४२७.००	४२७	४२७.००
	25 sq.mm	१ मी	६५९.००	६५९	६५९.००
	35 sq.mm	१ मी	८९६.००	८९६	८९६.००
	50 sq mm	१ मी	१२३९.००	१२३९	१२३९.००
	70 sq.mm	१ मी	१७००.००	१७००	१७००.००
	95 sq.mm	१ मी	२३१८.००	२३१८	२३१८.००
	120 sq.mm	१ मी	३०३९.००	३०३९	३०३९.००
	150 sq.mm	१ मी	३८११.००	३८११	३८११.००
c) 3-core					
	1.5 sq.mm 3- core copper conductor	१ मी	९३.००	९३	९३.००
	2.5 sq.mm	१ मी	१३४.००	१३४	१३४.००
	4 sq mm	१ मी	१९६.००	१९६	१९६.००
	6 sq mm	१ मी	२७८.००	२७८	२७८.००
	10 sq mm	१ मी	४३८.००	४३८	४३८.००
	16 sq.mm	१ मी	६३९.००	६३९	६३९.००
	25 sq mm	१ मी	९७९.००	९७९	९७९.००
	35 sq mm	१ मी	१३१८.००	१३१८	१३१८.००
	50 sq.mm	१ मी	१८५४.००	१८५४	१८५४.००
	70 sq.mm	१ मी	२५७५.००	२५७५	२५७५.००
	95 sq mm	१ मी	३५०२.००	३५०२	३५०२.००
	120 sq mm	१ मी	४६२९.००	४६२९	४६२९.००
	150 sq mm	१ मी	५४५९.००	५४५९	५४५९.००
d) 3.5 core					
	25 sq mm	१ मी	१२०५.००	१२०५	१२०५.००
	35 sq.mm Copper Conductor Unarmoured	१ मी	१५४५.००	१५४५	१५४५.००
	50 sq mm	१ मी	२१६३.००	२१६३	२१६३.००
	70 sq mm	१ मी	३०१३.००	३०१३	३०१३.००
	95 sq.mm	१ मी	४०६९.००	४०६९	४०६९.००

250



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर जिल्लाको बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	120 sq mm	र.मी	५३५६.००	५३५६	५३५६.००
	150 sq mm	र.मी	६३३५.००	६३३५	६३३५.००
	e) 4-core Copper Conductor Unarmoured				
	1.5 sq mm	र.मी	११३.००	११३	११३.००
	2.5 sq.mm	र.मी	१७०.००	१७०	१७०.००
	4 sq.mm	र.मी	२५२.००	२५२	२५२.००
	6 sq.mm	र.मी	३५०.००	३५०	३५०.००
	10 sq.mm	र.मी	५५६.००	५५६	५५६.००
	16 sq.mm	र.मी	८४५.००	८४५	८४५.००
	25 sq mm	र.मी	१३१८.००	१३१८	१३१८.००
	35 sq.mm	र.मी	१७७२.००	१७७२	१७७२.००
	50 sq.mm	र.मी	२४७२.००	२४७२	२४७२.००
	70 sq.mm	र.मी	३४५१.००	३४५१	३४५१.००
	95 sq mm	र.मी	६६८७.००	६६८७	६६८७.००
	120 sq mm	र.मी	५९२३.००	५९२३	५९२३.००
	150 sq.mm	र.मी	७३६५.००	७३६५	७३६५.००
	185 sq mm	र.मी	९०६४.००	९०६४	९०६४.००
	240 Sq mm	र.मी	१२२५७.००	१२२५७	१२२५७.००
	300 Sq. mm	र.मी	१४८३२.००	१४८३२	१४८३२.००
	400 Sq mm	र.मी	२००८५.००	२००८५	२००८५.००
	XO Aluminum conductor Armoured (Power) cable NS marked or eqv.				
	a) 2-core				
	1.5 sq mm	र.मी			
	2.5 sq mm	र.मी	९३.००	९३	९३.००
	4 sq mm	र.मी	११८.००	११८	११८.००
	6 sq.mm	र.मी	१३६.००	१३६	१३६.००
	10 sq mm	र.मी	१६०.००	१६०	१६०.००
	16 sq.mm	र.मी	१८०.००	१८०	१८०.००
	25 sq.mm	र.मी	२१६.००	२१६	२१६.००
	35 sq.mm	र.मी	२४७.००	२४७	२४७.००
	50 sq.mm	र.मी	३१९.००	३१९	३१९.००
	70 sq.mm	र.मी	३९७.००	३९७	३९७.००
	95 sq.mm	र.मी	५०५.००	५०५	५०५.००
	b) 3-core				
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	१०८	१०८.००
	4 sq mm	र.मी	१३४.००	१३४	१३४.००
	6 sq.mm	र.मी	१६९.००	१६९	१६९.००
	10 sq.mm	र.मी	१८०.००	१८०	१८०.००
	16 sq.mm	र.मी	२०६.००	२०६	२०६.००
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२७८	२७८.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. मिति २०७८/७९ को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	35 sq.mm	र.मी	३३५.००	३३५	३३५.००
	50 sq.mm	र.मी	४२७.००	४२७	४२७.००
	70 sq mm	र.मी	५४९.००	५४९	५४९.००
	95 sq.mm	र.मी	४९४.००	४९४	४९४.००
	120 sq.mm	र.मी	८३४.००	८३४	८३४.००
	150 sq.mm	र.मी	९००४.००	९००४	९००४.००
	185 sq.mm	र.मी	९२३६.००	९२३६	९२३६.००
	240 sq mm	र.मी	९५९४.००	९५९४	९५९४.००
	300 sq mm	र.मी	९८५४.००	९८५४	९८५४.००
	400 sq.mm	र.मी	२३९८.००	२३९८	२३९८.००
c) 3.5 core					
	25 sq.mm.	र.मी	३९९.००	३९९	३९९.००
	35 sq.mm	र.मी	३७९.००	३७९	३७९.००
	50 sq.mm	र.मी	४८९.००	४८९	४८९.००
	70 sq mm	र.मी	६२८.००	६२८	६२८.००
	95 sq.mm	र.मी	८०३.००	८०३	८०३.००
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९७९	९७९.००
	150 sq.mm	र.मी	९९७४.००	९९७४	९९७४.००
	185 sq.mm	र.मी	९४२९.००	९४२९	९४२९.००
	240 sq.mm	र.मी	९७७२.००	९७७२	९७७२.००
	300 sq mm	र.मी	२२९५.००	२२९५	२२९५.००
	400 sq mm	र.मी	२७८९.००	२७८९	२७८९.००
d) 4-core					
	2.5 sq mm	र.मी	९२४.००	९२४	९२४.००
	4 sq mm	र.मी	९५५.००	९५५	९५५.००
	6 sq.mm	र.मी	९८०.००	९८०	९८०.००
	10 sq mm	र.मी	९९६.००	९९६	९९६.००
	16 sq.mm	र.मी	२५२.००	२५२	२५२.००
	25 sq mm	र.मी	३४०.००	३४०	३४०.००
	35 sq mm	र.मी	४०२.००	४०२	४०२.००
	50 sq mm	र.मी	५४८.००	५४८	५४८.००
	70 sq mm	र.मी	७००.००	७००	७००.००
	95 sq mm	र.मी	९०९.००	९०९	९०९.००
	120 sq.mm	र.मी	९०८२.००	९०८२	९०८२.००
	150 sq mm	र.मी	९३७०.००	९३७०	९३७०.००
	185 sq mm	र.मी	९६२७.००	९६२७	९६२७.००
	240sq.mm	र.मी	२०३९.००	२०३९	२०३९.००
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५२४	२५२४.००
	400sq.mm	र.मी	३९९३.००	३९९३	३९९३.००
५१	Aluminium conductor unarmoured (power) cable NS marked or eqv.				


विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	दररेट		
			२०७८/७९	२०७९/८०	२०७९/८०
a) 1-core					
	16 sq.mm	र.मी	५२.००	५२	५२.००
	25 sq mm	र.मी	७२.००	७२	७२.००
	35 sq.mm	र.मी	८८.००	८८	८८.००
	50 sq.mm	र.मी	११३.००	११३	११३.००
	70 sq.mm	र.मी	१४४.००	१४४	१४४.००
	95 sq mm	र.मी	१९६.००	१९६	१९६.००
	120 sq mm	र.मी	२३७.००	२३७	२३७.००
	150 sq mm	र.मी	३९१.००	३९१	३९१.००
	185 sq mm	र.मी	३६१.००	३६१	३६१.००
	240 sq.mm	र.मी	४४३.००	४४३	४४३.००
	300 sq mm	र.मी	५३६.००	५३६	५३६.००
b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	४७.००	४७	४७.००
	4 sq.mm	र.मी	५८.००	५८	५८.००
	6 sq mm	र.मी	७०.००	७०	७०.००
	10 sq.mm	र.मी	९४.००	९४	९४.००
	16 sq.mm	र.मी	१०३.००	१०३	१०३.००
	25 sq.mm	र.मी	१४४.००	१४४	१४४.००
	35 sq.mm	र.मी	१८५.००	१८५	१८५.००
	50 sq.mm	र.मी	२३७.००	२३७	२३७.००
	70 sq mm	र.मी	२९९.००	२९९	२९९.००
	95 sq mm 2 core	र.मी	४०२.००	४०२	४०२.००
c) 3-core					
	2.5 sq mm	र.मी	५२.००	५२	५२.००
	4 sq mm	र.मी	७०.००	७०	७०.००
	6 sq mm	र.मी	८८.००	८८	८८.००
	10 sq.mm	र.मी	१११.००	१११	१११.००
	16 sq mm	र.मी	१४४.००	१४४	१४४.००
	25 sq mm	र.मी	२०६.००	२०६	२०६.००
	35 sq.mm	र.मी	२५८.००	२५८	२५८.००
	50 sq.mm	र.मी	३४०.००	३४०	३४०.००
	70 sq mm	र.मी	४५३.००	४५३	४५३.००
	95 sq mm	र.मी	५९७.००	५९७	५९७.००
	120 sq mm	र.मी	७४२.००	७४२	७४२.००
	150 sq.mm	र.मी	८८६.००	८८६	८८६.००
	185 sq.mm	र.मी	१११२.००	१११२	१११२.००
	240 sq.mm	र.मी	१३८०.००	१३८०	१३८०.००
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७५१	१७५१.००
d) 3.5-core					

253

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	25 sq mm	१ मी	२५८.००	२५८	२५८.००
	35 sq.mm	१ मी	३०९.००	३०९	३०९.००
	50 sq mm	१ मी	४१२.००	४१२	४१२.००
	70 sq.mm	१ मी	५६७.००	५६७	५६७.००
	95 sq mm	१ मी	७६२.००	७६२	७६२.००
	120 sq mm	१ मी	९२७.००	९२७	९२७.००
	150 sq mm	१ मी	१११२.००	१११२	१११२.००
	185 sq.mm	१ मी	१२९१.००	१२९१	१२९१.००
	240 sq mm	१ मी	१७५१.००	१७५१	१७५१.००
	300 sq mm	१ मी	२१६३.००	२१६३	२१६३.००
	e) 4-core core aluminium unarmoured				
	2.5 sq mm	१ मी	७२.००	७२	७२.००
	4 sq.mm	१ मी	८२.००	८२	८२.००
	6 sq mm	१ मी	९८.००	९८	९८.००
	10 sq.mm	१ मी	१३६.००	१३६	१३६.००
	16 sq mm	१ मी	१९६.००	१९६	१९६.००
	25 sq mm	१ मी	२८८.००	२८८	२८८.००
	35 sq.mm	१ मी	३५०.००	३५०	३५०.००
	50 sq mm	१ मी	४८६.००	४८६	४८६.००
	70 sq mm 4	१ मी	६३९.००	६३९	६३९.००
	95 sq.mm	१ मी	८६५.००	८६५	८६५.००
	120 sq.mm	१ मी	१०३०.००	१०३०	१०३०.००
	150 sq.mm	१ मी	१२८८.००	१२८८	१२८८.००
	185 sq mm	१ मी	१५९७.००	१५९७	१५९७.००
	240 sq.mm	१ मी	२००९.००	२००९	२००९.००
	300 sq.mm	१ मी	२४७२.००	२४७२	२४७२.००
५२	General Lightig ANCHOR, C/G, Eqv.			०	०.००
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५२	२५२.००
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३२	२३२.००
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४२७	४२७.००
	1 x 20 W FTL Box fitting	सेट	४१७.००	४१७	४१७.००
	9/11W Mini mirror light with electronic Blast		३५५.००	३५५	३५५.००
	suitable for PL lamp	सेट		०	०.००
५३	GEWISS /BEC PVC Conduit product of Italy			०	०.००
	RK Range			०	०.००
	16 mm medium rigid conduit DX 25 316	१ मी	८८.००	८८	८८.००
	20 mm medium rigid conduit DX 25 320	१ मी	१२४.००	१२४	१२४.००
	25 mm medium rigid conduit DX 25 325	१ मी	१७५.००	१७५	१७५.००
	32 mm medium rigid conduit DX 25 332	१ मी	२५२.००	२५२	२५२.००
	40 mm medium rigid conduit DX 25 340	१ मी	३६५.००	३६५	३६५.००
	50 mm medium rigid conduit DX 25 350	१ मी	५३०.००	५३०	५३०.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



नेपाल सरकार

ललितपुर जिल्लाको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	९९९	९९९.००
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६५	१६५.००
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२१६	२१६.००
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८.००	२८८	२८८.००
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४३३	४३३.००
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७.००	५८७	५८७.००
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	७९३	७९३.००
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८.००	१४८८	१४८८.००
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९६	१९६.००
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२४७	२४७.००
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३७६	३७६.००
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६२३	६२३.००
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७४७	७४७.००
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९६३	९६३.००
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२००	१२००.००
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१.००	३१	३१.००
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६	३६.००
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१.००	४१	४१.००
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६२	६२.००
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९८	९८.००
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	११८	११८.००
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६	३६.००
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६	४६.००
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५७	५७.००
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०३	१०३.००
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१३९	१३९.००
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४२	२४२.००
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४५८	४५८.००
	16 mm tight bend DX 40 116	र.मी	५७.००	५७	५७.००
	20 mm tight bend DX 40 120	र.मी	८२.००	८२	८२.००
	25 mm tight bend DX 40 125	र.मी	१२९.००	१२९	१२९.००
	32 mm tight bend DX 40 132	र.मी	२३७.००	२३७	२३७.००
	40 mm tight bend DX 40 140	र.मी	३३५.००	३३५	३३५.००
	50 mm tight bend DX 40 150	र.मी	६०३.००	६०३	६०३.००
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२३५९	२३५९.००
	4 way junction box DX 45 004	र.मी	६७०.००	६७०	६७०.००
	7 way junction box DX 45 007	र.मी	८०३.००	८०३	८०३.००
	10 way junction box DX 45 010	र.मी	१०२०.००	१०२०	१०२०.००
	Closing cap for junction box DX 47 000	र.मी	११८.००	११८	११८.००
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	११८	११८.००


255

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			ललितपुर आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१४९	१४९.००
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९६	१९६.००
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२३७	२३७.००
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९८	९८.००
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	११८	११८.००
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५५	१५५.००
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८५	१८५.००
५५	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range	र.मी			
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८१९	८१९.००
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९७३	९७३.००
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११७४	११७४.००
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३१८	१३१८.००
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५४०	१५४०.००
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७९०.००	१७९०	१७९०.००
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१३७	२१३७.००
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५१३	२५१३.००
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३०९०	३०९०.००
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३२८१	३२८१.००
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	९८४	९८४.००
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	११७९	११७९.००
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१२९८	१२९८.००
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४६८	१४६८.००
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६६३	१६६३.००
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८५९	१८५९.००
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७९.००	२२७९	२२७९.००
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२६५७	२६५७.००
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३४५६	३४५६.००
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७६९.००	३७६९	३७६९.००
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८६.००	४५८६	४५८६.००
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३१३	१३१३.००
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१२२	२१२२.००
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२७८१	२७८१.००
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३६५२.००	३६५२	३६५२.००
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	६८३६.००	६८३६	६८३६.००
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५४४९	५४४९.००
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९६.००	१४९६	१४९६.००
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७९.००	२२७९	२२७९.००
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८६.००	२८८६	२८८६.००

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व. का.व.को दररेट		
			२०७६/७७	२०७७/७८	२०७८/७९
	395X80 mm ² hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४१५१	४१५१.००
	515X80 mm ² hot deep galvanised steel cable tray MV 40 175	र.मी	५०१६.००	५०१६	५०१६.००
५५	Intrusion Detection System Make Honeywell or equivalent				
	Main Controller-CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	३८८५१.००	३८८५१	३८८५१.००
	Smoke & Heat Detector-Wireless Smoke and Head Detector	सेट	१०५४५.००	१०५४५	१०५४५.००
	Door Contact-Wireless Door Contact with transmitter	सेट	२६७८.००	२६७८	२६७८.००
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४१७८.००	४१७८	४१७८.००
	Panic Switch-Wireless Panic Transmitter	सेट	४९२१.००	४९२१	४९२१.००
	Key -Wireless Key to Arm and Disarm the System	सेट	४७८०.००	४७८०	४७८०.००
	Window Contact- Wired door Contact with transmitter slim	सेट	२८१२.००	२८१२	२८१२.००
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	३६०१.००	३६०१	३६०१.००
५६	Automatic Motor Operator for water motor				
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४१२०	४१२०.००
	Upto 1 HP single phase motor	सेट	५६६५.००	५६६५	५६६५.००
	Upto 5 HP three phase motor	सेट	९२७०.००	९२७०	९२७०.००
५७	Earthing Materials (ISI or other International Standard)				
	6 mm thick 600mm× 600 mm G.I Plate	गोटा	२८२९.००	२८२९	२८२९.००
	Funneling Mechanism with cover (mild steel)	सेट	६१८.००	६१८	६१८.००
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९५१७.००	९५१७	९५१७.००
	Copper wire (10 SWG)	र.मी.	१५५.००	१५५	१५५.००
	Service wire (Al)				
	2.5 mm ²	र.मी.	१८.००	१८	१८.००
	4 0 mm ²	र.मी.	२२.००	२२	२२.००
	6 0 mm ²	र.मी.	२८.००	२८	२८.००
५८	Lightening Arrestor for 3 Phase				
	0 5 KV	सेट	१२३६.००	१२३६	१२३६.००
	11 KV	सेट	४३२६.००	४३२६	४३२६.००
	Cross Arms V Channel	गोटा	३०९०.००	३०९०	३०९०.००
	Stay set with accessories				
	GI wire	गोटा	११८२.००	११८२	११८२.००
	GI Plate	गोटा	११८५.००	११८५	११८५.००
	Gay Insulator	गोटा	५६.००	५६	५६.००
	Elbow	गोटा	१०३.००	१०३	१०३.००
	Rod , Nut	गोटा	४४५.००	४४५	४४५.००
	Grip	गोटा	४९.००	४९	४९.००
५९	Overhead Insulators (0.4KV)				


[Handwritten signatures and initials]

257

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Sackle Insulator	गोटा	३१.००	३१	३१.००
	D-Iron	गोटा	९३.००	९३	९३.००
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५	१५.००
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३	२३.००
६०	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोटा	१८५.००	१८५	१८५.००
	Disc Insulator	गोटा	९८९.००	९८९	९८९.००
	Cross Arms V Channel	गोटा	२७९.००	२७९	२७९.००
	Sqarrel ACSR conductor 20mm ²	र.मी.	१७.००	१७	१७.००
	weasel ACSR conductor 30 mm ²	र.मी.	२५.००	२५	२५.००
	Rabbit ACSR conductor 50 mm ²	र.मी.	४९.००	४९	४९.००
	Dog ACSR conductor 100 mm ²	र.मी.	८२.००	८२	८२.००
६१	Supply of aluminium ABC cable	र.मी.			
	25mm square 4 core ABC cable	र.मी.	१५५.००	१५५	१५५.००
	50 mm square 4 core ABC cable	र.मी.	२५८.००	२५८	२५८.००
	95 mm square 4 core ABC cable	र.मी.	५०५.००	५०५	५०५.००
६२	Alternator 3 Phase Brush less with compounded Excitation.			०	०.००
	AMF with ATS palel for DG Ankur metal or Equivalent				
	5KVA AMF with ATS palel	सेट	२२६६०.००	२२६६०	२२६६०.००
	7.5KVA AMF with ATS palel	सेट	२८८६०.००	२८८६०	२८८६०.००
६३	10KVA AMF with ATS palel	सेट	३६०५०.००	३६०५०	३६०५०.००
	15KVA AMF with ATS palel	सेट	४६३५०.००	४६३५०	४६३५०.००
	20KVA AMF with ATS palel	सेट	६६९५०.००	६६९५०	६६९५०.००
	25KVA AMF with ATS palel	सेट	७७२५०.००	७७२५०	७७२५०.००
	30KVA AMF with ATS palel	सेट	९२७००.००	९२७००	९२७००.००
६४	MCB/ISOLATOR ORIENT or equivalent				
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२३९	२३९.००
	B CURVE MCB SP 40A	पोल	२८९.००	२८९	२८९.००
	B CURVE MCB SP 50A-63A	पोल	२८९.००	२८९	२८९.००
	C CURVE MCB SP 0.5-4A	पोल	२८९.००	२८९	२८९.००
	C CURVE MCB SP 6-32A	पोल	२३९.००	२३९	२३९.००
	C CURVE MCB SP 40A	पोल	४४६.००	४४६	४४६.००
	C CURVE MCB SP 50-63A	पोल	४४६.००	४४६	४४६.००
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४७९	४७९.००
	C CURVE MCB SPN 6-32A	पोल	५९३.००	५९३	५९३.००
	C CURVE MCB SPN 40A	पोल	५६९.००	५६९	५६९.००
	C CURVE MCB SPN 50-63A	पोल	५६९.००	५६९	५६९.००
	C CURVE MCB DP 0.5-4A	पोल	६९७.००	६९७	६९७.००

258


विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर ज.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	C CURVE MCB DP 6-32A	पोल	५६४.००	५६४	५६४.००
	C CURVE MCB DP 40A	पोल	६९७.००	६९७	६९७.००
	C CURVE MCB DP 50-63A	पोल	६९७.००	६९७	६९७.००
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९२५	९२५.००
	C CURVE MCB TP 6-32A	पोल	८४७.००	८४७	८४७.००
	C CURVE MCB TP 40A	पोल	९२५.००	९२५	९२५.००
	C CURVE MCB TP 50-63A	पोल	९२५.००	९२५	९२५.००
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२०६	१२०६.००
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११०३	११०३.००
	C CURVE MCB TPN 40A	पोल	१२०६.००	१२०६	१२०६.००
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२०६	१२०६.००
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१२९०	१२९०.००
	C CURVE MCB FP 6-32A	पोल	११८०.००	११८०	११८०.००
	C CURVE MCB FP 40A	पोल	१२९०.००	१२९०	१२९०.००
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१२९०	१२९०.००
	ISOLATOR DP 40A	पोल	५५९.००	५५९	५५९.००
	ISOLATOR DP 63A	पोल	५५९.००	५५९	५५९.००
	ISOLATOR DP 80-100A	पोल	५७६.००	५७६	५७६.००
	ISOLATOR DP 125A	पोल	६९९.००	६९९	६९९.००
	ISOLATOR FP 40A	पोल	९०२.००	९०२	९०२.००
	ISOLATOR FP 63A	पोल	९०२.००	९०२	९०२.००
	ISOLATOR FP 80-100A	पोल	९९८.००	९९८	९९८.००
	ISOLATOR FP 125A	पोल	९९८.००	९९८	९९८.००
	RCCB DP 25A 30mA	पोल	३५४७.००	३५४७	३५४७.००
	RCCB DP 40A 30mA	पोल	३५४७.००	३५४७	३५४७.००
	RCCB DP 63A 30mA	पोल	३५४७.००	३५४७	३५४७.००
	RCCB DP 25A 100mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB DP 40A 100mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB DP 63A 100mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB DP 25A 300mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB DP 40A 300mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB DP 63A 300mA	पोल	३३४५.००	३३४५	३३४५.००
	RCCB FP 25A 30mA	पोल	४९५५.००	४९५५	४९५५.००
	RCCB FP 40A 30mA	पोल	४९५५.००	४९५५	४९५५.००
	RCCB FP 63A 30mA	पोल	४९५५.००	४९५५	४९५५.००
	RCCB FP 25A 100mA	पोल	४००४.००	४००४	४००४.००
	RCCB FP 40A 100mA	पोल	४००४.००	४००४	४००४.००
	RCCB FP 63A 100mA	पोल	४००४.००	४००४	४००४.००
	RCCB FP 25A 300mA	पोल	४००४.००	४००४	४००४.००
	RCCB FP 40A 300mA	पोल	४००४.००	४००४	४००४.००
	RCCB FP 63A 300mA	पोल	४००४.००	४००४	४००४.००
	MCB RX3(C) 6-32A (SINGLE POLE)	सेट			३९०.००
	MCB DX3 6-32A (SINGLE POLE)	सेट			५९५.००
	MCB DX3 40A (SINGLE POLE)	सेट			९९३९.००

[Handwritten signatures]

[Handwritten signatures]


विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालयको दररेट		
			ललितपुर २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	MCB DX3 63A (SINGLE POLE)	सेट			११३९.००
	MCB DX3 6-32A (DOUBLE POLE)	सेट			१५८६.००
	MCB DX3 40A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 63A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 6-32A(TRIPPLE POLE)	सेट			२५८६.००
	MCB DX3 40A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 63A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 6-32A(FOUR POLE)	सेट			३९९१.००
	MCB DX3 40A (FOUR POLE)	सेट			५०३६.००
	MCB DX3 63A (FOUR POLE)	सेट			५०३६.००
	ISOLATOR DX3 32A 240V(DOUBLE POLE)	सेट			८६९.००
	ISOLATOR DX3 40A 240v(DOUBLE POLE)	सेट			९५०.००
	ISOLATOR DX3 63A 240v(DOUBLE POLE)	सेट			१२५४.००
	ISOLATOR DX3 32A 415v(TRIPPLE POLE)	सेट			१५४२.००
	ISOLATOR DX3 40A 415v(TRIPPLE POLE)	सेट			१६५९.००
	ISOLATOR DX3 63A 415v(TRIPPLE POLE)	सेट			१९५५.००
	ISOLATOR DX3 32A 415v (FOUR POLE)	सेट			१६९३.००
	ISOLATOR DX3 40A 415v (FOUR POLE)	सेट			२१०२.००
	ISOLATOR DX3 63A 415v (FOUR POLE)	सेट			२३०६.००
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	सेट			७९.८६.००
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	सेट			७९.८४.००
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	सेट			७९.८४.००
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	सेट			७९.८४.००
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	सेट			८३.८६.००
	RCBO 16A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 25A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 32A 30MA 4M(DOUBLE POLE)	सेट			७०००.००
	RCBO 40A 30MA 4M(DOUBLE POLE)	सेट			८५६३.००
	RCBO 16A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 25A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 32A 30MA 7M (FOUR POLE)	सेट			९५६२.००
	RCBO 40A 30MA 7M (FOUR POLE)	सेट			९७०६.००
	RCBO 63A 30MA 7M (FOUR POLE)	सेट			११६९४.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	सेट			५६०३.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	सेट			६५६०.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	सेट			७८४०.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	सेट			७७१८.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	सेट			७६२२.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	सेट			८८६५.००
	LED AC Street light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			३०००.००

260

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			४५५०.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			५३५०.००
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			६८५०.००
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			९३००.००
	smartbright LED street light Up-to 70% energy saving.Polycarbonate cover with high impact resistance.Robust PDC housing LM6 alloy with IP66 protection.Long life of as compared to MH/SON streetlights.System power consumption / Light output 50W/5500lm.1 to 1 replacement for 1x150W SON streetlights				
	15W	गोटा			६०००.००
	25W	गोटा			९०९००.००
	35W	गोटा			९२९००.००
	70W	गोटा			२९५००.००
	LED BULBS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1W 30lm AC 90-300v.50/60Hz 270° Beam angle.IP44 B22 white/yellow/Red/Blue/Green/Orange/Pink LED Bulb	गोटा			८५.००
	3W/5W/7W/9W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा			२६०.००
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा			७८५.००
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k.IP44 B22/E27 Aluminium+ThermoPlastic+Polycarbonate LED Bulb	गोटा			२२७५.००
	40W/60W @95lm/Watt with 120° beam angle E:27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा			७७००.००
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा			६५५.००
	LED BULKHEAD				
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead				२८५०.००
	EnduralLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for versatile applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries.High ingress protection-IP66.Impact resistant- IK09.Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm.Pressure diecast housing with robust polycarbonate cover.Long lifetime: 50000 Hrs.				
	6W	गोटा			६०९०.००
	10W	गोटा			५५००.००
	WALL LIGHT				
	UNO wall light	गोटा			९०६०.००
	NOVA wall light	गोटा			९३९०.००
	COMET wall light	गोटा			९३९०.००

261










विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	नेपाल सरकार मन्त्रमण्डलको कार्यालयको दररेट	
			आ.व. २०७६/७७	आ.व. २०७७/७८
	OMEGA wall light	गोटा		१६७०.००
	LED STEP/FOOT LIGHT			
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light			१२००.००
	FOOT LIGHT/STEP LIGHT			
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation,Durable aluminium housing, with IP20/IP44 protection from dust and water,3000k/6500k			
	2W Step/Foot light Indoor	गोटा		२२००.००
	3W Step/Foot light Indoor	गोटा		२८२०.००
	2W Step/Foot light Outdoor	गोटा		२६२०.००
	3W Step/Foot light Outdoor	गोटा		३२२५.००
	LED STRIP LIGHTS			
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B.60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा		५७०.००
	Power adaptor 2A/5A	गोटा		२१००.००
	STRIP/COVE/ROPE LIGHT			
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation.			
	24W/28W LED strip light(5Mtr roll) IP20	२ मी.		५३८.००
	2A LED driver for strip light	गोटा		१२७५.००
	Marathon Rope light IP 66 400lm/watt LED Rope light	२ मी.		४८०.००
	IP 66 driver for marathon rope light	गोटा		६७५.००
	GARDEN SPIKE LIGHT			
	Philips Anthracite COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65			
	7W	गोटा		३७९.००
	12W	गोटा		५७८०.००
	LED TRACK LIGHTS			
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१६५०.००
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		१९५०.००
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		२६५०.००
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		६६००.००
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		५३५०.००
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		६३५०.००
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		८६५०.००
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा		९३००.००
	Stick 1MTR for Track light	गोटा		१५००.००

262

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	SURFACE MOUNTING DOWNLIGHT				
	Surface Mount Sownlight Luminaries:				
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S- 6500 PSU	गोटा			२९९२.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S- 6500 PSU WH	गोटा			३०६४.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S- 6500 PSU WH	गोटा			४७६०.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable SM251C LED20S- 6500 PSU WH	गोटा			५३०४.००
	RECESS MOUNTING DOWNLIGHT				
	Recessed Circular Downlight Luminaries:				
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा			३८०८.००
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा			४२९६.००
	Circular Downlight Non Dimmable - DN295B LED10S-6500 PSU	गोटा			४६२४.००
	Circular Downlight Non Dimmable - DN296B LED12S-6500 PSU	गोटा			५५९२.००
	Circular Downlight Non Dimmable - DN296B LED15S-6500 PSU	गोटा			६८००.००
	Circular Downlight Non Dimmable - DN296B LED20S-6500 PSU	गोटा			८९६०.००
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा			९५२०.००
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा			९०८८०.००
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा			९३०५६.००
	LED TUBELIGHTS				
	8W T5 TUBE SET 2700K FIX	गोटा			७५०.००
	16W T5 TUBE SET 2700K FIX	गोटा			९५०.००
	20W LED TUBE SET FIX	गोटा			९२५०.००
	10W LED TUBE ONLY T8	गोटा			९५०.००
	10W LED TUBE PATTI T8	गोटा			५५०.००
	20W LED TUBE ONLY T8	गोटा			९०००.००
	20W LED TUBE PATTI T8	गोटा			६५०.००
	40W DOUBLE LED TUBE PATTI T8	गोटा			९७५०.००
	16W LED TGUBE SET FIX 6500K	गोटा			९२५०.००
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा			२५००.००
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा			७६०.००
	FLOODLIGHTS				
	20W 6500 LED + MULTIPLUG	गोटा			९६९०.००
	30W FLOOD LIGHT + CHARGEABLE	गोटा			९२२४५.००
	10W FLOOD LIGHT 6500K	गोटा			९७८०.००
	20W FLOOD LIGHT 6500K	गोटा			३९७०.००
	30W FLOOD LIGHT 6500K	गोटा			३७२०.००
	50W FLOOD LIGHT 6500K	गोटा			६०३०.००
	30W FLOOD LIGHT 2700K	गोटा			३९५०.००
	50W FLOOD LIGHT 2700K	गोटा			६२५०.००
	150W FLOOD LIGHT 6500K	गोटा			९६२३०.००
	100W FLOOD LIGHT 6500K	गोटा			९०६४०.००

263



विद्युतिय सामाग्रीहरु

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर जिल्लाको दररेट

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मूल्य		
			मूल्य २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	200W FLOOD LIGHT 6500K	गोटा			२७३३५.००
	400W FLOOD LIGHT 6500K	गोटा			४०५००.००
	10W FLOOD LIGHT SENSOR 6500K	गोटा			२३५०.००
	20W FLOOD LIGHT SENSOR 6500K	गोटा			३८५०.००
	30W FLOOD LIGHT SENSOR 6500K	गोटा			४२५०.००
	50W FLOOD LIGHT SENSOR 6500K	गोटा			४९००.००
	50W POLE LIGHT 6500K	गोटा			८९.४५.००
	100W POLE LIGHT 6500K	गोटा			१४७५०.००
	50W HIGH BAY LIGHT	गोटा			८५००.००
	100W HIGH BAY LIGHT	गोटा			१०५००.००
	20W TRACK LIGHT 6500/2700 K	गोटा			६६२०.००
	1 METER TRACK STICK	गोटा			१०२०.००
	Exterior Rated Flood Lights - Low Power	गोटा			
	Exterior Rated Flood Lights - High Power	गोटा			
	Exterior Rated Flood Lights - Extra High Power	गोटा			
	LED FLOOD LIGHT				
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५५०.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			२६००.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			६१००.००
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			५७००.००
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			९६५०.००
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			११०००.००
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५०००.००
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१९७००.००
	Smartbright LED flood light having 30000 burning hours,Polycarbonate cover enhances impact strength (IK07 rated),Pressure die-cast housing offers excellent corrosion resistance,4KV surge protection IP65 certified,Overheating protection,Pressure die-cast housing				
	10w	गोटा			३३५०.००
	20W	गोटा			४४००.००
	30W	गोटा			६२५०.००
	50W	गोटा			१४५००.००
	70W	गोटा			१९०००.००
	105W Tempo Flood light	गोटा			८५०००.००
	300w Tango Flood Light	गोटा			१२००००.००
	PANEL LIGHT				
	3W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			६७५.००
	6W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			८२५.००
	8W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			११००.००
	12W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१४००.००
	18W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१८७५.००


विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर जिल्ला प्रशासक कार्यालयको दररेट		
			आ. व. २०७९/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	20W RD CONCEAL PANEL LIGHT WH	गोटा			२२७५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			२९२५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			३०००.००
	3W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			६७५.००
	6W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			८२५.००
	12W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१६००.००
	24W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			३६००.००
	6W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			११७५.००
	12W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			१७७५.००
	12W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			१५५०.००
	18W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			२५९०.००
	18W SQ SURFACE PANEL LIGHT	गोटा			१६५०.००
	24W SQ SURFACE PANEL LIGHT	गोटा			३८५०.००
	3W COB CONCEAL LIGHT (WWW/WH)	गोटा			८७०.००
	5W COB CONCEAL LIGHT (WWW/WH)	गोटा			९९०.००
	7W COB CONCEAL LIGHT (WWW/WH)	गोटा			९७५.००
	8W COB CONCEAL LIGHT WH	गोटा			९७५.००
	10W COB CONCEAL LIGHT WH	गोटा			१०५०.००
	12W COB CONCEAL LIGHT WH	गोटा			१६९०.००
	15W COB CONCEAL LIGHT WH	गोटा			१३७५.००
	30W COB CONCEAL LIGHT WH	गोटा			२६५०.००
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा			६७८०.००
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा			५५००.००
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा			५५००.००
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा			९५००.००
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा			१८५००.००
	1x1, 24W 2160lm AC 90-300v,50Hz, Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा			६७००.००
	2x2, 36W 3600lm AC 90-300v,50Hz, Armstrong, surface, Recessed, suspended MS sheet Panel light	गोटा			५७००.००
	1x4, 36W 3600lm AC 90-300v,50Hz, Armstrong, Recessed, suspended sheet Aluminium Panel light	गोटा			१०७००.००
	LED SURFACE/RECESSED PANEL LIGHT				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			७२०.००
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१०२०.००
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१२३५.००
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१६०५.००
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१७५०.००


Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	स.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	20W 2000lm AC 90-300v long life 50 000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१९००.००
	LED PANEL LIGHTS				
	2 x 2, 24W, @120lm/watt with long life, CRCA housing, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा			८९६०.००
	1 x 1, 15W, @120lm/watt with long life, CRCA housing, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC375B CORELINE 15W LED 30S RECESS)	गोटा			५९१५.००
	Stellar Bright/Ace saver energy saving bulbs IP44 with low glare, reduced flicker, no blue light hazard, wide voltage protection	गोटा			
	2 7W/4W/7W	गोटा			३१०.००
	10 5W/12W/14W	गोटा			६८०.००
	17W/20W	गोटा			९३५.००
	40W/50W	गोटा			२९६०.००
	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle: 36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४६८०
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/W, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle 40'15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			३९२०
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension Dia 90* 111 13 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२०३०
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४९००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* 111 13 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२१००
	Recessed Underground LED Light: RG1, Dia 100*H1100 mm, cutout Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा			२४५०
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा			१९६०
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र मि			७७०
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा			६१३०
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र मि			५३३

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	सामाग्रीको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree. IP20, CRI>90, 5m/Roll	र.मि			४०६
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा			१७५०
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp. 3000K Input Voltage: 24V Beam Angle: 120 degree. IP20. CRI>90, 5m/Roll	र.मि.			१०८५
	0-10 Dimmable Driver: Power: 150 W. 0-10V dimmable	गोटा			९७०६
	Aluminium Channel: Channel With Cover. 3m/Pc	र मि			६६५
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा			१३३०००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा			१८२००
	Central Distribution Box: Suitable with modules	मेट			३५०००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	मेट			२५००००
	Software: PPS Programming software, we can also program and customize as per client request	मेट			३९००००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा			९८०००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switche, as per the confirmed technical details	गोटा			८६८००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा			७१४००
	8-Key Intelligent Wallplate. 8 Keys, as per the confirmed technical details	गोटा			५८८००
	Bus Cascade Module with power supply: AC 110-220V wide voltage power supply, as per the confirmed technical details	गोटा			३२२००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा			२५२००
	Distribution Box 1: Suitable with modules	मेट			६३०००
	Ceiling Light: Suitable with modules	गोटा			११९०००
	275 gsm Pregalvanized Cable Tray & Raceways				
	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र मी			८००
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र मी			५२५
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी			७५०
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	र मी			५५०
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	र मी			५७५
	M8-Threaded rod Electroplated,1000 mm long	र.मी			१९०
	M10-Threaded rod Electroplated,1000 mm long	र.मी			२९०
	Rod coupler, M-8,Electroplated	र मी			९५
	Rod coupler, M-10,Electroplated	र.मी			१०५
	WDJ Coupler 100,150 & 200 mm	र.मी			५७५
	275 gsm Pregalvanized Junction Box	र मी			०५००
	Coupler for BRT 900.750.450.300 & 150MM	र मी			२५०

Handwritten signatures and initials at the bottom of the page, including a signature with '26' written below it.

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	नेपाल सरकार गृह मन्त्रालय जिल्ला/अवकाश/संस्था/कार्यालय		दररेट आ.व. २०७८/७९
			२०७६/७७	२०७७/७८	
	Coupler for PCT 600,450,300,200,150 & 100MM	र.मी			२७५
	Bottle Bracket for BRT 100 X50MM	र.मी			२५०
	Bottle Bracket for BRT 150 X50MM	र.मी			४००
	Bottle Bracket for PCT 200 X50MM	र.मी			५५०
	METAL GRIP/FASTNER	र.मी			९०
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	र.मी			५०००
	BRT Hardware/PCT Hardware	र.मी			३०
LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)					
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			३२२५
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			२५००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१८५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१९५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१४५०
Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long					
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी			२५७५
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी			३२५०
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी			३५००
Perforated Cable Tray 2mm Thick--2500mm Long,Pre Galvanized (275 Gsm)					
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी			११७५
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी			१४५०
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी			१७७५
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी			२०५०
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी			३१६०
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी			४०३०
Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long					
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी			१९७६
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी			६०५०
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी			६२५०
		र.मी			
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
MEDIUM/HEAVY MECHANICAL STRESS(MMS)					
	20MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१११
	25MM MMS/IMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१३९

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
268

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुर नगरपालिका, वि. व. २०७८/७९ को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			२६१
	Precision Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes.laser engraved.Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C .durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			९०
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२१४
	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			१४५
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१७२
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२२५
	SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	गोटा			४२
	20/25MM Coupler	गोटा			२५
	20/25 mm slip type Bend	गोटा			८९
	20/25mm Round Elbow	गोटा			४४
	20/25mm Round Tee	गोटा			६१
	20/25mm Male/female Bush Adaptor	गोटा			४०
	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexiable conduits pipe	र.मी			९१
	32/40mm flexiable conduits pipe	र.मी			१७६
	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी			१२०
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी			२०५
	FLEXIABLE PIPE GLAND				
	16/20/25MM PVC GLAND	गोटा			७५
	32/40MM PVC GLAND	गोटा			१०७
	uPVC MINI/MAXI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation.easy maintenance.secure and elegant look.durable and impact resistance.fire retardant.corrosion free.thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी			४५
	25x15mm	र.मी			५८
	50x50mm	र.मी			४८०
	50x100mm	र.मी			१८६०
	Suspended-Surface Mounted Luminaires				
	PureLine Slim Surface & Suspended 60mm/75mm Width Suspended 60mm/75mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from. Type				
	SP780 P LED52S-6500 PSU W61.224 OD SI	गोटा			४५१७६
	SP780 P LED26S-6500 PSU W61.112 OD S	गोटा			२२५८८

269

विद्युतिय सामाग्रीहरु




सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क.प.वाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	SP781X LED46S-6500 PSU W7L224 OD SI	गोटा			५६४७०
	SP781 X LED22S-6500 PSU W6L112 OD SI	गोटा			२६३५२
	End Plate SP780 EP60 GREY	गोटा			५२५
	ZPH780 N2000	गोटा			९५०
	ZPH780 IMTR 5C 0.75sq mm Transparent cable	गोटा			९००
	Pureline Slim Connector 60mm				
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+T, Y etc. Type	गोटा			
	SP781X LED44S-6K PSU W6 SI L CONN 22X2	गोटा			९५००
	CCT options: 4000K, 5700K, 6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU) MRP	गोटा			६९००
	Pureline Taper				
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60mm & top width of 50mm), it also has option of designer end caps which provide design inspiration through geometric patterns. Multiple option of light distribution, run lengths, color options & lumen pack for different application available. Type				
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा			२८२३५
	SP810P LED26S-6500 PSU W6L120 OD SI	गोटा			२३५३०
	SP811P LED66S-6500 PSU W6L240 OD SI	गोटा			५६४७०
	SP810P LED52S-6500 PSU W6L240 OD S	गोटा			४६९९७
	PureLine Slim Connectors & Decorative Shapes 50mm				
	PureLine Slim Connectors & Decorative Shapes 50mm Recessed Mounted 50mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा			५०८२३
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा			३६२३५
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा			३०९९७
	SP780X LED48S-6500 PSU W5 OD WH + CONN	गोटा			४६९९७
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा			२७८५८
	SP780X LED36S-6500 PSU W5 OD WH T CONN	गोटा			९७३९७
	SP780X LED24S-6500 PSU W5 OD WH L CONN	गोटा			९८८२३
	PureLine				
	PureLine Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths				
	SP680P LED39S 6500 PSU WH L120 S1	गोटा			९६३७६
	SP680P LED78S 6500 PSU WH L240 S1	गोटा			३२०००
	SP680X1 LED34S 6500 PSU WH L120 S1	गोटा			३२०००
	SP680P LED68S 6500 PSU WH L240 S1	गोटा			३०९९७
	SmartBrite Linear				

270

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	SmartBrite Linear SmartBright Linear provides an extremely durable and high efficacy yet cost effective linear solution surface mounted and suspended applications like offices, retail stores, metro stations, etc				
	SP095V LED40S 865 W7L120 PSU WH	गोटा			११२९५
	SP095V LED26S 865 W7L120 PSU WH	गोटा			१०३५३
	SmartBrite Surface				
	SmartBrite Surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.				
	SM270C LED 30S 6500 PSU WH	गोटा			१०३५२
	Cirrus Surface				
	Cirrus Surface Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser. Type				
	SM365C LED32-6500 PSU OD GR	गोटा			१०३५२
	Cirrus Mini Pro				
	Cirrus Mini Pro Cirrus Mini Pro is a general lighting application luminaire (with a dimension of 312mm X 312mm), a perfect solution for all surface mount indoor general lighting application. Type				
	SM200C LED16S 6500 PSU OD WH	गोटा			५८३५
	DaySpace Suspended				
	DaySpace Suspended DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design				
	SP740B LED25S/865 W60L60 PSU WH	गोटा			३२०००
	SP740B LED30S/865 W60L60 PSU WH	गोटा			३५७६५
	SP740B LED36S/865 W60L60 PSU WH	गोटा			४१४११
	SP740B LED25S/865 W60L60 PSD WH	गोटा			४३२९५
	SP740B LED30S/865 W60L60 PSD WH	गोटा			४५१७६
	SP740B LED36S/865 W60L60 PSD WH	गोटा			४७६०
	DaSpace Recessed Mounted				
	DaySpace Recessed DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design.				
	RC740B LED25S/865 W60L60 PSU WH	गोटा			२५४११
	RC740B LED36S/865 W60L60 PSD WH	गोटा			३९५३०
	PowerBalance				
	PowerBalance Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling				
	RC600B M LED30S-6500 PSU W30L120 WH	गोटा			२२५८८
	RC600B M LED30S-6500 PSD W60L60 WH	गोटा			२९१७६
	WingLine				



विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	नेपाल सरकार गृह मन्त्रालयको कार्यालय ललितपुर		
		जिल्ला एकइला	आ.व. २०७७/७८	आ.व. २०७८/७९
	WingLine Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser			
	RC480B LED25S/865 W60L60 PSU W11	गोटा		९४११
	CoreView			
	CoreView A unique recessed mounted 2'X2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort			
	RC 420B M LED 30S 6500 PSU W11	गोटा		११२९४
	RC 420B M LED 30S 6500 PSD W11	गोटा		१४११७
	PureLine TechZone G2			
	PureLine TechZone G2 Pureline Techzone is offered in two versions suitable for 150mm & 100mm technical zones. Sturdy extruded Aluminium housing with Sliding PC diffuser offering uniform lighting distribution CRCA end Caps and external gear for ease of maintenance			
	RC810B LED26S 6500 PSU W10L120 OD W11	गोटा		१४८७०
	RC810B LED52S 6500 PSU W10L240 OD W11	गोटा		२९७४१
	RC810B LED26S 6500 PSU W15L120 OD W11	गोटा		१७१२९
	RC810X LED40S 6500 PSU W15L240 OD W11	गोटा		३४८२३
	RC810 W10 ENDPLATE	गोटा		६६०
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा		९५०
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा		१०३५
	PureLine Slim Recessed 60mm/ 75mm			
	PureLine Slim Recessed 60mm/ 75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from			
	RC780B LED52S-6500 PSU W7L240 OD SI	गोटा		४३२९६
	RC780B LED26S-6500 PSU W7L120 OD SI	गोटा		२२०२३
	PureLine Slim Recessed 50mm			
	PureLine Slim Recessed 50mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from			
	RC780B LED52S-6500 PSU W5L226 OD W11	गोटा		२८२३५
	RC780X LED12S-6500 PSU W5L56 OD W11	गोटा		९०३६
	RC780X LED52S-6500 PSU W5L226 OD W11	गोटा		२७६७०
	PureLine TechZone			
	PureLine TechZone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling. Type			
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा		१५०५९
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा		३०११७
	FullGlow 1'x4'			
	FullGlow 1'x4' Fully diffused recessed mounted 1'X4' LED luminaire with high transmittive diffuser suitable for indoor spaces			
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा		१२२३५
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा		१६०००

272

विद्युतिय सामाग्रीहरु



नेपाल सरकार

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	गृह मन्त्रालय बाहेकको दररेट	
			जिल्ला विकास	आ.व.
			२०७८/७९	२०७८/७९
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा		१४११७
	GreenSquare			
	GreenSquare General purpose recessed mounted 2'X2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.			
	RC140B LED30S-6500 PSU W11 OD	गोटा		८२८२
	RC140B LED30S-4000 PSD W11 OD	गोटा		१०१६४
	Cirrus			
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser			
	LED33-6500 PSU OD W11	गोटा		९०३५
	RC366B LED33-6500 PSU OD W11	गोटा		९०३५
	SmartBright			
	SmartBright Extruded Aluminium batten available in 2ft & 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories)			
	BN 021 LED40S- 6500 PSU GR (4 ft)	गोटा		२८२१
	Downlighters & Spot Lights			
	GreenSpace Flex GreenSpace Flex is a modular range of downlighters, with extremely low glare (UGR)The range is available in Narrow (15°), Medium (24°) & Wide Beam (38°) optics, suitable for different applications & ceiling heights			
	RS378Z M102 D150 R-R AJU	गोटा		८४७०
	RS378Z M87 D130 R-R AJ	गोटा		६७७६
	RS378Z M55 D75 R-U AJ	गोटा		२८२३
	RS378Z M55 D75 R-R AJ Trim	गोटा		३२००
	RS378Z M55 D75 R-R FX P11 WP	गोटा		२८२३
	RS378B P6 927 PSU-E MB M55	गोटा		५६४७
	RS378B P6 927 PSU-E WB M55	गोटा		९०३५
	RS378B P6 930 PSU-E WB M55	गोटा		१६९४१
	LuxSpace Pro			
	LuxSpace Pro LuxSpace Pro is a deep recessed downlighter range with extremely low glare (UGR) & high quality faceted reflector for superior lighting and aesthetics. The range is available in Medium (32°) & Wide Beam (65°) optics for both standard and high ceiling applications			
	DN590B M LED6S-6500 PSU W11 WB	गोटा		९०३५
	DN590B M LED10S-6500 PSU W11 MB	गोटा		९०३५
	DN590B M LED20S-6500 PSU W11 MB	गोटा		९०३५
	GreenPerform Sleek			
	GreenPerform Sleek GreenPerform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace. Robust PDC housing ensures long system. Narrow rim renders a pleasing aesthetic look			
	DN295B LED6S-6500 PSU W11	गोटा		२६३५
	DN295B LED10S-6500 PSU W11	गोटा		३२००

273

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	नेपाल सरकार गृह मन्त्रालय, बाहिरीको दररेट		
		एकाइ/लगा	प्रतिवसन को.व. २०७८/७९	बा.व. २०७८/७९
	DN296B LED12S-6500 PSU WH	गोटा		३९५२
	DN296B LED15S-6500 PSU WH	गोटा		४७०५
	DN296B LED20S-6500 PSU WH	गोटा		५६४७
	Sleek Surface Downlight			
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen			
	SM250C LED7S- 6500 PSU WH	गोटा		२०७०
	SM250C LED12S- 6500 PSU WH	गोटा		२२५९
	SM251C LED16S- 6500 PSU WH	गोटा		३२००
	SM250C LED12S- 6500 PSU WH	गोटा		२२५८
	SM251C LED20S- 6500 PSU WH	गोटा		३६७०
	ArchSpace			
	ArchSpace ArchSpace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail. Offices, Hotels, Lobbies and School/ Universities etc With its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height*, uniform lighting distribution and superior features of Driver make ArchSpace an undisputed winner when it comes to the surface/ cylindrical downlight category.			
	SP320P LED6S-6500 PSU DIA100 WH	गोटा		७७१७
	SP320P LED6S-6500 PSU DIA80 WH	गोटा		८६५८
	GreenLED Ultima Square			
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile			
	DN096B LED6S-6500 PSU WH	गोटा		२९७४
	DN097B LED10S-6500 PSU WH	गोटा		३७२७
	GreenLED Ultima Round			
	GreenLED Ultima Round Ultra sleek recessed downlight for low height false ceiling in round profile			
	DN091B LED6S-6500 PSU WH	गोटा		२९७४
	DN092B LED10S-6500 PSU WH	गोटा		३७२७
	SkySpot COB			
	SkySpot COB • New series of LED Spot fixtures specially designed for commercial use • Ideal for retail showrooms, hospitality, offices • Elegant fixed spot with a focused 36 degree beam angle • Long life with 30,000 burning hours with CRI>80 • Wide choice Available in 7/12/18/22W, Round, 3000K & 6500			
	7W Sky Spot COB (WW)	गोटा		२६६३
	12W Sky Spot COB (CW)	गोटा		३३२२
	18W Sky Spot COB (CW)	गोटा		४१४१
	22W Sky Spot COB (CW)	गोटा		४१४१
	Green LED I			
	Green LED I • High performance LED Downlights for commercial applications • 100 lumen / watt efficacy • Efficient heat sink (die cast) with Steel clips • Integrated driver control (for easy installation)			
	DN191B LED6S-6500 PSU WH S2	गोटा		२६६३
	DN192B LED10S-6500 PSU WH S2	गोटा		३३२२

Handwritten signatures and marks at the bottom of the page, including a signature with the number 274.

विद्युतिय सामाग्रीहरु



नेपाल सरकार

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	गृह मन्त्रालयको कार्यालयको दररेट		
			जिल्ला प्रशासन कार्यालय ललितपुर	आ.व. २०७७/७८	आ.व. २०७८/७९
	DN193B LED12S-6500 PSU WH S2	गोटा			६१६१
	DN194B LED16S-6500 PSU WH S2	गोटा			५१७६
	DN195B LED20S-6500 PSU WH S2	गोटा			६२११
	Essential Smart Bright Track Lights				
	Essential Smart Bright Track Lights Essential SmartBright Track Light range is a high performance, hassle free solution for up to 5 years of use. Range has high efficacy of up to 100 lm/W, and Aluminum housing for better thermal management. Available in black & white color housing				
	ST030T LED8/830 8W 220-240V I MB WH	गोटा			६०००
	ST030T LED12/830 14W 220-240V I NB W	गोटा			६५००
	ST030T LED20/830 23W 220-240V I NB WH	गोटा			५५००
	ST030T LED30/830 35W 220-240V I NB WH	गोटा			६५००
	TRACK LIGHT STICK BK 1-MTR	गोटा			२८००
	EcoAccent				
	EcoAccent Recessed mounted Accent Lighting luminaire with diecast aluminum heat sink and sand gram finishing reflector, available in two lumen packs with option of DALI dummable driver				
	RS271B LED20/830 PSU-E NB WH	गोटा			११२९४
	RS271B LED20/850 PSD MB WH	गोटा			१६११७
	RS271B LED40/850 PSD MB WH	गोटा			१५०५८
	Optimus LED Trunking				
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	LL199X 1XDLED40-6500 PSE OD WH SI	गोटा			८४७०
	LL199X 1XDLED57-6500 PSE OD WH	गोटा			११६७०
	TTX199/01 LED HANGING KIT	गोटा			१८८२
	Waterproof LED Luminaires				
	Smartbright Waterproof IP65, Dust and Waterproof LED luminaire with Polycarbonate Housing suitable for wall & ceiling mount applications				
	WT201C LED44S-6500 PSU L120	गोटा			७५२९
	WT201C LED24S-6500 PSU L120	गोटा			५६६७
	Waterproof LED Luminaire				
	Waterproof LED Luminaire Surface/Suspended Mounted waterproof (IP65) luminaire suitable for single and twin T8 TLED lamps				
	TCW450 P 1XTLED 19W P3397	गोटा			६१४१
	TCW450 P 2XTLED 19W P3397	गोटा			६७०५
	PureSpace Clean Room Range				
	PureSpace Clean Room Range PureSpace is a comprehensive Cleanroom luminaires range with options for bottom opening, top opening, 2'x2' as well 1'x4'				
	CR652B LED60S-6500 PSU CA TO W30L120 WH	गोटा			३३८८२
	CR652B LED36S-6500 PSU CA TO W60L60 WH	गोटा			२४४७०
	CR652B LED80S-6500 PSU CA TO W60L60 WH	गोटा			३३८८२

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
275

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	ललितपुरक. वाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Skyline Street Light				
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code				
	BRP 340 LED 150 CW HO SLC S2 PSU GR	गोटा			२६३२२
	BRP 340 LED 175 CW HO SLC S2 PSU GR	गोटा			३०९९७
	BRP 340 LED 200 CW HO SLC S2 PSU GR	गोटा			३३८८२
	Skyline Xtra Street Light				
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts. (170W - 235W). Pole Dia: 48-60mm				
	BRP360 LED 213 CW HO SLC S1 PSU GR	गोटा			६५९७६
	BRP360 LED 240 CW HO SLC S1 PSU GR	गोटा			५०८२३
	BRP360 LED 265 CW HO SLC S1 PSU GR	गोटा			५४५८८
	BRP360 LED 295 CW HO SLC S1 PSU GR	गोटा			६२९९७
	GreenLine V2 Street Light				
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughtened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system. Suitable for A1 and A2 category roads. Pole Dia : 48-60mm Type				
	BRP409 LED115 CW SLC FG PSU GR V2	गोटा			९७६९४
	BRP409 LED130 CW SLA FG PSU GR V2	गोटा			९९२००
	SmartBright Essential				
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.				
	BRP042 P LED25 CW SLE PSU GR DX	गोटा			५६६७
	BRP030 LED35 CW MR PSU GR DX	गोटा			६५८८
	BRP031 LED45 CW MR PSU GR DX	गोटा			९४९९
	BRP032 LED70 CW MR PSU GR DX	गोटा			९३९७६
	BRP046 LED 30 CW MR S1 PSU GR	गोटा			८४७०
	BRP046 LED 36 CW MR S1 PSU GR	गोटा			९६५०
	BRP046 LED 39 CW MR S1 PSU GR	गोटा			९९७५
	Tango XL LED				
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Reacreation sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	गोटा			९०७६७०
	BVP485 LED427 CW NB PSU SPD GR	गोटा			९९७४५८
	BVP485 LED540 CW AWB PSU SPD GR	गोटा			९४६८३२

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व.	
			२०७६/७७	२०७७/७८
	BVP485 LED560 CW AWB PSU SPD GR	गोटा		१२६२३५
	Tempo Mini			
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics(NB) to ensure uniform distribution			
	BVP180 LED50 CW PC WB 50W 120-270 PSU	गोटा		९५००
	BVP181 LED62 CW PC WB 70W 120-270 PSU	गोटा		१३५००
	BVP182 LED100 CW FG WB 100W 120-270 PSU	गोटा		१९०००
	SmartBright Essential			
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type			
	BVP183 LED140 CW FG WB 150W PSU	गोटा		२६३५२
	BVP184 LED196 CW FG WB 200W PSU	गोटा		३३८८२
	Landscape Lighting			
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK10 Post Top lantern with symmetric Light distribution			
	BGP300 LED28 757 PSU PC IN S1	गोटा		३३८८२
	BGP300 LED40 757 PSU PC IN S1	गोटा		३५७६४
	BGP300 LED50 757 PSU PC IN S1	गोटा		३७६४७
	LED Post Top Reliable and aesthetic designed IP65 post top lantern with symmetric light distribution and limited upward light component. Type II			
	BGP161 LED2500/NW PSU 220-240V 7043 IN	गोटा		३७६४७
	CityCube Bollard P			
	CityCube Bollard is a robustly designed IP65/IK10 bollard and is easy to install with base plate.	गोटा		
	CityCube Bollard T			
	BCP400 LED09 T CW PSU GR S1	गोटा		३२०००
	CityCube Bollard D			
	BCP400 LED09 D CW PSU GR S1	गोटा		२९६४७
	LED Bollard			
	BCP151 LED150/WW PSU 220-240V 7043	गोटा		२२५८८
	LED Step Light			
	BWG150 LED50/WW PSU 220-240V IP67 7043	गोटा		१३९७६
	UNIn-ground: LED Marker			
	UNIn-ground Range UnIn Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim. IP67 waterproof connectors ensure easy installation & maintenance free			
	BBP210 LED50/WW 1W 12V 30D	गोटा		२२५८
	BBP211 LED90/WW 2W 12V 30D	गोटा		३०९९
	Driver & accessories price extra for 12 V.	गोटा		२२५८
	UNIn-ground: LED Ground Guide			
	Multiple lighting emission windows to make space out.	गोटा		
	BBP212 LED45/WW 3W 100-240V	गोटा		४९४९
	BBP213 LED110/WW 6W 100-240V	गोटा		६०२३

277



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बहिर्का ललितपुर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	UNIIn-ground: Ground Burial				
	UNIIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim. IP68 waterproof connectors				
	BBP340 LED220/WW 3W 20D 100-240V	गोटा			९.६९९
	BBP341 LED540/WW 6W 20D 100-240V	गोटा			१३५५२
	BBP342 LED1200/WW 12W 20D 100-240V	गोटा			२५.६९९
	BBP343 LED1800/WW 18W 20D 100-240V	गोटा			२७२९४
	BBP344 LED3600/WW 36W 20D 100-240V	गोटा			२८२३५
	BBP343 LED RGB 18W 20D 24V	गोटा			३०९९७
	BBP343 LED R 18W 20D 100-240V	गोटा			२९६४७
	UNIIn-ground: Linelite				
	UNIIn-ground: Linelite UniIn-ground Linear makes space distinctive with more safety and convenience of installation				
	BBP403 LED50/WW 2W 24V L300	गोटा			१३१७६
	BBP403 LED RGB 9W 24V L300 GM	गोटा			१७८८२
	BBP412 LED200/WW 7W 24V L1200	गोटा			२५.६९९
	BBP412 LED RGB 36W 24V L1200 GM	गोटा			३२९४९
	Tunnel Lights				
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source. PDC housing with high impact resistance (IK08). It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees. Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	BWP352 LED69/NW 60W 220-240V DM2 MPI	गोटा			७५९५
	BWP352 LED137/NW 120W 220-240V DM2 MPI	गोटा			१३१७६५
	BWP352 LED206/NW 180W 220-240V DM2 MPI	गोटा			१६९४९९
	BWP352 LED274/NW 240W 220-240V DM2 MPI	गोटा			२३५२९५
	UNI Urban				
	BDP461 LED33 WW 110-277V TS	गोटा			७५२९४
	BDP461 LED65 WW 110-277V TS	गोटा			९४९९७
	BDP461 LED100 WW 110-277V TS	गोटा			१३१७६६
	Jargeua - Post Top				
	Jargeua - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics. Aluminum Die cast housing having IP65/IK08 protection.				
	Jargeua -Post Top	गोटा			७५२९४
	Architectural Lights color kinetics				
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories				
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, U/C/C	गोटा			१६९४९९
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels				
	ColorGraze Intellihue Powercore, 1ft. 9 Degree	गोटा			१४९९७६


Handwritten signatures and marks at the bottom of the page.

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मुनिलिप्तपुस्तकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.				
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE	गोटा			२८२३२२
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.				
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount	गोटा			९,६९९७
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers—illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rock-solid reliability.				
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/CQC	गोटा			६७०५८८
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.				
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4ft), Clear Flat Lens	गोटा			९५०५८८
	Archipoint ArchiPoint iColor Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications				
	Archipoint iColor Powercore, Clear Flat Lens, 100-240V, UL/CF	गोटा			३७६,६७
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants				
	iColor MR G3, 30 Degree	गोटा			९५०५८८
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all—from displaying+Bl ing messages on curved building façades to bringing stunning LED light shows to stadium roofs.				
	iColor Flex 1.MX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader	गोटा			४७०५८८
	iColor Flex 1.MX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader	गोटा			६७०५८८
	Controllers / Power Supplies / Keypads / Softwares				
	Controller, Light System Manager (Gen 5) 15000 Node	गोटा			९४९९७६
	Ethernet Switch with POE Ports For Use with Colorial2	गोटा			९६०००
	Controller, Activsite Gateway	गोटा			९९२९,६९
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for façade, landscape and outdoor flood lighting applications like: illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.				
	Uniflood C Small (27W-36W)	गोटा			९५०५८८
	Uniflood C large(110W-150W)	गोटा			९७८८२३

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क- बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like: illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm,500mm, 520m & 1000mm)				
	UniStrip G4 AC BCP383(15W-50W)	गोटा			२३५२९.४
	UniStrip G4 AC BCP385 (50W-120W)	गोटा			३७६४७०
	GreenPerform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019. GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design				
	BY718P LED100/CW PSU NB IN	गोटा			२६३५२
	BY718P LED150/CW PSU NB IN	गोटा			३२८८२
	BY718P LED200/CW PSU NB IN	गोटा			३७६४७
	Industrial Battens				
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option				
	BN308C LED20S-6500 1.60 PSU WII	गोटा			३५७६
	BN308C LED40S-6500 1.120 PSU WII	गोटा			८४७०
	BN308C LED60S-6500 1.120 PIR WII	गोटा			१०१६४
	TMC 501 Mounting rail for TLED lamps.				
	TMC 501 P 1xT-LED 22W P3241	गोटा			१८८२
	TMC 501 P 2xT-LED 22W P3242	गोटा			३०११
	Highbays				
	BY515P LED100S 5700 NB PSU GR	गोटा			२४४७०
	BY515P LED150S 5700 NB PSU GR	गोटा			२८२३५
	BY515P LED250S 5700 NB PSU GR	गोटा			४१४११
१८४	Upvc Conduit Pipe				
	Upvc Conduit Pipe (Light Stress)				
	20mm	२ मी			१२८
	25mm	२ मी			१६५
	32mm	२ मी			२२५
	Upvc Conduit Pipe (Medium Stress)				
	20mm	२ मी			१८८
	25mm	२ मी			२२५
	32mm	२ मी			२८५
	Upvc Conduit Pipe (Heavy Stress)				
	20mm	२ मी			३९२
	25mm	२ मी			४५०
	32mm	२ मी			५२५
१८५	Upvc Elec. Conduit Fittings				
	Circular Box - Terminal (1 way)				
	20mm	गोटा			६६
	25mm	गोटा			५७

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
280

[Handwritten signature]

[Handwritten signature]

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बा.व.क. बा.व.क. बा.व.क.		
			२०७६/७७	२०७७/७८	२०७८/७९
	Circular Box - Angle (2 way)				
		20mm	गोटा		५५
		25mm	गोटा		६२
	Circular Box - Through (2 way)				
		20mm	गोटा		५७
		25mm	गोटा		६२
	Circular Box - Tee (3 way)				
		20mm	गोटा		६२
		25mm	गोटा		६९
	Circular Box - Intersection (4 way)				
		20mm	गोटा		६९
		25mm	गोटा		७४
	Deep Circular Box - Terminal (1 way)				
		20mm	गोटा		८९
		25mm	गोटा		१०९
		32mm	गोटा		१२५
	Deep Circular Box - Angle (2 way)				
		20mm	गोटा		९८
		25mm	गोटा		११४
		32mm	गोटा		१३६
	Deep Circular Box - Through (2 way)				
		20mm	गोटा		११४
		25mm	गोटा		१२५
		32mm	गोटा		१२६
	Deep Circular Box - Tee (3 way)				
		20mm	गोटा		१०३
		25mm	गोटा		१२०
		32mm	गोटा		१४७
	Deep Circular Box - Intersection (4 way)				
		20mm	गोटा		१०९
		25mm	गोटा		१२५
		32mm	गोटा		१५८
	Slip Type Bend - Long				
		20mm	गोटा		४६
		25mm	गोटा		५७
	Slip Type Bend - Normal				
		20mm	गोटा		२६
		25mm	गोटा		३७
		32mm	गोटा		९५
	Coupler				
		20mm	गोटा		१३
		25mm	गोटा		१९
		32mm	गोटा		३६

281

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Reducer Coupler 25 x 20				
		25mm	गोटा		२२
	Space Bar Saddle				
		20mm	गोटा		२४
		25mm	गोटा		३०
		32mm	गोटा		६२
	Elbow				
		20mm	गोटा		२३
		25mm	गोटा		३२
	Tee				
		20mm	गोटा		३६
		25mm	गोटा		४५
	Fan Box without Rod 20mm X				
		25mm	गोटा		१७०
	Fan Box with Rod 20mm X				
		25mm	गोटा		५७५
	Inspection Elbow				
		20mm	गोटा		१०५
		25mm	गोटा		१३५
	Inspection Tee				
		20mm	गोटा		८०
		25mm	गोटा		११०
	Circular Extension Ring				
		20mm	गोटा		३०
		25mm	गोटा		३७
	Female Bush Adaptor				
		20mm	गोटा		२९
		25mm	गोटा		३७
	Bending Spring				
		20mm	गोटा		११५०
		25mm	गोटा		१२५०
	Metal Strap Power Coated				

(Handwritten signatures and initials)

Solar Power



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.आ.क. बहिर्को दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Solar PV Module	प्रति.वाट	९०.००	९०.००	९०.००
२	Solar Tubular Battery (200Ah@c20, 12v)	गोटा	३१७००.००	३१७००.००	३१७००.००
३	Solar Tubular Battery (150 Ah@c20, 12v)	गोटा	२४३००.००	२४३००.००	२४३००.००
४	Solar Tubular Battery (100 Ah@c20, 12v)	गोटा	१६८००.००	१६८००.००	१६८००.००
५	Solar Tubular Battery (80 Ah@c20, 12v)	गोटा	१६९००.००	१६९००.००	१६९००.००
६	Solar Tubular Battery (60 Ah@c20, 12v)	गोटा	१२२००.००	१२२००.००	१२२००.००
७	Solar Tubular Battery (40 Ah@c20, 12v)	गोटा	८०००.००	८०००.००	८०००.००
८	Solar Gel Battery (200 Ah@c20, 12v)	गोटा	६६७००.००	६६७००.००	६६७००.००
९	Solar Gel Battery (150 Ah@c20 12v)	गोटा	५०२००.००	५०२००.००	५०२००.००
१०	Solar Gel Battery (100 Ah@c20, 12v)	गोटा	३४०००.००	३४०००.००	३४०००.००
११	Solar Gel Battery (80 Ah@c20, 12v)	गोटा	३११००.००	३११००.००	३११००.००
१२	Solar Gel Battery (75 Ah@c20, 12v)	गोटा	२६०००.००	२६०००.००	२६०००.००
१३	Solar Gel Battery (40 Ah@c20, 12v)	गोटा	१४९००.००	१४९००.००	१४९००.००
१४	Solar Lithinium Ion Battery (100AH@c10, 12V)	गोटा	३६७००.००	३६७००.००	३६७००.००
१५	Solar Lithinium Ion Battery (80AH@c10, 12V)	गोटा	३२६००.००	३२६००.००	३२६००.००
१६	Solar Lithinium Ion Battery (50AH@c10, 12V)	गोटा	१८७००.००	१८७००.००	१८७००.००
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३२५००.००
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२३९००.००
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	१९८००.००
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१४८००.००
२१	Charge controller 20a/12-24 V	गोटा	४२००.००	४२००.००	४२००.००
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	४९००.००
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७००.००
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६००.००
२५	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४५००.००	४५००.००	४५००.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	३१६००.००	३१६००.००	३१६००.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२४३००.००	२४३००.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५३००.००
२९	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४२३००.००
३०	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३५८००.००
३१	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२६८००.००
३२	Solar street light 40W	गोटा	१४९००.००	१४९००.००	१४९००.००
३३	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२०००.००
३४	Solar street light 20W	गोटा	८६००.००	८६००.००	८६००.००
३५	Solar street light 12W	गोटा	५६००.००	५६००.००	५६००.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७२००.००	१७२००.००	१७२००.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९२००.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	२१४००.००	२१४००.००	२१४००.००

